

## FLOMAX Close Coupled Electric Motor Driven Pumps

Self Priming • Centrifugal • Cast Iron Construction

Pumps are of cast iron construction to suit a wide variety of liquids. All fasteners are stainless steel to reduce corrosion. Impellers are balanced and trimmed to insure non-overloading conditions. Standard Stainless Steel and Viton® mechanical seal is self-adjusting and corrosion resistant to handle many different liquids. Pump assemblies are offered with TEFC motors, or as PUMP PAKS only to fit customer's standard motor.

**Cast Iron Construction**  
**Cast Iron Impeller**  
**Stainless Steel Shaft Sleeve**  
**Viton® Ceramic Seals**  
**Stainless Fasteners**






**MP123C**  
**FLOMAX 5**



**MP231C**  
**FLOMAX 8**



**MP253C**  
**FLOMAX 10**



### CLOSE COUPLED PUMP/MOTOR UNITS

Part No.	Series	Ports	HP	Phase	Max. Spec. Gravity	Volts	Max. GPM	Impeller Dia.	Wt. Lbs.
DU MP121C	Flomax 5	1-1/2"	2	1	1.0	230	110	4.625"	105
DU MP123C	Flomax 5	1-1/2"	2	3	1.0	230/460	110	4.625"	105
DU MP231C	Flomax 8	2"	3	1	1.0	230	140	5.0"	110
DU MP231CA	Flomax 8	2"	3	1	1.4	230	120	4.62"	110
DU MP233C	Flomax 8	2"	3	3	1.0	230/460	140	5.0"	110
DU MP233CA	Flomax 8	2"	3	3	1.4	230/460	120	4.62"	110
DU MP253C	Flomax 10	2"	5	3	1.0	230/460	200	5.5"	170
DU MP273C	Flomax 10	2"	7.5	3	1.4	230/460	210	5.75"	175
DU MP373C	Flomax 15	3"	7.5	3	1.0	230/460	300	5.75"	175

Note: Water=8.33 lbs./Gal.=1.0 Specific Gravity 12 lb./gal. Material=1.4 S.G. 14 lb./gal. Material=1.7 S.G.



**MP373C**  
**FLOMAX 15**



### PUMP END ONLY: For Close Coupled Electric Motor Driven Units

**FLOMAX 5 & 8 Series** self-priming centrifugal pumps use a special adaptor and mount directly to standard NEMA "C" frame motors without bases.

**FLOMAX 10 & 15 Series** pump are designed to fit standard NEMA "C" frame motors with standard armature shafts.

Part No.	Wt.
<b>FLOMAX 5</b> MX 26092 Pump with 5/8" sleeve & Foot Adapter for NEMA 56C motor without base .....	38 lbs.
<b>FLOMAX 8</b> MX 25922 Pump with 7/8" sleeve & Foot Adapter for NEMA 184C/145TC motor without base.....	38 lbs.
MX 26079 Pump with 5/8" sleeve & Foot Adapter for NEMA 56C motor without base .....	38 lbs.
MX 28181 <b>Flomax 8</b> Pump Pack with 4-5/8" Impeller to fit 56C 3-HP Motor .....	38 lbs.
<b>FLOMAX 10</b> MX 21366 Pump with 5-3/4" Dia. Impeller to close couple to NEMA 182TC/184TC frame motors with base .....	67 lbs.
<b>FLOMAX 15</b> MX 24834 Pump with 6.0" Dia. Impeller to close couple to NEMA 182TC/184TC frame motors with base .....	67 lbs.

Viton® is a registered trademark of DuPont Performance Elastomers

