

Good through 3/2/26



EARLY ORDER PROGRAM

Special Prices &
Quantity Discounts on
Select Items!



Scan our QR code to request
a free catalog!

Additional discounts on **\$5000** orders
Call for details



- ✓ Technical Support
- ✓ 24/7 Online Ordering

- ✓ Huge Inventories
- ✓ Same Day Shipping

FREE FREIGHT
* On Orders \$2500+



OMAHA, NE (800) 228-9666

DAVENPORT, IA (800) 553-6975

* Continental U.S. Only. Tanks, Pipe & Sprayers Excluded. Please Allow 3 Weeks for Large Early Orders to Ship.

- Prices Subject to Change Without Notice -

DULTMEIER.COM



SPECIAL PRICES

WILGER & TEEJET NOZZLES, CAPS & GASKETS

TeeJet Spray Nozzles

Save 10% On 50+ of One Size



Part No.		SPECIAL
SS XR8001VS thru XR11008VS (& VK's)	Extended Range Teejets	\$ 6.10
SS TP8001VS thru TP11008VS	VisiFlo Teejets	5.60
SS TP8001EVS thru TP9508EVS	Even Teejets	5.70

Note: Cap & Gasket are Not Included

Nozzle & Cap Assembly with Gasket

Polymer Body with Stainless Insert



AIC Air Induction

Part No.
SS AIC110025VS thru AIC11010VS

SPECIAL
\$ 12.90

XRC Extended Range

Part No.
SS XRC110025VS thru XRC11010VS
SS XRC80015VS thru XRC8006VS

SPECIAL
\$ 7.60
7.60



AIXR Air Induction Extended Range

Part No.
SS AIXR110015VP-CE thru 11006VP-CE
SS AIXR11008VP-CE thru 11010VP-CE

SPECIAL
\$ 8.10
9.20

TTI Turbo Teejet Induction

Part No.
SS TTI11001-VP-CE thru 11006-VP-CE
SS TTI11008-VP-CE thru 11010-VP-CE

SPECIAL
\$ 11.00
13.70



TT Turbo Teejet

Part No.
SS TT11001-VP-CE thru 11008-VP-CE
SS TT11010-VP-CE thru 11012-VP-CE

SPECIAL
\$ 7.40
9.00

TTJ60 Turbo Twinjet

Part No.
SS TTJ60-11002VP-CE thru 11010VP-CE

SPECIAL
\$ 8.50



AITTJ60 Air Induction Turbo Twinjet

Part No.
SS AITTJ11002VP-CE thru 11006VP-CE
SS AITTJ11008VP-CE thru 11015VP-CE

SPECIAL
\$ 8.90
10.60

TTI60 Twinjet Twin Flat Induction

Part No.
SS TTI6011002VP thru 11008VP

SPECIAL
\$ 12.50



APTJ AccuPulse Twinjet

Part No.
SS APTJ110015VP-CE thru 11012VP-CE

SPECIAL
\$ 10.90

QJ 360 Nozzle Body Turrets

Less Caps

QJ360 Nozzle Assemblies for Wet or Dry Booms



Available in 3, 4 or 5 nozzle style with Viton® diaphragm. Pressures to 300 PSI. 2.25 GPM @ 5 PSI and 3.20 GPM at 10 PSI.

For wet pipe booms use either 3/4" or 1". For dry booms always use the 3/4"NYB version and add the 1/2", 3/4" or 1" single or double hose connectors. For dry boom mounting use QJ Round or Square Vari-Spacing clamps.

Standard Check/Opening Pressure is 10 PSI. (2, 5, 8, 15 & 20 PSI also available)



QJ363



CP38936NYB
CP38938NYB
CP38940NYB



CP38937NYB
CP38939NYB
CP38941NYB



QJ370 Nozzle Body Turrets

Less Caps

Wet Boom Style



High Flow Rates In A Compact Design

Viton®



Dry Boom Style

Wet Boom Versions:

Part No.	Description	SPECIAL
SS QJ373-3/4NYB	3 Outlet QuickJet Nozzle Body for 3/4" Pipe	\$ 9.20
SS QJ373-1NYB	3 Outlet QuickJet Nozzle Body for 1" Pipe	8.80
SS QJ375-3/4NYB	5 Outlet QuickJet Nozzle Body for 3/4" Pipe	8.50
SS QJ375-1NYB	5 Outlet QuickJet Nozzle Body for 1" Pipe	9.40
SS QJ363-1NYBVI	1" 3-Nozzle Assembly, Viton®, Less Connector	16.50
SS QJ365-1NYBVI	1" 5-Nozzle Assembly, Viton®, Less Connector	16.50

Dry Boom Versions (Hose Barbs Included):

Part No.	Description	SPECIAL
SS QJ373-750-1NYB	3 Outlet QuickJet Nozzle Body with 3/4" Single HB	\$ 11.60
SS QJ373-750-2NYB	3 Outlet QuickJet Nozzle Body with 3/4" Double HB	11.50
SS QJ373-1000-1NYB	3 Outlet QuickJet Nozzle Body with 1" Single HB	11.40
SS QJ373-1000-2NYB	3 Outlet QuickJet Nozzle Body with 1" Double HB	11.50
SS QJ363-34NYBVI	* 3/4" 3-Nozzle Assembly, Viton®, Less Connector	16.50
SS QJ365-34NYBVI	* 3/4" 5-Nozzle Assembly, Viton®, Less Connector	16.00

* Use on Hose Fed Dry Booms & Add Connections.

Combo-Rate Nozzle Bodies



WL 41434-00
Combo Rate II Saddle/Body
2 Way, 3/8" Inlet. Includes
Manual Shutoff Valve (MSO)



WL 41515-00
5-Way Turret



40203-00
Adapter Cap for
Combo-Jet to Teejet
QuickJet Cap



41110-00
2-Way Nozzle Body
with Manual Shutoff Valve



Shown here completely assembled with
5-Way Turret & Plug

Part No.		SPECIAL
WL 41110-00	Combo-Rate Thru Nozzle Body, 2-Way, MSO	\$ 8.70
WL 41111-00	Combo-Rate End Nozzle Body, 1-Way, MSO	8.00
WL 41438-00	Combo-Rate Saddle/Body, 2-Way, 3/8" Inlet, PWM	8.60
WL 41434-00	Combo-Rate Saddle/Body, 2-Way, 3/8" Inlet, MSO	13.10
WL 41515-00	Combo-Rate 5-Way Turret, MSO	15.00
WL 40203-00	Combo-Jet Adapter Cap, Combo-Jet to Sqr. Lug (Teejet)	2.20
WL 40204	Combo-Jet Adapter Cap, Sqr. Lug (Teejet) to Combo-Jet	2.20
WL 40206	Double Down Adapter Cap, Sqr. Lug (Teejet) to Combo-Jet	4.90





SPECIAL PRICES

GREENLEAF & WILGER SPRAY & BOOMLESS NOZZLES



TDXL TurboDrop® Nozzles

Air Injection Minimizes Drift

- TurboDrop® XL Nozzle (TDXL) • Pressure 20 - 120 PSI
- "D" Denotes Drift Control

The TurboDrop® Venturi utilizes a patented stabilization chamber and pulsation dampener which results in an even mixing of air with the spray liquid and a tighter more uniform droplet spectrum for a unique combination of drift control and coverage.

The TurboDrop® XL nozzle is unique among air injection nozzles in that it was designed for contact chemicals, not just glyphosate (a systemic herbicide).

* Always confirm the label of your product to see approved tips.

- Call or Visit www.dultmeier.com -

Part No.

GT TDXL11001 thru TDXL11010	Medium Pressure TurboDrop® Nozzle with Gasket
GT TDXL11001-D thru TDXL11010-D	Drift Control Turbo Drop® Nozzle with Gasket



SPECIAL

CALL

CALL

TurboDrop® Dual Fan Nozzles

Air Injection Minimizes Drift



The D Version of the TurboDrop® Dual Fan Nozzles (TADF-D) were designed with dicamba, 2, 4-D and glyphosate in mind, where a coarser spray droplet is desirable. Alternating the TADF-D nozzles with the 10° fan forward and then the 10° fan backward on the boom will help counter potential loss of coverage by effectively spraying the target four times.

(TADF) may improve coverage with certain canopy types, or even help target smaller, just emerging weeds.



- Call or Visit www.dultmeier.com -

Part No.

GT TADF01 thru TADF10	Medium Pressure Dual Fan Nozzle with Gasket
GT TADF01-D thru TADF08-D	Medium Pressure Dual Fan "D" Nozzle with Gasket

SPECIAL

CALL

CALL

Boomless Nozzles

We Also Stock All of These Boomless Nozzle Brands



HYPRO® BOOMINATOR® XPBoomJet®

- Call Us for Current Pricing -

Turbo FloodJet® Spray Tips

TFVS: Color coded stainless tips. TFVP: All polymer, color coded.

- Excellent spray distribution for uniform coverage along the boom.
- Nozzle design incorporates a pre-orifice to produce larger droplets for less drift.
- Large, round orifice reduces clogging.
- Stainless steel with VisiFlo® color-coding band for easy size identification.
- Can be used with #CP25599 - NY Quick TeeJet® cap for automatic alignment.

Typical Applications:

Soil Incorporated Herbicides - Use at lower pressures (10-25 psi) to produce larger droplets for reduced drift. Mount on 30 - 40" spacings.

Pre-Emerge Herbicides - Use at 10 - 25 psi to reduce drift and provide uniform coverage. Also good for broadcast application of liquid fertilizers.

Post-Emerge Systemic Herbicides - Use at 20 - 30 psi to control drift. Provides uniform coverage along spray boom. 30" spacings are suggested for post-emerge applications.

Note: Cap & Gasket are Not Included

Part No.	TF Color Coded Tips
SS TFVP2	thru TFVP10
SS TFVS2	thru TFVS10

SPECIAL
\$ 2.90
12.00

TeeJet Packaged in 25's.
10% Quantity Discount on 50+ Of One Size



TFVP

TFVS

COMBO-JET® SPRAY TIP SERIES: COMPARISONS AT A GLANCE



DX Series - Narrow Angle Drift Reduction

-PWM Approved-



Wilger's newest Combo-Jet® nozzle, the DX Series is a narrow-angle spray nozzle designed for exceptional drift reduction within specialty and spot spraying applications. DX spray tips are an especially effective option for spray-on-green and green-on-green optical spot spraying systems. Narrow angle nozzles allow for concentrated, more-direct applications of systemic herbicides, fungicides, and foliar fertilizers to the target plant - therefore reducing treatment costs and waste while also decreasing drift. Available in 20-, 40-, and 60-degree angle spray patterns.

Part No.

WL DX20-015 thru DX20-125	SPECIAL \$ 12.00
WL DX40-015 thru DX40-125	12.00
WL DX60-015 thru DX60-125	12.10
WL 40250 50 Mesh Strainer	2.00
WL 40251 100 Mesh Strainer	2.00



Combo-Jet® 110 Degree Flat Fan Nozzles

The Combo-Jet® Tip-Cap with Its Snap-In Strainer is Easier to Clean and Stays Clean Longer



ER Series
Extended Range

SR Series
Small Reduction

MR Series
Mid Range Reduction

DR Series
Drift Reduction

UR Series
Ultra Reduction



Part No.

WL ER110-01 thru ER110-25	SPECIAL \$ 8.40
WL SR110-015 thru SR110-25	12.10
WL MR110-01 thru MR110-20	11.90
WL DR110-015 thru DR110-15	11.90
WL UR110-025 thru UR110-10	16.00

Save 10% On 50+ of One Size

Quick Turbo Floodjet Nozzles

"Turbo FloodJet Nozzles" standard features include: • Unique orifice design that produces larger droplets for reduced drift and clogging • Precise spray distribution for dramatic improvement in pattern uniformity • Stainless steel construction with color-coding for identification • Grooved side molding for automatic alignment with any quick-connect coupler • Requires only 30% overlap, enabling the use of fewer, larger nozzles.



*Adjust spray height in the field to a minimum overlap approximately 30% of each edge of pattern.

Nozzle Spacing	Suggested Minimum Spray Height*
40"	18 - 20"
60"	25 - 28"
120"	50 - 55"

*When nozzle is mounted parallel to the ground.

5% Quantity Discount on 25+ One Size

Part No.

SS QCTFVS15	thru QCTFVS80	Turbo FloodJet Nozzles	SPECIAL \$ 31.00
SS QCTFVS100	thru QCTFVS120	Turbo FloodJet Nozzles	42.25
SS QCKSS150	thru QCKSS210	FloodJet Nozzles	72.50
* TK P075B	3/4" Poly Coupler with Guide		9.70

* Quantity discounts do not apply



DULTMEIER SALES

OMAHA, NE

(800) 228-9666

• DAVENPORT, IA

(800) 553-6975



SPECIAL PRICES

HYPRO NOZZLE BODIES & SPRAY TIPS - STREAM NOZZLES

HYPRO®

Ultra Lo-Drift Spray Tips with Dual Air Eduction Technology for Weed Control



Features: ULD Creates Air-Filled Droplets which Significantly Reduce Spray Drift • Wide Spray Angle (120°) • Uniformity at All Pressures (15-115 PSI) • Precision Molded from Durable Polyacetal • Available in Sizes 015 to 08 • Convenient FastCap™ Available • FastCap® complete includes tip, cap, gasket and 50M strainer for sizes 015-06. Includes EPDM gasket.

10% Discount on 50+ of One Size

Part No.	Color	GPM @ 40 PSI	20" Spacing GPA @ 12MPH	20" Spacing GPA @ 16 MPH	SPECIAL
TW FCULD120015	Green	.15	3.7	2.8	\$ 12.40
TW FCULD12002	Yellow	.20	5.0	3.7	12.40
TW FCULD120025	Purple	.25	6.2	4.6	12.40
TW FCULD12003	Blue	.30	7.4	5.6	12.40
TW FCULD12004	Red	.40	9.9	7.4	12.40
TW FCULD12005	Brown	.50	12.4	9.3	12.40
TW FCULD12006	Gray	.60	14.9	11.1	12.40
TW FCULD12008	White	.80	19.8	14.9	12.40

"Jumbo" High Volume 5-Way Nozzle Turrets

For John Deere Sprayers with 1" Booms with 11/16" Diameter Boom Holes

These **High Volume 5-Way Nozzle Turrets** are designed as direct replacements for John Deere Sprayers with 1" Booms with 11/16" diameter boom holes. Easy Fit Connection for 1" pipe; includes stainless screw and nut. Standard with Viton® diaphragms. High volume - 6 GPM at 5 PSI pressure drop. Check valve closes at 12 PSI. 5 Nozzle lugs fit QuickJet 90° turn caps. Rated to 145 PSI.



Part No.	Description	SPECIAL
AG 51	Jumbo 5-Way Nozzle Turret for 1" Boom	\$ 57.50
AG 51-V	Replacement Viton® Diaphragm for Above...	5.80
AG 51-CV	Replacement 12 PSI Check Valve for Above	4.00

10% Quantity Discount on 50+ One Size



PulseGuard™ Nozzles HYPRO®



Hypro PulseGuard Nozzles are PWM-compatible nozzles designed for applying broad-spectrum herbicides and crop protection products. Featuring a dual-pre orifice design and wide 120° spray angle, PulseGuard nozzles offer a large droplet spectrum - from Coarse to Extremely Coarse - providing an effective balance between drift reduction and spray coverage. Designed with a quick-change Snaplock cap with gasket and integrated strainer and DustGuard protection to make maintenance and nozzle replacement quick and easy. Rated pressure range of 20-80 PSI. **All sizes PWM approved.**

Part No.	SPECIAL
TW PLSG120-03 thru PLSG120-10	\$ 9.80

Nozzles Packaged in 10's - 10% Discount on 50 Not Assorted



3-Hole Fertilizer Stream Nozzles (FS3)

Wilger Combo-Jet® 3-Hole Fertilizer Streamer Nozzles are designed for streaming liquid fertilizer on consistent spacing to minimize leaf burn. Color-coded for easy size and flow rate identification. These Wilger solid stream nozzles for fertilizer injection include a metering orifice and slide-in diffuser plate within a polypropylene, 3-hole streamer cap. Long-style orifices are standard on sizes 08 and up. Recommended operating pressure range of 10-60 PSI.



Part No.	SPECIAL
WL 40443-015 thru 40443-20	\$ 8.30
WL 40250	50 Mesh Strainer 2.00
WL 40251	100 Mesh Strainer 2.00

10% Quantity Discount on 50+ Of One Size

HF High Flow 140° Wide Angle Drift Reducing Tips

HYPRO® for Fertilizer

Features: High Volume Coverage or High Speed Applications • 140° Pattern Ensures Unmatched Uniformity Across the Spray Boom & Throughout the Entire Pressure Range (20-80 PSI) • Wide Spray Angle (140°) Allows for Lower Spray Height • Droplets (XC) are Under 100 Microns are Controlled • Straight-Through Design Reduces Clogging & Easily Fits Directly on Standard Nozzle Bodies • FastCap™ Design Adds Convenience.



**Fast Cap
Combo with
Tip, Cap &
O-Ring**

10% Discount on 50+ of One Size

Part No.	Color	GPM @ 40 PSI	20" Spacing GPA @ 12MPH	40" Spacing GPA @ 12 MPH	SPECIAL
TW HF140-08	White	.80	19.8	10.0	\$ 14.80
TW HF140-10	Blue	1.0	25.0	12.5	14.80
TW HF140-15	Green	1.5	37.0	18.5	14.80
TW HF140-20	Black	2.0	50.0	25.0	14.80
TW HF140-30	Tan	3.0	74.0	37.0	14.80
TW HF140-40	White	4.0	99.0	50.0	14.80
TW HF140-50	Purple	5.0	124	62.0	14.80
TW HF140-60	Yellow	6.0	149	75.0	14.80
*TW 65-VBS205 Viton® O-Ring					1.10

* Quantity discounts do not apply

HYPRO® Hi-Flow Turret Nozzle Bodies for Wet or Dry Booms

Standard Equipment on Many Commercial Sprayers

Features:

- Three turret styles for an easy change of spray tips, single, 3-way & 5-way.
- Available in wet or 3/4" & 1" dry boom versions.
- Positive shutoff between each spray position.
- 2.6 GPM with a 5 PSI pressure drop through the nozzle.
- Can be used with all Quick Attach spray tips. **Caps, Gaskets & tips not included.**
- ProFlo nozzle bodies come standard with an 8 PSI EPDM check valve 4 PSI, 12 PSI & 20 PSI check valves are available.



Part No.	Nozzle Bodies for WET Booms	SPECIAL
TW 9950-0014	3 Nozzle Turret for 3/4" Wet Boom / EPDM.	\$ 19.80
TW 9950-0015	3 Nozzle Turret for 1" Wet Boom / EPDM....	19.80
TW 9950-0016	5 Nozzle Turret for 3/4" Wet Boom / EPDM.	19.80
TW 9950-0018	5 Nozzle Turret for 1" Wet Boom / Viton®....	18.30

10% Quantity Discount on 50+ One Size

Stainless Steel Solid Stream Nozzles and Flow Regulators for Fertilizer Injection



Solid Stream Nozzles are the best nozzle for injecting nitrogen fertilizer behind coulter or cultivation devices. They can be used at medium pressure shown or at much higher pressure if used with piston pumps. Select the cap style with separate body and cap if size changes will be frequent. The threaded style is correct for permanent installations.



Stainless Flow Regulators are usually mounted behind cultivator shanks for the subsurface application of liquid fertilizers and soil fumigants. They are also used for above-ground streaming applications.

Part No.	SPECIAL
SS SS0001 thru SS0040 Stainless Steel	\$ 9.70
SS H1/4USS0002 thru H1/4USS0060 Stainless	12.90

Part No.	Stainless Steel Flow Regulator	Std. Pkg. 100	DISCOUNT 10%	SPECIAL
SS 4916-18	thru 4916-140			2.90





SPECIAL PRICES

SPRAYER & INJECTION PUMPS - PLANTER GAUGE WHEELS



HYPRO® Cast Iron Pumps



Hydraulic Drive Spray Pumps - Viton® or Silicon Carbide Seals

Part No.	Material	Size/Style	SPECIAL
HY 9303C-HM1	Cast Iron	1-1/2" x 1-1/4" FPT	\$1136.00
HY 9303C-HM4	Cast Iron	1-1/2" x 1-1/4" FPT	1096.00
HY 9306CHM1C	Cast Iron	2" x 1-1/2" FPT	1329.00
HY 9306CHM5C	Cast Iron	2" x 1-1/2" FPT	1259.00
* HY 9306CHM3CB	Cast Iron	2" x 1-1/2" FPT	1347.00
* HY 9306CHM5CB	Cast Iron	2" x 1-1/2" FPT	1383.00
* HY 9306SHM1C	Stainless	2" x 1-1/2" FPT	2375.00
* HY 9306SHM3C	Stainless	2" x 1-1/2" FPT	2338.00
* HY 9306SHM5C	Stainless	2" x 1-1/2" FPT	2259.00
* HY 9306S-HM1C-3U	Stainless	300 x 220 Flanged	2444.00
* HY 9306S-HM5C-3U	Stainless	300 x 220 Flanged	2444.00

* Severe Duty Sil-Carbide Seal - HY 9307 Series 3X2 Available -

ACE Hydraulic Drive Pumps

Cast Iron

— Other Models Available —



Part No.	NET PRICE EACH
AC FMC-HYD-204	\$ 965.00
AC FMC150HYD206	989.00
AC FMC200HYD304	1172.00

Hydraulic Driven Cast Iron Pumps

— Pro 5 Series —

Feature Silicon
Carbide or Oasis
Wet Seals



Part No.		NET PRICE EACH
AC FMCSC125-206	Sil-Carb Seal Pump, 1-1/4" x 1" FPT, 110 GPM.	\$ 1042.00
AC FMCSC125-206PWM	Same as above with PWM	1815.00
AC FMCWS125-204	Wet Seal Pump, 1-1/4" x 1" FPT, 92 GPM	1463.00
AC FMCWS125-206	Wet Seal Pump, 1-1/4" x 1" FPT, 110 GPM	1463.00
AC FMCWS125-206PWM	Same as above with PWM	2235.00
AC FMCWS155F-206	Wet Seal Pump, 220 x 200 Flange, 145 GPM	1552.00
AC FMCWS155F-206PWM	Same as above with PWM	2299.00



PWM Control Systems

Pumps for use with PULSE WIDTH MODULATED Control. Provides quick rate changes for constant and variable rate applications with Closed Center Hydraulic Systems. Pumps run only as fast as needed. Twin valve design prevents overspeeding. Valox impeller standard, cast iron or stainless are optional.

Call for Other Options

Part No.	Description	Wt.	NET PRICE EACH
AC 150F-PWM	Cast Iron Pump with 11 GPM Hydraulic Motor with PWM Valve. Inlet is Flanged 220FP & 1-1/2" FPT, Outlet is Flanged 200 Std. Port & 1-1/4" FPT. 155 GPM - 130 PSI. Severe Duty Silicon Carbide Seal ..	38 lbs.	\$ 2011.00



DULTMEIER SALES

OMAHA, NE

(800) 228-9666

•

DAVENPORT, IA

(800) 553-6975

Chemical Injection Metering Pumps

- Wide Flowrate Range
- Precise Application of Chemical & Fertilizer for

Replacement Parts In Stock!




JOHN BLUE

SIMPLEX SINGLE PISTON UNITS

Part No.	GPH	Drive Design
BU 20620	5-30	1/2 hp, 3 phase
BU 21630	10-100	1/2 hp, 3 phase

SPECIAL
\$ 1513.00
1600.00



MP FLOMAX & JOHN BLUE PUMPS

Hydraulic Motor Drive Centrifugal Pumps

Self-Priming
Cast Iron Construction
Viton® Ceramic Seals
Stainless Fasteners

HYDRAULIC PUMP/MOTOR UNITS COMPLETE

Part No.		Ports	GPM	Max. Oil flow	SPECIAL
MX 28553	FLOMAX 15	3"	315	15 GPM	\$ 2638.00
BU SP3345-PH	JOHN BLUE *	3"	308	25 GPM	3365.00

* Double Seal Pump, Run Dry Capability.

Hypro Roller Pumps

Cast Iron - Ni-resist - Silver Cast® Stainless

Max 150 PSI · Viton® Seals

6.7 GPM · 14.7 GPM · 20.6 GPM

HYPRO®



Part No.	4-Roller Pumps - 3/4" Ports - 2600 Rpm	SPECIAL
HY 4101C	Cast Iron Pump, 5/8" Shaft, CW	\$ 201.00
HY 4101N	Ni-Resist Pump, 5/8" Shaft, CW	368.00
HY 4101XL	Silver Cast® Pump, 5/8" Shaft, CW	537.00
6-Roller Pumps - 3/4" Ports - 1000-1200 Rpm		
HY 1700C*	Cast Iron Pump, 15/16" Shaft, CCW	500.00
HY 6500CA	Cast Iron Pump, 5/8" Shaft, CCW	206.00
HY 6500CAR	Cast Iron Pump, 5/8" Shaft, CW	226.00
8-Roller Pumps - 3/4" Ports - 1000 Rpm		
HY 7560CA	Cast Iron Pump, 15/16" Shaft, CCW	274.00
HY 7560CAR	Cast Iron Pump, 15/16" Shaft, CW	289.00
HY 7560NA	Ni-Resist Pump, 15/16" Shaft, CCW	506.00
HY 7560NAR	Ni-Resist Pump, 15/16" Shaft, CW	539.00
HY 7560XLA	Silver Cast® Pump, 15/16" Shaft, CCW	742.00
HY 7560XLAR	Silver Cast® Pump, 15/16" Shaft, CW	809.00

*5-Roller, 1" Ports, 39 GPM




ACE Roller Pumps

Cast Iron - Platinum® Stainless

- 5/8" or 15/16" Shafts
- 3/4" FPT Ports; Viton® Seals
- Max 300 PSI; 1000 - 1200 Rpm
- 14.7 GPM & 20.6 GPM

Part No.		NET PRICE EACH
AC RP600C	Cast Iron 6-Roller Pump, CCW	\$ 190.00
AC RP800C	Cast Iron 8-Roller Pump, CCW	249.00
AC RP600PL	Platinum SS 6-Roller Pump, CCW	640.00
AC RP800PL	Platinum SS 8-Roller Pump, CCW	779.00

Reverse rotation (CW) models also available.



SPECIAL PRICES

TRANSFER & HYDRAULIC DRIVE PUMPS & ENGINES

MP, SCOT, HYPRO & BANJO Transfer Pumps

- Cast Iron • Self-Priming



MP
FLOMAX 8
(DU MP25GH)

Scot

Part No.	Description	SPECIAL
TK 200PH6	6.5 HP Honda, 2" FPT, 215 Max GPM.....	835.00
DU MP25GH	2" 5 HP Honda, Flomax 8 Pump	1013.00
DU FK74AV55H	2" 5 HP Honda, Scot Pump	1176.00
TK 200P16PRO	2" 6.5 HP Briggs, Banjo Pump	766.00
DU MP313GH	3" 13 HP Honda, Flomax 15 Pump.....	1967.00
**DU MP313GHE	3" 13 HP Honda Elect., Flomax 15 Pump..	2239.00
**DU MP313CRXE	3" 13 HP CRX Flowmax 15 Pump	1792.00
**HY 1533C-13ESP	3" CI Hypro Pump, 13 HP PowerPro Engine.....	1632.00
DU MP313CRX	3" 12 HYP CRX Flowmax 15 Pump Recoil.....	1659.00

** With Electric Start.

2" & 3" Self-Priming Poly Transfer Pumps

HYPRO, PACER & BANJO ENGINE DRIVEN PUMPS:

Portable • LightWeight • Self-Priming • Corrosion-Resistant



PACER

BANJO
TK 200PH6



HYPRO® Motor Driven Units Also Available

Part No.	PUMP STYLE	Ports	Max. GPM	SPECIAL
HY 1542P-65SP	6.5 HP Hypro PowerPro	2" FPT	200	\$ 451.00
TK 200PH6	6.5 HP Honda	2" FPT	215	835.00
TK M220PH6	2" 6.5 HP Poly Manifold Pump, Honda			865.00
TK 300PH-6	6.5 HP Banjo/Honda	3" FPT	290	956.00
PR SE2UL-E5.5	5.5 HP Pacer/Briggs	2" FPT	150	387.00
* HY 1543P-130ESP	13 HP Hypro PowerPro	3" FPT	440	1411.00
TK M300PH13W**	13 HP Banjo/Honda	3" FPT	350	2141.00

* Electric Start. ** 12V Start, Double Wet Seal.

Double Wet Seal Poly Pump Pak




2" Features:

- 200 GPM Maximum Flow
- 5.5 HP Honda GX200

3" Features:

- 375 GPM Maximum Flow
- 13 HP Honda GX200



DU BU25GHSP-P

Part No.	Description	SPECIAL
DU BU25GHSP-P	2" Self Priming with 5.5 HP Honda GX200 Eng..	\$ 989.00
BU PSP3340-G13H	3" Self Priming with 13HP Honda 12 Start Eng...	2168.00


Double Wet Seal Cast Iron Pump Pak

2" Features:

- 200 GPM Maximum Flow
- 5.5 HP Honda GX200

3" Features:

- 375 GPM Maximum Flow
- 13 HP Honda GX200



313GHE-HF
Cast Iron

Part No.	Description	SPECIAL
DU BU25GH	2" Self Priming with 5.5 HP Honda	\$ 1210.00
DU BU313GHE-HF	3" Self Priming with 13 HP Honda, Elec. Start Eng.....	2611.00
DU BU313CRXE-HF	3" Self Priming with 13 HP CRX, Elec. Start Eng.	2133.00




John Blue NGP

Ground Drive & Hydraulic Piston Pumps

Features:

- Rate Proportional to Speed.
- Unmatched Accuracy for Starter Fertilizer Placement, Regardless of Speed Changes!
- Use with Flow Dividers.
- Adjustable Rate Pumps Also Available.



Hydraulic
Motor Shown is
Sold Separately

Part No.	Max. GPM @ 450 RPM	Max. PSI	Port Size	SPECIAL
BU NGP4055F	10.2	120	1" FPT / 2" SP Flange	\$ 1726.00
BU NGP4055HYF*	10.2	120	1" FPT / 2" SP Flanged	1057.00
BU NGP6055	21.0	120	1-1/2" FPT	1474.00
BU NGP6055HYF*	21.0	120	1-1/2" FPT / (2) 220 Flg. Flanged	1028.00
BU NGP7055	34.2	120	1-1/2" FPT	1804.00
BU NGP7055HY*	34.2	120	1-1/2" FPT	1028.00
BU NGP7055HYF*	34.2	120	1" FPT / 2" SP Flange	1144.00
BU NGP8055	42.0	120	1" FPT	2618.00
BU NGP9055	68.4	120	1-1/2" FPT	2696.00
BU NGP9055HY*	68.4	120	1-1/2" FPT Less Motor	2095.00
BU 116205-91**	Hydraulic Motor & PWM Valve for "HY" Pumps			1066.00
BU 116205-91-D	Hydraulic Motor & PWM Valve NGP-HY, D Version			1066.00

* Less hydraulic motor

** This version bypasses excess oil

Self-Priming Poly 350 Centrifugal Pumps Gas Engine Models

- 13 HP Honda Engine, 12V Start (GX390)
- Tandem Wet Seal (EPDM)
- 3" Flanged Ports

M350PH13W



Part No.	Description	Flow @ 20 PSI	Max Flow	SPECIAL
TK M350PH13W	3" Poly Pump w/ 13 HP, Honda Engine, 12V Start	405 GPM	515	\$ 1901.00

* Max Flow with 4" Suction & Fittings

HYD and Electric Options Also Available



SPECIAL PRICES

SPRAYER / PLANTER VALVES & FIELD COMPUTERS

TeeJet Teejet 12V Electric Ball Valves



- .6 or 0.75 Second On-Off
- 1" FPT or Flange Ports, 3/4" Flow
- 32 or 100 GPM @ 5 PSI
- Wetted Parts: Nylon, Teflon, Polypropylene, and Viton®

344BEC-24C
2-Way Valve

Part No.	Ports	Valve Style	No. Ports	Flow Rate @ 5PSI	Response Time	SPECIAL
SS 344BEC-24C	1"	1 Valve, 2-Way	2	32 GPM	.75 Second	\$ 247.00
SS 356BEC-C	1" Flange	1 Valve, 2-Way	2	100 GPM	.6 Second	327.00
SS 344BEC-34C	1"	1 Valve, 3-Way	3	32 GPM	.6 Second	295.00
SS 453BEC24C	1" & Flange	3 Valve Assembly	3	32 GPM	.75 Second	759.00
SS 50515-22CP05	Motor Sub Assembly, 22 GPM					206.00
SS 50515-25CP05	Motor Sub Assembly, 25 GPM					206.00

— Other Valves Available —

MEVX Flanged 12 Volt Off/On & Regulating Ball Valves



MEVX Flanged 12 Volt Off/On and Regulating Ball Valves. The 101, 201 and 221 Off/On Valves are bolted drop in version and can be used as replacements where size is critical in existing applications. The regulating valves are the new welded version and will not be an exact replacement. Flanged ends.

Part No.	Description	Flange Size	Time Sec.	PSI	Ball ID	Wt.	SPECIAL
TK MEVX100	Welded Off/On Valve	1"	3/4	300	1"	5 lbs.	\$ 406.00
TK MEVX101	* Off/On Valve	1"	3/4	300	1"	5 lbs.	393.00
TK MEVX200	Welded SP Off/On Valve	2"	1-1/2	300	1-1/2"	5 lbs.	573.00
TK MEVX201	* SP Off/On Valve	2"	1-1/2	300	1-1/2"	5 lbs.	569.00
TK MEVX220	Welded FP Off/On Valve	2" FP	1-1/2	250	2"	5 lbs.	620.00
TK MEVX221	* FP Off/On Valve	2" FP	1-1/2	250	2"	5 lbs.	607.00
TK MEVX300	Welded Off/On Valve	3"	4	150	3"	9 lbs.	1087.00
TK MEVXR100	Regulating Valve	1"	4	300	3"	5 lbs.	428.00
TK MEVXR200	SP Reg. Valve	2"	4	300	1-1/2"	5 lbs.	618.00
TK MEVXR220	FP Reg. Valve	2" FP	4	250	2"	5 lbs.	632.00

* Bolted Drop In Version.

12 Volt Manifold Boom Valves



Part No.	Description	SPECIAL
RV 926	Single Section Manifold Boom Valve.....	\$ 377.00
RV 928	Three Section Manifold Boom Valve.....	1027.00

FEATURES:

- Inlet 2" Standard Port Banjo Flange
- Outlet 3/4" FPT - Banjo 1" Flange Connection
- Rated at 40 GPM @ 5 PSI Pressure Drop
- 0.7 Second Close Time
- 175 PSI Maximum Working Pressure
- Wetted Parts are Polypropylene, Stainless Steel & Viton®

SprayMate II™ & SprayMate Plus™ Automatic Rate Controllers

Features:

- All-In-One Design with Built-In Controls for Up to (3) Separate Boom Sections
- On-The-Go Rate Adjustment for a Multitude of Rates
- On/Off Power Switch & Master Switch

SprayMatePlus™ Controllers Only:

- Flow- or Pressure-based Control
- Expanded PWM Control Compatibility
- Unique Multifunction Outputs to Control On/Off Valves for Master, Relief, Flow Trigger, or Flush Functions



Part No.	Description	SPECIAL
MT 01341	SprayMate II™ Controller with Harness	\$ 812.00
MT 01171	SprayMate II™ Controller with 3/4" Poly Flowmeter and 1" Regulating Valve (2-40 GPM)	1708.00
MT 01196	SprayMate II™ Kit with 12 Volt Pump Control: Includes SprayMate II™ Controller, 3/4" Poly Flowmeter (0.5 - 12 GPM), 20' Cable Harness & 12V Pump Driver (40 amp)	1981.00
MT 01349	SprayMate Plus™ Controller with Harness	1280.00
MT 01866	SprayMate Plus™ Controller with 3/4" Poly Flowmeter & 1" Regulating Valve (2-40 GPM)	1866.00

TeeJet Matrix™ 430 Guidance System



The **TeeJet Matrix® 430** is an easy-to-use, low-cost, graphical GPS guidance system ideal for acreages and small farms looking to upgrade technology from foam markers and lightbars. Compact size allows mounting in front of steering wheel for easy viewing during operation. The full-color, 4.3" touchscreen display enables the operator to efficiently navigate fields with minimal skips and overlaps in coverage. Minimal setup required before operating. Includes a simple user interface allowing operators to easily switch between guidance modes, set overlap alarms and mark field hazards, and create field job reports.

Part No.	Description	SPECIAL
SS GD430-PL	Matrix 430 Guidance System (Cigarette Lighter Lead & Patch Antenna)	\$ 1763.00
SS GD430-R30-L	Matrix 430 Guidance System (Cigarette Lighter Lead & RXA30 Antenna)	2216.00



Dura 12V Valves

FEATURES:

- 1" Flanged Ports (Banjo M100 Style)
- 12VDC
- Open/Close Indicator (LED)
- 0.8 Second Open/Close
- IP68 Waterproof Actuator
- 3 wire with 4 pin Deutsch Connector
- Glass Filled Polyprop, PTFE Seat, SS Ball & Hardware, Viton® Stem O-Ring, EPDM Valve Seal O-Ring



Part No.	Description	SPECIAL
DP EV100	1" 12V Polypro Valve.....	\$ 322.00



DULTMEIER SALES

OMAHA, NE

(800) 228-9666

•

DAVENPORT, IA

(800) 553-6975



SPECIAL PRICES

STRAINERS - PIPE FITTINGS - CAMLOCK FITTINGS - TUBING



"Y" Line Strainers Threaded



3"

- Polypropylene
- EPDM Gaskets
- 75 PSI on 1/2" - 1-1/4"
- 150 PSI on 1-1/2" - 2"
- 50 PSI on 3"
- "T" Models Also Available



3/4"
THRU
2"

Part No.	Ports	Screen	SPECIAL
TK LS075-40	3/4" FPT	40-Mesh	\$ 32.25
TK LS075-80	3/4" FPT	80-Mesh	37.25
TK LS100-40	1" FPT	40-Mesh	31.75
TK LS125-40	1-1/4" FPT	40-Mesh	36.50
TK LS150-20	1-1/2" FPT	20-Mesh	75.50
TK LS200-20	2" FPT	20-Mesh	71.00
TK LSM300BC	3" FPT	* None	358.00
TK LSQ150-50	1-1/2" FPT	50-Mesh	76.50
TK LSQ200-20	2" FPT	20-Mesh	119.00

* Stainless Steel screens available in the following sizes: 4, 8, 12, 20, and 50. 3" for suction side use only.



3350-44N
Nylon



122 & 124A
Polypropylene
1/2", 3/4" & 1"

Line Strainers
TeeJet
HYPRO®

Part No.	Ports	Bowl	Screen	SPECIAL
HY 3350-44N	3/4" FPT	White	50-Mesh	\$ 21.60
HY 3350-44P	3/4" FPT	Clear	50-Mesh	27.50
HY 3350-45N	3/4" FPT	White	80-Mesh	21.60
HY 3350-45P	3/4" FPT	Clear	80-Mesh	26.50
HY 3350-61N	1" FPT	White	50-Mesh	38.00
HY 3350-61P	1" FPT	Clear	40-Mesh	44.25
HY 3350-75N	1-1/4" FPT	White	40-Mesh	39.25
HY 3350-75P	1-1/4" FPT	Clear	40-Mesh	47.00
HY 3350-116N	1-1/2" FPT	White	50-Mesh	52.50
HY 3350-116P	1-1/2" FPT	Clear	50-Mesh	58.50

Part No.	Size	Mesh	SPECIAL
SS 122-1/2PP	1/2" Strainer, Poly Head & Bowl	50	\$ 15.40
SS 122-3/4PP	3/4" Strainer, Poly Head & Bowl	50	15.00

Super Speedfit® Tube Fittings

John Guest



Black Polypropylene
Also Available!



Assorted in Std Pkgs:
15% DISCOUNT on 10
20% DISCOUNT on 100
30% DISCOUNT on 1,000

John Guest Poly Tubing

Variety of Colors Available

Polyethylene Tubing from John Guest. The same quality you have come to know and expect in their Tube Fittings. (See Tube Fittings on Our Website.)



Polypropylene Threaded Pipe & Flange Fittings

Less 10% on
10 (Std. Pack)



900



908



PHB

Thousands In Stock!!



Elbow



Clamp



Gasket



Coupling



Cam Lever Couplings

Polypropylene & Nyglas (Yellow)

- All Types & Sizes Through 4" In Stock -

3/4" • 1-1/2" • 2" • 3" • 4"



Less 5% on 10 of One Size

Stainless & Aluminum
Through 6" Also Available



Polypropylene BALL VALVES

Stainless Bolts • Teflon Seats
• Viton® Stem Seals



Ball
Valve



Union
Valve
(EPDM Seal)

Part No.	Size	Ball	Pkg. Qty.	SPECIAL
TK V150	1-1/2"	Valve	24	\$ 47.75
TK V200	2"	Valve	24	46.25
TK V200FP	2"	Valve	8	64.50
TK V204FP	2"	Valve	8	62.00
TK V300	3"	Valve	8	104.00
TK V300FP	3"	Valve	6	154.00
TK VA150	1-1/2"	Nozzle	12	57.00
TK VA200	2"	Nozzle	12	58.50
TK VA200FP	2"	Nozzle	6	84.00
TK UV050FP	1/2"	Union	24	16.30
TK UV075FP	3/4"	Union	24	16.70
TK UV100FP	1"	Union	24	20.20
TK UV125FP	1-1/4"	Union	24	41.50
TK UV150FP	1-1/2"	Union	24	41.00
TK UV200FP	2"	Union	18	43.50

***Less 5% On Pkg. Quantities**



Nozzle
Valve

Black Poly Tubing

Part No.	Type	O.D.	I.D.	Max. PSI @ 70° F.	Color	SPECIAL
FC UP44-100B	Poly	1/4"	.170"	150 PSI	Black	\$ 11.20
FC UP44-1000B	* Poly	1/4"	.170"	150 PSI	Black	101.00
FC UP66-100B	Poly	3/8"	.250"	150 PSI	Black	22.40

* 1000' Coil





SPECIAL PRICES

FLANGED BANJO VALVES & STRAINERS - METERS



Flange x Flange Ball Valves



Part No.	Size	SPECIAL
TK MV100CF	1" Full Port	\$ 34.25
TK MV200CF	2" Std. Port	50.00
TK MV220CF	2" Full Port	67.50
TK MV300CF	3" Full Port	162.00
TK MV300	3" Std. Port	111.00
TK MVS220CF	2" Full Port "Stubby"	62.50
TK MVS300CF	3" Std. Port "Stubby"	124.00
TK MVS300CFPP	3" Full Port "Stubby"	156.00



Flange x Male Adapter Valves "Stubby"



Part No.	Description	SPECIAL
TK VSF200CF	2" Flange x 2" Male Adapter	\$ 51.50
TK MVSF220FP	2" FP Flange x 2" Male Adapter ...	62.50
TK MVSF300	3" Flange x 3" Male Adapter	124.00
TK MVSF300FP	3" FP Flange x 3" Male Adapter ...	158.00



Flange x MPT Ball Valves "Stubby"

Part No.	Description	SPECIAL
TK VSMT200CF	2" Flange x 2" MPT Male Thread Std. Ball Valve	\$ 61.00
TK MVSMT300	3" Flange x 3" MPT Male Thread Std. Ball Valve	167.00



3-Way Bottom Load Manifold Poly Valves

Directional Flow, Right or Left • 100 PSI
• Valve Can Be Turned Off to Stop Flow •
All Flanged Ports



Part No.	Description	Thru Ball	Handle Type	SPECIAL
TK MV100BL	1" Flanges	1"	T	\$ 59.00
TK MV200BL	2" Std. Port Flanges ..	1-1/2"	T	67.50
TK MV220BL	2" Full Port Flanges ..	2"	Straight	96.00
TK MV300BL	3" Full Port Flanges ..	3"	Straight	254.00



3-Way Side Load Manifold Poly Valves

Directional Flow, Right or Left •
100 PSI • All Flanged Ports
Valve Cannot Be Turned Off to Stop Flow

Part No.	Description	Thru Ball	Handle Type	SPECIAL
TK MV100SL	1" Flanges	1"	T	\$ 59.50
TK MV200SL	2" Std. Port Flanges ..	1-1/2"	Straight	75.00
TK MV220SL	2" Full Port Flanges ..	2"	Straight	96.50

Flanged "T" Strainers

EPDM Gaskets • 150 PSI • Stainless Screens



Part No.	Description	SPECIAL
TK MLST100-50	50 Mesh 1" Strainer	\$ 42.50
TK MLST150-50	50 Mesh 2" Strainer	72.00
TK LST130	30 Mesh Replacement Screen for 1"	23.90
TK LST150	50 Mesh Replacement Screen for 1"	22.40
TK LST180	80 Mesh Replacement Screen for 1"	22.20
TK LST1530	30 Mesh Replacement Screen for 2"	37.75
TK LST1550	50 Mesh Replacement Screen for 2"	35.00
TK LST1580	80 Mesh Replacement Screen for 2"	39.50

16 & 100 Mesh also available.



2" Flanged "Y" Strainers

2" Standard Port • EPDM Gaskets
• 150 PSI W.P. • Stainless Screens



Part No.	Description	SPECIAL
TK MLS200-50	50 Mesh 2" Strainer Std. Port	\$ 86.50
TK LS220	20 Mesh Replacement Screen for 2"	50.50
TK LS250	50 Mesh Replacement Screen for 2"	49.50
TK LS280	80 Mesh Replacement Screen for 2"	48.25

2" Screens Also Available in 6, 12, 30, 100 & 120 Mesh.



Flanged "Y" Strainers 2" & 3" Full Port



• EPDM Gaskets • 75 PSI W.P. • 304 Stainless Screens

Part No.	Description	SPECIAL
TK MLS222-50	* 2" Full Port Flanged "Y" Strainer with 50 Mesh Screen	\$ 118.00
TK MLS300-20	** 3" Full Port Flanged "Y" Strainer with 20 Mesh Screen	422.00
TK LST210SS	10 Mesh Stainless Screen, 2", FP ...	76.00
TK LST216SS	16 Mesh Stainless Screen, 2", FP ...	75.00
TK LST230SS	30 Mesh Stainless Screen, 2", FP ...	64.00
TK LST250SS	50 Mesh Stainless Screen, 2", FP ...	64.00
TK LST280SS	80 Mesh Stainless Screen, 2", FP ...	75.00

* 2" FP Screens Also Available in 4, 8, & 100 Mesh.

** For Other 3" Screens Order: LS304, LS308, LS312, LS320, LS350.



Mag Meters



Designed to accurately meter liquids such as fertilizer, water, wastewater, deicing liquids and other liquids which are electrically conductive. No moving parts means less chance of damage than other styles of meter. **Use with conducting liquids only. Not for Fuels.**

Features: Simple & easy to use • Factory preset calibration requires no adjustment • Batch total and flow rate. Shuts down after idle for 12 minutes. • Digital readout is designed for outdoor use • Temperature range is 0° to 150° F. • Operates on six AA batteries • Off/On shutdown after 12 minutes • Warranty is 1 Year on electronics • All meter sizes hold +/-1% accuracy.

Part No.	GPM	SPECIAL
TK MFM100	1" Flanged Mag Meter	\$ 821.00
TK MFM220	2" FP Flanged Mag Meter ...	913.00
TK MFM300	3" Flanged Mag Meter	1135.00





SPECIAL PRICES

SUCTION - DISCHARGE - SEEDER HOSE



EPDM Suction Hose

Abrasion Resistant Cover



Part No.	I.D.	Std. Pkg.	Working Press. PSI	SPECIAL Per Foot
KA 390SD-1-1/4	1-1/4"	100'	100	\$ 4.30
KA 390SD-1-1/2	1-1/2"	100'	100	5.20
KA 390SD-2	2"	100'	100	6.60
KA 390SD-3	3"	100'	100	11.50
* TF TSD400	4"	100'	100	25.50

* Kuriyama

* 25% Discount for Std. Package

— Heavy Duty Flexible —



EPDM Rubber Suction / Discharge Hose



Heavy Duty Water Suction/Discharge Hose for agricultural, construction, and industrial applications. Black EPDM cover and tube designed to handle a variety of liquids including fertilizers and others. Wire helix reinforcement. **Maximum Working Pressure is 150PSI. Temperature Rating: -40°F to 212°F.** Not designed for applications involving acid-based chemicals or alcohols. **Cut Lengths Sold in 5' Increments Only.**

Part No.	I.D.	O.D.	Std. Pkg.	Working Pressure	Bend Radius (in @ 68°F)	Vacuum Rating (inHG)	Per Foot SPECIAL
TF T202-1	1"	1.38"	100'	150 PSI	4"	30"	\$ 5.80
TF T202-1-1/4	1-1/4"	1.65"	100'	150 PSI	5"	30"	6.50
TF T202-1-1/2	1-1/2"	1.89"	100'	150 PSI	6"	30"	6.70
TF T202-2	2"	2.40"	100'	150 PSI	8"	30"	7.10
TF T202-3	3"	3.46"	100'	150 PSI	10"	30"	11.30
TF T202-4	4"	4.49"	100'	150 PSI	12"	27"	16.20
TF T202-6	6"	6.54"	100'	150 PSI	30"	24"	31.25
TF T202-8*	8"	8.70"	20'	150 PSI	40"	21"	35.25

* Can be bought in 20' or 25' lengths from factory. No discounts available.

** Additional Sizes Available - Call for Details

25% Discount for Standard Package



Kaneline SR Heavy Duty Suction Hose



Part No.	I.D.	O.D.	Description	* Std. Pkg.	Weight Per Ft.	Per Foot SPECIAL
KA KLSR-2	2"	2.60"	Kaneline SR Hose	100	.70	\$ 5.80
KA KLSR-3	3"	3.70"	Kaneline SR Hose	100	1.13	6.70
KA KLSR-4	4"	4.78"	Kaneline SR Hose	100	1.74	10.20
KA KLSR-6	6"	7.17"	Kaneline SR Hose	60	3.88	19.40
KA KLSR-8	8"	9.34"	Kaneline SR Hose	20	5.54	35.25

* 25% Package Discount on 2" - 6" Sizes.

Package Discount Has Been Applied to Larger Sizes.



Air Seeder Hose

Flexible Polyurethane Lined PVC Hose for air seeders, abrasive material vacuum systems and industrial vac equipment. Smooth bore, PVC corrugated OD. Lightweight and flexible in cold temperatures to -13°F. Clear with orange or black helix. The urethane lined tube provides abrasion-resistance, visual check of material flow and prevents material build up. Banding coils and CW spiral clamps are available for end connections.



Part No.	Color	I.D.	O.D.	Wt. Lbs.	Std. Pkg.	SPECIAL Per Roll
KA 100UCLRD-2	Red	2"	2.36"	0.50	100	\$ 4.20
KA 100UCLRD-212	Red	2-1/2"	2.87"	0.71	100	5.70
KA 100UCLRD-3	Red	3"	3.50"	1.00	100	8.70
KA 100UCLBK-212	Black	2-1/2"	2.87"	0.71	100	5.70

No Cut Lengths - Full Reels Only



Suction & Discharge Hose

Flexible EPDM Rubber Hose with green or yellow polyethylene helix combines chemical resistance with durability. Excellent cold weather flexibility. Weather resistant exterior. Lightweight and easy-to-handle. Abrasion resistant design slides easily on rough surfaces. Rated from -40 to 160°F. Full vacuum rating to 4" size at 68°F. Sold in rolls, cut to length and fitted assemblies. Red & Blue also available.



Series TG / 300G Green



Series TY / 300Y Yellow

NOTE: CUT LENGTHS SOLD IN 5' INCREMENTS ONLY

- Septic Handling
- Liquid Waste, Slurries
- Liquid & Dry Chemical
- Agriculture Liquid & Dry Fertilizers
- Grains & Seeds
- Water Transfer
- Mining
- Construction, Rental Equipment, Sewer Cleaning, Plant Maintenance

Part No.	I.D.	O.D.	Color	PSI @ 68° F.	Wt./Lbs.	SPECIAL Per Foot
TF TG100	1"	1.40"	Green	65	.28	\$ 2.90
TF TG125	1-1/4"	1.63"	Green	60	.33	3.30
TF TG150	1-1/2"	1.93"	Green	50	.44	3.60
TF TG200	2"	2.51"	Green	50	.67	5.30
TF TG250	2-1/2"	3.07"	Green	45	.95	8.80
TF TG300	3"	3.60"	Green	45	1.14	10.10
TF TG400	4"	4.70"	Green	40	1.84	16.70
TF TG600	6"	6.85"	Green	30	3.70	35.00
TF TY100	1"	1.40"	Yellow	65	.28	3.00
TF TY125	1-1/4"	1.63"	Yellow	60	.33	3.70
TF TY150	1-1/2"	1.93"	Yellow	50	.44	3.90
TF TY200	2"	2.51"	Yellow	50	.67	5.60
TF TY300	3"	3.60"	Yellow	45	1.14	10.70
TF TY400	4"	4.70"	Yellow	40	1.84	13.30
TF TB200	2"	2.51"	Blue	50	.67	5.90
TF TB300	3"	3.60"	Blue	45	1.14	11.10

* 25% Discount if Ordered in 100' Rolls

PVC Suction • Discharge Hose



125PVC is a general purpose PVC suction and discharge hoses for water and fertilizers. (PVC is not suitable for some agricultural chemicals - must use EPDM). Available in 3 sizes with internal ID to mate with OD of rigid pipe. Full vacuum rating to 4" at 72°F. **Temperature Range:** -13°F. to +158°F. This hose becomes stiff at low ambient temperatures.

125PVC Clear with White Helix for Water/Fertilizers

NOTE: CUT LENGTHS SOLD IN 5' INCREMENTS ONLY

25% Discount On Standard Pkgs.

Part No.	I.D.	O.D.	PSI @ 68° F.	Std. Pkg.	Wt/C	SPECIAL Per Foot
TF 125PVC-3/4	3/4"	.95"	100	100'	18	\$ 1.40
TF 125PVC-1	1"	1.25"	75	100'	24	1.80
TF 125PVC-1-1/4	1-1/4"	1.47"	75	100'	31	1.90
TF 125PVC-1-1/2	1-1/2"	1.75"	65	100'	38	2.00
TF 125PVC-2	2"	2.27"	60	100'	56	2.80
TF 125PVC-2-1/2	2-1/2"	2.84"	60	100'	67	3.40
TF 125PVC-3	3"	3.35"	60	100'	99	4.90
TF 125PVC-4	4"	4.45"	50	100'	146	8.70
TF 125PVC-5	5"	5.55"	35	50'	240	15.20
TF 125PVC-6	6"	6.67"	35	100'	284	15.20

* 100 ft. Package Only - No Cuts.

Less than Reel Quantities Sold in 5' Increments





SPECIAL PRICES

SPRAYER HOSE - CHEMICAL HOSE & TUBING

Black EPDM Sprayer Hose

2-Spiral (1 Braid) - 150 PSI & (2 Braid) - 200 PSI

Sold Per Foot (Can Be Cut)

Part No.	Size	W.P. PSI	* Std. Pkg.
----------	------	----------	-------------

GA 3204EB-3/8	3/8"	200	400'
---------------	------	-----	------

Special Price Per Ft.

\$ 1.30

SPECIAL 25% Discount On Complete Roll



Sold In UPSABLE Reels Only

Part No.	Size	W.P. PSI	* Std. Pkg.
----------	------	----------	-------------

GA 3204EB-1/2	1/2"	200	250'
---------------	------	-----	------

GA 3204EB-3/4X200	3/4"	200	200'
-------------------	------	-----	------

GA 3204EB-1	1"	200	125'
-------------	----	-----	------


Special Price Per Ft.

\$ 1.40

2.80

2.30

* Standard Packages Here Can Ship UPS



EPDM "Adapta-Flex" Agricultural SPRAY HOSE

2-Braid • 200 - 250 PSI



Sold Per Foot (Can Be Cut)

Part No.	SIZE	Color	Working Pressure PSI	Approx. Std. Pkg.
----------	------	-------	----------------------	-------------------

GA 1B-3/8X2	3/8"	Red	250	400'
-------------	------	-----	-----	------

GA 1B-5/8X2	5/8"	Red	250	250'
-------------	------	-----	-----	------

GA 1B-1-1/4X2	1-1/4"	Black	250	200'
---------------	--------	-------	-----	------

GA 1B-1-1/2X2	1-1/2"	Black	200	200'
---------------	--------	-------	-----	------

GA 6B-2	2"	Red	200	100'
---------	----	-----	-----	------

Working Pressure PSI

250

250

250

200

200

200

Approx. Std. Pkg.

400'

250'

200'

200'

100'

SPECIAL

Per Ft.

\$ 2.10

4.10

6.50

9.20

10.40

SPECIAL 25% Discount On Complete Roll

Sold In UPSABLE Reels Only

Part No.	SIZE	Color	Working Pressure PSI	Approx. Std. Pkg.
----------	------	-------	----------------------	-------------------

GA 1B-1/2X2	1/2"	Red	250	250'
-------------	------	-----	-----	------

GA 1B-3/4X2	3/4"	Red	250	200'
-------------	------	-----	-----	------

GA 1B-1X2	1"	Red	200	125'
-----------	----	-----	-----	------

Working Pressure PSI

250

250

200

Approx. Std. Pkg.

250'

200'

125'

SPECIAL

Per Ft.

\$ 1.90

2.90

4.40

SPECIAL 25% Discount On Complete Roll

Clear Vinyl Tubing



Clear Vinyl Tubing is flexible, lightweight and transparent. Provides full flow viewing. Construction is Polyvinyl Chloride (PVC). Ideal for handling a wide variety of liquids. Excellent resistance to many types of acids, detergents and alkalis. Formulated to comply with FDA and RoHS requirements. Rated from +25° to 150° F. **Sold in rolls only, no cut lengths.**

Part No.	I.D.	O.D.	Wall	Max. PSI @ 70° F	Roll Size	SPECIAL Per Roll
TF 1A	1/8"	1/4"	1/16"	65	100'	\$ 11.40
TF 1	1/4"	3/8"	1/16"	50	100'	16.00
TF 1X500	1/4"	3/8"	1/16"	50	500'	75.00
TF 2	3/8"	1/2"	1/16"	40	100'	23.10
TF 2X500	3/8"	1/2"	1/16"	40	500'	134.00
TF 2A	3/8"	9/16"	3/32"	50	100'	37.50
TF 4A	1/2"	5/8"	1/16"	25	100'	28.75
TF 4	1/2"	3/4"	1/8"	45	100'	56.50
TF 6	5/8"	13/16"	3/32"	30	100'	52.00
TF 5	5/8"	7/8"	1/8"	40	100'	66.50
TF 7	3/4"	1"	1/8"	35	100'	72.00
TF 9	1"	1-1/4"	1/8"	25	100'	91.00
TF 11	1-1/4"	1-1/2"	1/8"	20	50'	68.50
TF 13	1-1/2"	1-3/4"	1/8"	16	50'	87.00
TF 13A	1-1/2"	2"	1/4"	35	50'	154.00
TF 15	2"	2-1/2"	1/4"	30	50'	202.00

Series 2425 X-Link Chemical Hose

Applications: Cross-link chemical hose solves most chemical handling problems. The tube compound is resistant to 90% of chemicals, solvents and petroleum products used in industry. The heavy wall resists kinking and crushing for extra safety. Refer to the chemical guide to determine compatibility with chemicals and applications. Rated to 150 PSI.

SERIES 2425



25% Discount for Standard Package.

Tube: Cross-linked polyethylene **Cover:** Smooth Green EPDM

Reinforcement: Multiple textile plies with dual wire helix

Other Assemblies Available!

Part No.	I.D.	O.D.	Bend	Working Pressure	Wt./ (Lbs./Ft.)	SPECIAL Per Foot
GP 2425-3/4	3/4"	1.26"	4.0	200 PSI	.50	\$ 10.40
GP 2425-1	1"	1.50"	5.0	200 PSI	.55	13.00
GP 2425-1-1/4	1-1/4"	1.77"	6.5	200 PSI	.75	17.50
GP 2425-1-1/2	1-1/2"	2.01"	8.0	200 PSI	.89	18.10
GP 2425-2	2"	2.56"	10.0	150 PSI	1.18	20.80
GP 2425-2X20	2" x 20' Hose Assembly w/ 316SS Male x Female Ends					650.00

Series 2410 UHMWPE Chemical Hose

Applications: This clear high molecular weight (UHMW) polyethylene tube will handle 98% of the most common chemical without leaching and contaminating the product being conveyed. Refer to the chemical guide to determine compatibility with chemicals and applications. Rated to 200 PSI.



Tube: Opaque ultra-high molecular weight polyethylene

Cover: Corrugated Blue EPDM

Reinforcement: Multiple textile plies with dual wire helix.

Specified length is overall assembly length.

Temp Rating: -40° F to 212° F

Part No.	I.D.	O.D.	Bend	Working Pressure	Wt./ (Lbs./Ft.)	Std. Pkg. of 100' Discount	SPECIAL Per Foot Net Ea.
GP 2410-3/4	3/4"	1.22"	3.5	200 PSI	.42	-	\$ 12.20
GP 2410-1	1"	1.46"	4.0	200 PSI	.48	25%	16.00
GP 2410-1-1/4	1-1/4"	1.77"	4.0	200 PSI	.71	25%	19.40
GP 2410-1-1/2	1-1/2"	2.01"	5.0	200 PSI	.81	25%	18.50
GP 2410-2	2"	2.56"	6.0	200 PSI	1.17	25%	23.30
GP 2410-3	3"	3.62"	9.0	150 PSI	2.01	25%	35.50
GP 2410-2X20	2" X 20' Hose Assembly with 316SS Male x Female Ends....						612.00

Braided EVA Tubing

EVAB x 1-Braid

Reinforced EVA Tubing is designed to transport a variety of chemicals and liquids. Translucent for easy view of flows. Higher working pressure than unbraided tubing.



*** 25% Discount for Standard Package.**

Part No.	I.D.	O.D.	Max Psi @ 70° F.	* Std. Pkg.	SPECIAL Per Foot
TF EVAB14	1/4"	.460"	250 PSI	300'	\$ 0.70
TF EVAB38	3/8"	.594"	250 PSI	300'	0.80
TF EVAB50	1/2"	.720"	250 PSI	300'	1.10
TF EVAB75	3/4"	1.00"	150 PSI	200'	1.60
TF EVAB100	1"	1.312"	150 PSI	200'	2.70



DULTMEIER SALES

OMAHA, NE

(800) 228-9666

• DAVENPORT, IA

(800) 553-6975

SPECIAL PRICES

CLAMPS - SAFETY GOGGLES - GLOVES

Stainless Steel Hose Clamps

Stainless Band, Housing & Drive Screw

350 Series has 5/16" wide Band • 620 Series has 1/2" wide Band

Part No.	Clamp Range Inches O.D.	Fits Hose I.D.	SPECIAL Per Box
MP 350-4	7/32 to 5/8	1/4 & 3/8"	\$ 16.30
MP 350-5	3/8 to 3/4	1/4 & 3/8"	16.30
MP 350-6	3/8 to 7/8	3/8 & 1/2"	16.30
MP 620-8	1/2 to 1	3/8 & 1/2"	16.20
MP 620-12	5/8 to 1-1/4	5/8 & 3/4"	16.50
MP 620-16	11/16 to 1-1/2	3/4 & 7/8"	18.30
MP 620-20	3/4 to 1-3/4	3/4 & 1"	19.80
MP 620-28	1-1/4 to 2-1/4	1-1/4 & 1-1/2"	17.30
MP 620-36	1-3/4 to 2-3/4	2"	20.20
MP 620-56	3 to 4	3"	27.50
MP 620-72	3 to 5	3" to 4.5"	32.50



SPECIAL
10% Discount on
20 Boxes
One Size

- 10 Clamps Per Box -



Stainless T-Bolt Clamps

With Floating Bridge

Can be torqued 3-4 times that of a worm drive clamp. 150 in/ lbs. maximum torque at screws. 3/4" Smooth stainless Steel band, bolt & housing. **Note: "Ideal Brand" - Check hose O.D. and note Clamp I.D. range before ordering.** Best clamp selection on hard wall hoses in larger sizes where bandit or fastlok banding is not available.

Part No.	Hose I.D.	I.D. Range	Std. Pkg.	Per Clamp SPECIAL
TK TC138	1-1/4"	1.38" to 1.52"	10	\$ 10.10
TK TC163	1-1/4"	1.63" to 1.81"	10	9.70
TK TC175	1-1/2"	1.75" to 2.00"	10	10.30
TK TC188	1-1/2"	1.88" to 2.19"	10	12.80
TK TC194	1-1/2"	1.94" to 2.25"	10	10.30
TK TC219	2"	2.19" to 2.50"	10	10.50
TK TC231	2"	2.31" to 2.63"	10	10.70
TK TC244	2"	2.44" to 2.75"	10	10.70
TK TC250	2"	2.50" to 2.81"	10	13.00
TK TC288	2"	2.88" to 3.19"	10	11.10
TK TC325	3"	3.25" to 3.56"	10	11.40
TK TC331	3"	3.31" to 3.63"	10	10.90
TK TC338	3"	3.38" to 3.69"	10	10.70
TK TC350	3"	3.50" to 3.81"	10	12.20
TK TC400	4"	4.00" to 4.31"	10	13.90
TK TC419	4"	4.19" to 4.50"	10	10.10
TK TC425	4"	4.25" to 4.56"	10	15.20
TK TC438	4"	4.38" to 4.69"	10	11.60
TK TC450	4"	4.50" to 4.81"	10	13.70
TK TC525	5"	5.25" to 5.56"	10	15.20
TK TC575	5"	5.75" to 6.06"	10	15.80
TK TC625	6"	6.25" to 6.56"	10	16.20
TK TC650	6"	6.50" to 6.81"	10	15.80
TK TC850	8"	8.50" to 8.81"	10	17.30

Quantity Discount:
10% on
Packages of
10. 20% on
Packages
of 100 - One
Size

High Torque Stainless Clamps

- Will handle 150 in. lbs. of torque at the screw
- Good choice for dampening vibration
- Wider Range than T-Bolt clamps
- 410 Stainless screw with 5/16" Hex Head
- Utilizes 304 stainless steel 5/8" wide band
- Stainless liner under band notches to protect soft surfaces
- Large Heavy duty 304 stainless housing for maximum clamp efficiency



Part No.	Size: Clamp I.D. or Hose O.D.	Hose Size I.D.	Std. Pkg.	Std. Pkg. Discount	SPECIAL
MP 843-200	1.25" to 2.12"	1-1/4" - 1-1/2"	10	10%	\$ 7.10
MP 843-250	1.75" to 2.62"	2"	10	10%	7.10
MP 843-300	2.25" to 3.12"	2"	10	10%	7.80
MP 843-350	2.75" to 3.62"	3"	10	10%	8.20
MP 843-400	3.25" to 4.12"	3"	10	10%	8.40
MP 843-450	3.75" to 4.62"	4"	10	10%	8.90
MP 843-500	4.25" to 5.12"	4"	10	10%	9.00
MP 843-700	6.25" to 7.12"	6"	10	10%	11.40

Quantity Discount: 10% on Packages of 10. 20% on Packages of 100. - One Size

SmartSeal™ Clamps

Helps to Stop Leakage From Thermal Changes

SmartSeal™ Clamps were designed in response to the leakage attributed to thermal changes and to meet today's challenging lighter weight and space requirements.

SmartSeal™ Clamps are engineered to last longer, and perform better than traditional clamps in the most demanding environments.



SPECIAL
10% Discount on
10 One Size

Part No.	Band Width Inches	Min. Inches	Max. Inches	Std. Pkg.	SPECIAL
MP 0238	5/8"	1.64"	2.12"	10	\$ 5.20
MP 0262	5/8"	1.90"	2.38"	10	5.20
MP 0275	5/8"	2.03"	2.51"	10	5.30
MP 0288	5/8"	2.16"	2.64"	10	5.30
MP 0300	5/8"	2.29"	2.77"	10	5.30
MP 0325	5/8"	2.53"	3.03"	10	5.40
MP 0350	5/8"	2.74"	3.28"	10	5.70
MP 0375	5/8"	2.92"	3.54"	10	5.80
MP 0400	5/8"	3.12"	3.79"	10	5.90
MP 0425	5/8"	3.31"	4.04"	10	6.00
MP 0450	5/8"	3.48"	4.29"	10	6.50
MP 0512	5/8"	4.06"	4.91"	10	7.20
MP 0562	5/8"	4.55"	5.41"	10	6.80
MP 0612	5/8"	5.03"	5.90"	10	6.80



Disposable Nitrile Gloves

The Toughest Disposable Gloves Available !

Black, Orange & Blue Mamba Nitrile Gloves are designed for applications where standard disposable gloves just can't survive. The toughest disposable gloves available, can even be reused in many cases. Patented Nitrex Polymer offers superior strength and tear resistance and three times the chemical resistance of latex or vinyl. Sold in boxes of 100 ambidextrous gloves.

Part No.	Size	Color	Thickness	* SPECIAL
BM BLK110	Medium	Black	6.25 Mil	\$ 16.20
BM BLK120	Large	Black	6.25 Mil	15.40
BM BLK130	X-Large	Black	6.25 Mil	15.40
BM BLK140	XX-Large	Black	6.25 Mil	15.40
BM OTG130	X-Large	Orange	8.0 Mil	20.20

* 10% Discount for Cases of 10 Boxes Not Assorted




Reusable Unlined Nitrile Gloves

Part No.	Size	Thickness	Length	Per Pair SPECIAL
BS 727	Large	13-mil	14"	\$ 4.10
BS 727-11	X-Large	13-mil	14"	4.10
BS 737	Large	22-mil	15"	14.00
BS 737-10	X-Large	22-mil	15"	14.00

10% Discount on Bags of 12 & 20%
on Cases - One Size

Series 737



Reusable PVC Lined Gloves

Rated for NH3 Ammonia

Part No.	Size	Length	Per Pair SPECIAL
BS 7712R	Large	12"	\$ 6.00
BS 7714R	Large	14"	6.70
BS 7718R	Large	18"	7.20

10% Discount on Bags of 12 & 20% on Cases of 72 - One Size



Safety Goggles

Part No.	DISCOUNT	SPECIAL
WL 552 Safety Goggles - Non Vented..	25%	\$ 7.20
WL 551 Safety Goggles - Vented	25%	6.70



SPECIAL PRICES


INDUCTOR SYSTEMS & TANKS

MIX-N-FIL Tank Chemical Inductors

Polyethylene Mix-N-Fil Chemical Inductor Tank has a 16" Lids, 2" FPT Bottom Outlet. 15, 30 and 55 gallon tanks have molded in gallonage marks in 1/2 gallon increments while the 85 gallon is marked in 5 gallon increments.

Chemicals are added to the liquid as it flows through the suction line.

Note: No 16" lids available for Model #110T. (12" Lid)



Ace Roto-Mold



Part No.	MIX-N-FILL Tanks & Stands	Dia. X Ht.	Wt.	SPECIAL
RT 15T	15 Gallon Inductor Tank.....	19" x 24"	12 lbs.	\$ 134.00
RT 15ST	Stand for 15 Gal. Inductor Tank	19" x 29"	15 lbs.	112.00
RT 30T	30 Gallon Inductor Tank.....	24" x 27"	17 lbs.	170.00
RT 60T	55 Gallon Inductor Tank.....	24" x 43"	24 lbs.	214.00
RT 30SSL	30 Gallon Inductor Tank <i>Stainless</i>	24" x 27"	17 lbs.	991.00
RT 60SSL	55 Gallon Inductor Tank, <i>Stainless</i> ...	24" x 43"	24 lbs.	1690.00
RT 30ST	Stand for 30 or 55 Gal. Inductor Tank...	24" x 33"	18 lbs.	114.00
RT 85T	* 85 Gallon Inductor Tank	30" x 43"	35 lbs.	312.00
RT 110T	110 Gallon Inductor Tank.....	30" x 51"	44 lbs.	326.00
RT 85ST	* Stand for 85 & 110 Gal. Inductor Tank....	30" x 36"	40 lbs.	205.00

* 85 Gal. tank & stand styles changed in 2004. Prior year models will not fit new styles


Polyethylene Inductor Systems 15, 30, 85 & 110 Gallon

15, 30 & 85 Gallon Inductor Tanks feature Banjo polyethylene flange fittings. Includes a water flush and jug rinse hose with 16" fill lid (12" lid on 110 gallon), 2" or 3" manifold system. Unit is plumbed with bypass loop for induction control.

Note: All units shipped assembled as shown.

Part No.	Description	Wt.	SPECIAL
DU 1A15	15 Gallon Inductor with 2" Manifold System	35 lbs.	\$ 1064.00
DU 1A15A	15 Gallon Inductor with 3" Manifold System	35 lbs.	1340.00
DU 1A30	30 Gallon Inductor with 2" Manifold System	65 lbs.	1105.00
DU 1A30A	30 Gallon Inductor with 3" Manifold System	70 lbs.	1367.00
DU 1A60	60 Gallon Inductor, with 2" Manifold System	60 lbs.	1122.00
DU 1A85	85 Gallon Inductor with 2" Manifold System	100 lbs.	1261.00
DU 1A85A	85 Gallon Inductor with 3" Manifold System	105 lbs.	1534.00
DU 1A110A	110 Gallon Inductor with 3" Manifold System	121 lbs.	1575.00

Chemical Jug Rinse System



Chem-Blade is a retrofit jug-splitting stainless knife system which opens chemical containers with speed and efficiency. Instead of operators using hand knives to remove caps and foil seals off containers, they simply bring the bottom of the jug down onto the blades splitting and emptying a 2.5 gallon jug in mere seconds. With water supplying the built in high pressure rotary rinse head, the containers are thoroughly rinsed leaving no chemical in the container, saving money as well as time. Testing showed an operator can spray 25 to 45 more acres per day with the time savings created by **Chem-Blade**. So, recouping the purchase investment is possible in just weeks depending on jug usage.

CHEM-BLADE
ORIGINAL

Part No.	Description	SPECIAL
CB 0016	Chemical Blade System	\$ 809.00
DU CB1	Internal Water Plumbing Kit for Chem-Blade *....	21.80

* Terminates with 3/4" Poly Tank Fitting



Poly Chem-Blade Inductor Systems

Part No.	Chem Blade Systems	Wt.	SPECIAL
DU 1A30-CB	30 Gallon Inductor with 2" Manifold, Includes "Chem Blade" Jug Rinse System.....	65 lbs.	\$ 1890.00
DU 1A30A-CB	30 Gallon Inductor with 3" Manifold System Includes "Chem Blade" Jug Rinse System	70 lbs.	2081.00
DU 1A60-CB	60 Gallon Inductor with 2" Manifold, Includes "Chem Blade" Jug Rinse System.....	65 lbs.	1916.00
DU 1A60A-CB	60 Gallon Inductor with 3" Manifold System Includes "Chem Blade" Jug Rinse System	70 lbs.	2163.00
DU 1A85-CB	85 Gallon Inductor with 2" Manifold, Includes "Chem Blade" Jug Rinse System.....	65 lbs.	2050.00
DU 1A85A-CB	85 Gallon Inductor with 3" Manifold System Includes "Chem Blade" Jug Rinse System	70 lbs.	2326.00



DULTMEIER SALES

OMAHA, NE

(800) 228-9666

• DAVENPORT, IA

(800) 553-6975

Vertical & Cone Bottom Storage Tanks

Ace Roto-Mold

SNYDER
INDUSTRIES, INC.

NORWESCO

10 to 20,000
Gallons
Available



Call for Pricing & Freight

Standard & Heavy Duty
Designs Available
Variety of Colors

Ace Roto-Mold

Horizontal Elliptical Tanks

FS3250-88-BLK Shown On Optional Skid

Features: Free-standing elliptical tanks rated to 14 Lb./Gal. UV protected polyethylene construction with poly baffle and gallonage markers molded-in on one side and both ends. Black powder-coated steel support hoops and optional skids. Tanks have a 3" HD outlet fitting with siphon opposite an 18" lid.



TANKS - Less Hoops

Part No.	Gallon	Fillwell	Width	Height	Length	Outlet	Wt.	SPECIAL
RT FS3250-88	3250	16"	88"	79"	146"	3"	1208 lbs.	\$ 5481.00
RT FS3250-88-BLK	3250**	16"	88"	79"	146"	3"	1208 lbs.	5481.00

** Black Tank

Steel Hoops for Above Tanks (Required):

Part No.	Description	SPECIAL
RT FS3250-HP	1 Set of (4) 1-1/4" Steel Hoops with "feet" for FS3250-88 ..	\$ 1259.00

Steel Skid for Above Tanks (Optional):

Part No.	Description	Wt.	SPECIAL
RT FS23-32SK	Skid for FS2350 - 4250 Gallon Tanks, 90" x 146"	1078 lbs.	\$ 2723.00

Call for Pricing & Freight

Mix-A-Tote™ IBC Tote Mixer

The **Mix-A-Tote™ Agitation System** is designed to aid growers, ag retailers, and chemical wholesalers in performing safe, convenient mixing processes in IBC storage containers. This IBC tote mixer remixes settled or separated liquids and suspended solids and can also be used to blend custom mixtures in a tote before transfer to other systems. No brackets or auxiliary attach points are needed – the mixer installs directly through the tote's threaded lid opening. A multi-impeller design creates "up-pumping" agitation, eliminating vortexing and creating an "enveloping effect" for rigorous mixing. Fits all standard IBC totes with a 6" lid.

Features:

- 3/4 HP single or three phase electric motor
- Conveniently placed toggle switch with reversible rotation control
- Easy-to-attach, direct-mount IBC lid adapter
- No brackets required – ergonomic handles for easy transfer between totes
- All 300 series stainless steel metal components
- Proven multi-impeller agitator design

Part No.	Description	SPECIAL
CX MAT-1PH	1-Phase Mix-A-Tote	\$ 1518.00
CX MAT-3PH	3-Phase Mix-A-Tote	1591.00
CX MAT-SHAFT	Replacement Shaft	543.00
CX MAT-WB	Wall Mount Storage Bracket	66.50





SPECIAL PRICES

MINI-BULK PUMPS & FLOW METERS

CT6 AgChemical Pump Kits



These high flow diaphragm pumps are designed to transfer agchemicals at up to **13-14 GPM**. Fitted with EPDM or Viton seals for resistance to most agchemicals and other selected products.

CT6 Kits Include: CT6 pump with bracket to secure to cage tanks, suction hose with 2" female camlock discharge hose, SEM10 meter and nozzle valve. Pump only.



Part No.	Description	SPECIAL
SI CT6-M-E	CT6 Pump/Meter Kit, 12 Volt	\$ 772.00
SI CT6-M-V	CT6 Pump/Meter Kit for Cage Tank, 12 Volt, Viton®	801.00
SI CT6HF-E	CT6 High Flow Pump/Meter Kit, 12V, EPDM	824.00
SI CT6HF-V	CT6HF High Flow Pump/Meter Kit, 12 Volt, Viton®	873.00
SI CT6-M-115-E	CT6 Pump/Meter Kit, 115 Volt	843.00
SI CT6-PO-E	CT6 PUMP ONLY, 12 Volt	455.00
SI CT6-PO115-E	CT6 PUMP ONLY, 115 Volt	490.00
SI CT6-LM-E	CT6 Cage Tank Pump Kit, LESS Meter 12 Volt ..	649.00
SI CT6-M-115-V	CT6 Pump/Meter Kit for Cage Tank, 115 Volt, Viton® ..	873.00
SI CT6HF-LM-V	CT6HF Cage Tank Pump Kit, LESS Meter 12V, Viton® ..	727.00



CT6 AgChemical Caddy Kits

Caddy Versions include the same features as at right and are enclosed in a convenient carrying frame, with SEM-10 meter, 1" x 12' discharge hose and ball valve nozzle.



CT6-CAD-115


SI CT6-CAD-E	CT6 Caddy System, 12 Volt	\$ 863.00
SI CT6-CAD-V	CT6 Caddy System, 12 Volt, Viton®.....	892.00
SI CT6HF-CAD-E	CT6HF "High Flow" Caddy System, 12 Volt..	966.00
SI CT6-CAD-115-E	CT6 Caddy System, 115 Volt	989.00

SOTERA Tote & Go Pump Kits

Use For:

Agchemicals • Fertilizers • Seed Treatment Liquids • Propionic Acid (Hay Treatment) • Anti-Freeze • Motor Oil • Waste Oil (with Inlet Screen) • Hydraulic Fluid • Transmission Fluid • Soaps & Cleaning Fluids • Deicing Liquids

These versions of the Sotera 400B series diaphragm pump offer maximum flexibility. The motor support bracket allows the unit to set level on the ground or atop a mini-bulk tank. 2" Camlock inlet and 1" FPT outlet. Available in 12V or 115V pumps & pump kits (kits include 1 x 36" suction hose and 1" x 12' EPDM discharge hose with nozzle valve and fittings; Suction tube also included).



Pump Only Shown

Part No.	Description	Amp Draw	SPECIAL
FR 415X731	12 Volt pump only	12.0	\$ 616.00
FR 415X731PG	12 Volt pump kit	12.0	776.00
FR 460X731	115 Volt pump only	12.0	616.00
FR 460X731PG	115 Volt pump kit	12.0	854.00
FR F1855	1" Telescoping Suction Tube		33.25

Electronic Flow Meters

Sotera • Scienco • GPI • Fill-Rite



Model SEM10



Model 825



SHURFLO®



Model FM1100



Model OM025P001-826R7G



Model OM025P001-822

Model TT10PN



Model FM300H



Model 3000E

Part No.	Size	Flowrate	Max. Pressure	SPECIAL
**FR 825	1" FPT	2-20 GPM	120 PSI	\$ 268.00
FR TT10PN	1" FPT	2-35 GPM	50 PSI	242.00
*FR 850	1" FPT	2-20 GPM	120 PSI	360.00
SI SEM10	1" MPT	2-30 GPM	60 PSI	258.00
†SI SEM10FTE	1" MPT	3-30 GPM	100 PSI	248.00
**SI SEM10FTV	1" MPT	3-30 GPM	100 PSI	260.00
GI FM300H	1"	2-20 GPM	50 PSI	477.00
SU FM1100	1" FPT	2-20 GPM	100 PSI	359.00
†SU FM1100I	1" FPT	2-20 GPM	100 PSI	344.00
DP 3000E	1"	2-22 GPM	40 PSI	336.00
**DP 3000V	1"	2-22 GPM	40 PSI	347.00
GI OM025P001-826R7G	1" FPT	3-40 GPM	175 PSI	1048.00
‡GI OM025P001-822	1" FPT	3-40 GPM	175 PSI	647.00
GI RT406D0FM	RT40 Remote Display Only			414.00

* Includes Air Eliminator. † Hose End Style. ** V= Viton® Seals ‡ Meter Only - No Display

Dura Meter Viton® & EPDM



Part No.

DP HFM2V
DP HFM3V
DP HFM2E
DP HFM3E

2" Dura-Meter, Viton®.....
3" Dura-Meter, Viton®.....
2" Dura-Meter, EPDM.....
3" Dura-Meter, EPDM.....

SPECIAL
\$ 985.00
1218.00
985.00
1218.00



Part No.
GD HS9379

SPECIAL
\$ 54.00

Hose Assemblies EPDM for Herbicides

These **EPDM Hose Assemblies** are first quality replacement for HERBICIDE HOSES. For Sotera, Scienco & GPI Chemical Pump Units. **No. HS9379** is 1" x 12' with 1" MNPT crimped ends.





SPECIAL PRICES

MINI-BULK PUMPS & METER SYSTEMS

Dura-Pump™ Easy Caddy Systems



FEATURES: Can be mounted in (6) different configurations on a variety of tank/tote and drum types • 1" x 5' Suction hose & 1" x 12' Discharge hose with ball valve nozzle • Polypropylene fittings & 2" camlock for cage tank bottom port suction • Optional meter is DP 3000E or DP 3000V • Features 2 Year Warranty.



Part No.	Description	SPECIAL
DP E6018E-12	12 Volt Pump Only, EPDM.....	\$ 830.00
DP E6018E-110	115 Volt Pump Only, EPDM.....	888.00
DP E6018V-12	12 Volt Pump Only, Viton®	869.00
DP E6018V-110	115 Volt Pump Only, Viton®	940.00

Ask about upgrading DP3000 to Auto Batch



Dura-Pump™

—Repair Kits Available—

Part No.	Description	SPECIAL
DP 6018E-12	12 Volt Pump Only, EPDM.....	\$ 694.00
DP 6018E-110	115 Volt Pump Only, EPDM.....	772.00
DP 6018V-12	12 Volt Pump Only, Viton®	743.00
DP 6018V-110	115 Volt Pump Only, Viton®	834.00
DP T4001	1" Telescoping Suction Tube.....	37.75



DURA-ABV™ & BANJO EVX® Auto Batch Meter with Valve



How It Works

- 1 Select the volume desired
- 2 Press START
- 3 Banjo EVX® Valve will open, fluid is measured and valve automatically closes upon completion

- Pump Not Included -



- Flow Rate: 2 to 22 GPM & Maximum Pressure: 40 PSI
- Meter Accuracy is $\pm 0.5\%$
- Backlit LCD Display
- Powered By (4) "AAA" Batteries
- Wetted Materials: Polypropylene, 304 Stainless Steel, Ryton, EPDM, Viton® or Silicone Seals
- Moisture Sealed
- Amount Metered & Batch Count
- Units Measured is Gallons, Liters or Ounces
- Calibration: Quick List or Manual
- Dimensions: 5-1/4" W x 5-1/4" H x 4-1/4" D
- Operating Temperature is -10° F. to +130° F.
- Weight is 1.5 lbs.

Part No.	Description	SPECIAL
DP DURA-ABV-B	Dura ABV Auto BatchPreset Meter for 12V Control Valve....	\$ 888.00
TK MEVX100B	1" Flanged 12V Banjo Valve with 18" Cable & 3 Pin Weather Pack Connector.....	413.00
DU ABV-MEVX-1	1" Plumbing Kit, Flanged	8.90




Fast Batch DI Auto-Batch System - Direct Injection

The **Fast Batch DI** (Automated Direct Injection) works by direct injecting herbicides automatically into the sprayer carrier while filling the sprayer tank.

Automated DI (Direct Injection)

- Filling your sprayer has never been easier or faster
- Check valves & 12V valves eliminate potential of herbicide backflow
- Accurately dispenses repeatable batches within 0.5% in ounces, gallons or liters
- Eliminates cross contamination
- Eliminates herbicide exposure and operator error
- Eliminates rinsing and wasting of chemical
- No data recording; not legal for direct resale



Direct inject herbicides into the carrier stream.

How It Works

- 1 Select the volume desired
- 2 Press START
- 3 The **ABS Pumps** will begin to dispense fluid then automatically shut off when complete

Example fill

37.5 gallons of SureStart®
37.5 gallons of Atrazine
25.0 gallons of Glyphosate
12.5 gallons of 2,4-D

All direct injected at once in less than 5 1/2 minutes with 2" plumbing

PRODUCT #	ORDERING INFORMATION
DPAB-DI2V-12	2" FastBatch DI System 12V Viton® 4 pump
DPAB-DI2E-12	2" FastBatch DI System 12V EPDM 4 pump
DPAB-DI3V-12	3" FastBatch DI System 12V Viton® 4 pump
DPAB-DI3E-12	3" FastBatch DI System 12V EPDM 4 pump

*Dura recommends the NOCO, GenPro 10X1 charger to run these 12V battery systems with 110V installation/operation.

Part No.

DP AB-DI2E-12	AutoBatch Direct Inject System, 2IN, 4 Prods, 12V, EPDM
DP AB-DI2V-12	AutoBatch Direct Inject System, 2IN, 4 Prods, 12V, Viton®
DP AB-DI3E-12	AutoBatch Direct Inject System, 3IN, 4 Prods, 12V, EPDM
DP AB-DI3V-12	AutoBatch Direct Inject System, 3IN, 4 Prods, 12V, Viton®

Tanks & Large Transfer pump Sold Separately

Call for Pricing!

Dura™ Auto Batch Systems

Finally An Economical Transfer System Offering An Automated Dispensing Option!

- **HOW IT WORKS:** Simply select the volume desired, Press Start, and the pump will begin to dispense fluid and automatically shuts off when target is reached.



Part No.	Description	SPECIAL
DP ABS-6318E-12	Auto Batch, 12 Volt, EPDM Seals	\$ 1542.00
DP ABS-6318V-12	Auto Batch, 12 Volt, Viton® Seals	1648.00
DP ABS-6318E-110	Auto Batch, 115 Volt, EPDM Seals	1648.00
DP ABS-6318V-110	Auto Batch, 115 Volt, Viton® Seals	1716.00
DP ABS-EX10	10' Extension Cable to Mt. Meter/Controller Remotely from 12V Pump	103.00

12 Volt Diaphragm Pump (5.3 GPM)

For Use with a Wide Variety of Applications

- 5.3 GPM Max; 3.8 GPM @ 40 PSI
- "Demand Style" Pressure Switch; cut in 45 PSI; cut out 60 PSI
- "By-Pass" Style Also Available
- 12-Volt DC or 115V AC
- 1/2" FPT Or 3/4" Quick Tach Ports
- 5 Chamber Diaphragms
- Polypropylene Housing, Viton® Valves, Santoprene Diaphragm
- Amp Draw at 0 PSI = 5.5
- Amp Draw at 60 PSI = 18.0 (water)



Part No.	Max GPM	Control	Max Pressure	Ports	Voltage	SPECIAL
AQ 550HD†	5.3	Demand	60 PSI	1/2" FPT	12V	\$ 163.00
AQ 550-HB	5.3	Demand	60 PSI	3/4" QA	12V	136.00
AQ 551	5.3	Bypass	60 PSI	1/2" FPT	12V	174.00

* Requires use of Quick Attach hose barb connectors.

† Features heavy-duty industrial motor for increased pump endurance.



DULTMEIER SALES

OMAHA, NE

(800) 228-9666

• DAVENPORT, IA

(800) 553-6975



SPECIAL PRICES

LIQUID FLOW MONITORING SYSTEMS/HOSE REELS



Electronic Flow Monitoring System

Designed for AgChemical & Liquid Applications



The **Wilger Electronic Flowmeter (EFM)** is a fully serviceable electronic flowmeter & monitoring system specifically designed for agricultural chemical & liquid applications. Like visual ball flow indicators, the EFM system monitors variations in flow rate, but has the added benefit of electronic readouts of actual flow--not just relative flow—for each row.


Electronic Flowmeter Starter Kits

Part No.	Description	SPECIAL
DU EFM12-N	EFM Core Kit, 12 Row, New Install	\$ 3089.00
DU EFM16-N	EFM Core Kit, 16 Row, New Install	3322.00
DU EFM24-N	EFM Core Kit, 24 Row, New Install	4771.00
DU EFM12-R	EFM Core Kit, 12 Row, Retrofit	2780.00
DU EFM16-R	EFM Core Kit, 16 Row, Retrofit	2905.00
DU EFM24-R	EFM Core Kit, 24 Row, Retrofit	4093.00

New Installs includes ECU, 16 CH Node & Harness, Manifolds, EFM Assemblies, 3/8" 10# Check Valves/Caps & 3/8" Tubing in required Qty. **Retrofits** include same as New Install kits less Manifold fittings, Check Valves/Caps & Tubing.



20580-00
EFM Flowmeter Assembly
(Includes 4 Jets with 50 mesh strainer)



Example Screen of Electronic Flow Monitoring App
Free Android download at www.Wilger.net



Scan me

For More Information

Illustration of An Assembled 16-Row, Single Product EFM System

Additional Configurations Available, Please Call With Specifications



* Kits include All Items & Ship Unassembled.

Large Hose Reels

For 2" & 3" Hose • Manual & 12V with Remote Controls

Super Reels™ Hose Reels are excellent for efficient and easy transfer of water and fertilizers through large 2" and 3" hoses. Great for farm, ranch, turf and other applications. All models include stainless steel swivels and non-corrosive top, bottom and side hose guide rollers. All 12-volt models include built-in hand switch and remote key fob for power in and power out reeling. **Not for use with fuels or oils.**

FEATURES:

- Heavy-Duty Steel Construction with Powder Coat Finish
- Stainless Steel Swivel with FPT Inlet/Outlet
- 12 Volt Motor with Built-On Switch & One Key FOB Remote Control
- Manual Clutch Lockout for Easy Pull-Out
- Non-Corrosive Guide Rollers
- Viton® Seals
- Chain Guard
- Manual Crank Handle Included On All Models



No FREE Freight



CHR1121
Key FOB Remote
(One Key FOB Included with All Electric Models)

Part No.	Hose Size I.D.	Rewind	Ship Wt.	SPECIAL
FS HR200SS	2" & 2"	Manual	150 lbs	\$ 1459.00
FS HRE200SS	2" & 2"	12 Volt	150 lbs	2155.00
FS HRE300SS	3" & 3"	12 Volt	255 lbs.	3159.00
FS CHR1121	Additional Key Fob Remote Control...			52.00
DU 1AB2	2" Air Blowout Elbow Kit*			25.25
DU 1AB3	3" Air Blowout Elbow Kit*			82.50

* Each Kit includes (1) Poly Port Flange Elbow with 1/4" Gauge Port, (1) Flange by FPT Adapter, (1) Flange Clamp, (1) EPDM Gasket - for connection to hose reel inlet.



FS UTV60EC-3KZ

UTV Skid Sprayers

- 60 & 100 Gallon Models -

Many Models Available



Scan our QR code to see a sprayer in action

Part No.	Capacity	Pump	Control
FS UTV60E	60 Gal.	12V Electric	Manual - Teejet Shutoff Valve
FS UTV100E	100 Gal.	12V Electric	Manual - Teejet Shutoff Valve

Note: Booms not included in unit price. Sold separately.

60 Gal. Units Measure 38" x 42" x 25" & Weigh 160 - 170 lbs. (Empty) / 630 - 650 lbs. (Full)
100 Gal. Units Measure 47-3/4" x 49" x 26" & Weigh 182 lbs. (Empty) / 1,017 lbs. (Full)

Engine

-

SPECIAL

\$ 2454.00

2540.00





SPECIAL PRICES

NH₃ FLOW MONITORING SYSTEMS & EQUIPMENT

Nitro-Lert™ for Rate Control Systems

The **Hiniker Nitro-Lert Anhydrous Ammonia Knife Monitor System** is the industry leading knife monitoring system which alerts operators to individually blocked manifold outlets, lines, or knives. Inline sensors monitor each outlet's flow variations, helping catch and correct potential application inconsistencies while also reducing downtime and overall product costs.



FEATURES:

- Monitor up to 80 individual outlets
- Detects plugged knives when operator turns flow off and on
- Signals potentially broken/blocked knives due to flow variation
- Audible system alarms alert operator to potential malfunctions
- User friendly interface — easy-to-read bar graph in-cab display monitor



Nitro-Lert Console

Part No.	Description	SPECIAL
HK 8035	Nitro-Lert Console Kit	\$ 1357.00

Line Sensors

Part No.	Description	SPECIAL
HK 36021004	3/8" Line Sensor.....	\$ 238.00
HK 36021017	1/2" Line Sensor.....	245.00

Adapter Cables

Part No.	Description	SPECIAL
HK 38818018	Adapter Cable for JD Greenstar, 10'	\$ 559.00
HK 38818019	* 12" Adapter Extension Cable	151.00
HK 38818020	* 20" Adapter Extension Cable	160.00
HK 38818021	Adapter Cable for Raven 440/450/460.....	364.00

Line Sensor Cables


Part No.	Description	SPECIAL
HK 38818010	10' Line Sensor Extension Cable.....	\$ 65.00
HK 38818011	15' Line Sensor Extension Cable.....	67.00
HK 38818012	20' Line Sensor Extension Cable.....	68.50
HK 38818013	25' Line Sensor Extension Cable.....	66.50
HK 38818014	30' Line Sensor Extension Cable.....	79.00



NH₃ Control-Metering Systems

with Heat Exchanger

45 GPM & 70 GPM



High Capacity, 1-1/2", 45 GPM NH₃ Control-Metering Systems with Heat Exchangers. These kits come complete with heat exchangers, mounting brackets, control and shut-off valves and all required plumbing. All that's required is a controller and wire harness. Includes 1-1/4" full port, 120 degree control valve that increases your accuracy more than typical 90 degree control valves. Twin 1-1/4" valves also provide excellent accuracy and control at low rates as well as high rates.

Standard Features

- 45 GPM 1-1/2" System Complete with valves, forged steel fittings & mounting brackets.
- Heat Exchanger Includes Stainless Inner Tubes & Bonnets.
- Inlet Y-Strainer & Stainless Steel Ball Valve Included.
- 12-Volt Control & Shut-Off Valves with KZ Motors (*Two Valves System Provides Optimal Accuracy*).
- Heat Exchanger can be disassembled for Easy cleaning & maintenance.
- 1-1/2" Stainless Flow Meter (*Sold Separately on LM Systems*).
- Preassembled for Easy Installation.
- Systems with Meters Include *Raven* Stainless Meter.

Part No.	Description	SPECIAL
CN ASF3000GH-M	1-1/2" Horizontal System With Raven Meter.....	\$ 5772.00
CN ASF3000G-M	1-1/2" Vertical System With Raven Meter.....	5826.00
CN ASF3000BD	Dual Heat Exchanger, Horizontal With Raven Meter.....	8385.00
CN ASF3000GHY2KT	70 GPM With Dual Valves, 2 Inlets	6327.00
RV RFM60S	1-1/2" Stainless Raven Meter	1109.00
CN ABVT125SO	* 1-1/4" On/Off FP Valve.....	747.00
CN ACVT125	* 1-1/4" Regulating FP Valve.....	879.00
CN ACCU-COOLER	Retrofit Kit - Direct Repl. for RAVEN AccuFlow.....	1675.00

* Includes Raven Connall Connector.

Hose End Swivels for NH₃ & LPG

The **Hose End Swivel** increases freedom of movement to make attaching or disconnecting hose end valves easier. It also prevents twisting of the hose. U.L. listed.

- Full bore opening offers no flow restriction.
- Unique TFE Pressure Core™ seal eliminates the need for O-rings or lip seals, giving longer working life.
- Lightweight yet sturdy enough to withstand rough handling.
- 400 PSI maximum working pressure.
- Requires No Lubrication.



Part No.	Connection Size	Diameter	Length	Repair Kit	SPECIAL
ST 107	3/4" MPT x 3/4" FPT	2-11/16"	4-3/16"	ST107-0022	\$ 363.00
ST 109	1" MPT x 1" FPT	3-1/16"	4-3/8"	ST109-0022	290.00
ST 111	1-1/4" MPT x 1-1/4" FPT	3-5/8"	4-3/4"	ST111-0022	471.00

NH₃ Distribution Manifolds



MVD Manifold System

Impellicone Flow Divider

JOHNBLUE




Section Control Kits Also Available
Call for Pricing

Part No.	Description	SPECIAL
ST A1805	16 Port Equa-Flo	\$ 522.00
BU IP1300	Impellicone, 13 Port	349.00
BU IP1800	Impellicone, 18 Port	469.00
CN AMVD-16A120	MVD, 20-150 lbs/AC	331.00
CN AMVD-16A201	MVD, 150+lbs/AC	332.00

Flow Meters & Valves for NH₃

RAVEN INDUSTRIES

RFM60S



SPECIAL!

KZ VALVE

67G22-10DY0-CF1




Part No.	Description	SPECIAL
RV RFM60S*	1-1/2" Flowmeter	\$ 1109.00
KZ S8F33-1AE9S-C01*	1" NH3 On/Off	495.00
KZ S8F33-1CE9S-D01	1" NH3 On/Off	436.00
KZ 67G22-10DY0-CF1*	1-1/4" NH3 On/Off	669.00

* Includes Raven Connection Harness.

ACCUFLOW™ VORTEX

RAVEN INDUSTRIES



Key Benefits:

- Single or dual valve systems
- Capable of up to 8 Section & automatic section shut-off
- Simple cooler disassembly for easier maintenance
- Increased capacity with smaller footprint on toolbar. Advanced controls for high & low end application
- ISO Compatible.

Part No.	Description	SPECIAL
RV 718	AccuFlow™ Vortex with Dual Valves, 1 Inlet.....	\$ 10066.00
RV 716	AccuFlow™ Vortex with Dual Valves, 2 Inlets.....	9700.00



DULTMEIER SALES

OMAHA, NE

(800) 228-9666

• DAVENPORT, IA


(800) 553-6975



SPECIAL PRICES

HITCHES / COUPLERS / NH3 KNIVES & EQUIPMENT

UNITED TRUCK PARTS DMI Hitches



Part No.	Item Description	SPECIAL
UI 47070007	Quic'N Easy Hitch Frame	\$ 1050.00
UI 47090001	Cush'N Combo Hitch Frame	991.00
UI 47070001	Quic-Cush'N 2 Hitch Frame	1058.00

* Call With Make/Model/Year for Mounting Kits

Overhead Valve Engines

HONDA RECOIL & ELECTRIC STARTERS HORIZONTAL-SHAFT

GX Series - Ideal for use as a Replacement Pump Engine

OHV Style. All Honda standard features plus transistorized ignition system, dual oil fillers, rewind starters, bottom intake air cleaner and oil alert feature.

GX390 11.7-HP SERIES (389cc)

The largest of Honda's single cylinder industrial engines. All standard Honda features plus CDI ignition with electronic advance, oil alert feature and automatic decompression release. Fuel tanks are 7.4 Qt.

Crankshaft: 1" diameter tapped 3/8-24 UNF with keyway.

GX390K1QA Standard Model: With rewind starter.



GX390

HONDA
ENGINES

4.8-HP GX160 Series (163cc)

GX160K1QXE: Same as GX160K1QX except with electric start.

GX160K1TX: Pump Engine has a 5/8"-18 threaded shaft and mounting flange for use with close-coupled Centrifugal pumps.

5.5-HP GX200 Series (196cc)

GX200QX2: Has a 3/4" O.D. Keyed shaft, drilled & tapped 5/16"-24.

Part No.	Make	** Starter	Shaft	SPECIAL
AE GX160K1QXE	Honda, 4.8 HP	12-Volt	3/4" Solid	\$ 658.00
AE GX160K1QX	Honda, 4.8 HP	Recoil	3/4" Keyed	381.00
AE GX160K1TX	Honda, 4.8 HP	Recoil	* 5/8" Threaded	425.00
AE GX200QX2	Honda, 5.5 HP	Recoil	3/4" Solid	395.00
AE GX390K1QAE	Honda, 11.7 HP	12-Volt	1" Keyed	917.00

* Threaded shaft for centrifugal pumps.

** 12-Volt Starters are Standard with 9 Amp Alternators.

Parker 7262 Anhydrous Ammonia Nylon Hose Assemblies (SS Available)



- Custom Lengths Available -



Part No.	I.D.	O.D.	Ends	Length	Bend Radius	SPECIAL Price
ST AN10003	1"	1.51"	1" MPT	3'	10"	\$ 81.50
ST AN10005	1"	1.51"	1" MPT	5'	10"	110.00
ST AN10010	1"	1.51"	1" MPT	10'	10"	179.00
ST AN10012	1"	1.51"	1" MPT	12'	10"	203.00
ST AN10015	1"	1.51"	1" MPT	15'	10"	246.00
ST AN10020	1"	1.51"	1" MPT	20'	10"	311.00
ST AN12503	1-1/4"	1.78"	1-1/4" MPT	3'	12"	147.00
ST AN12505	1-1/4"	1.78"	1-1/4" MPT	5'	12"	189.00
ST AN12510	1-1/4"	1.78"	1-1/4" MPT	10'	12"	291.00
ST AN12512	1-1/4"	1.78"	1-1/4" MPT	12'	12"	334.00
ST AN12515	1-1/4"	1.78"	1-1/4" MPT	15'	12"	395.00
ST AN15012	1-1/2"	2.03"	1-1/2" MPT	12'	14"	533.00
ST AN15015	1-1/2"	2.03"	1-1/2" MPT	15'	14"	647.00
ST AN20020	2"	2.75"	2" MPT	20'	16"	1228.00

Side Mount NH3 Knives



- Standard with 3/8" NH3 tubes; 3/8" x 3/4" vapor tubes models also available
- Excellent sealing & wearing characteristics
- Knives in stock from Hi-Pro Mfg., Shield & Wako

Part No.	Description	SPECIAL
WC MAG40	7/16" Side Mount with 3/8" Tube	\$ 58.50
WC MAG40BTS	7/16" Side Mount with 3/8" Tube, with Sealer	72.00
WC MAG50	1/2" Side Mount with 3/8" Tube	61.50
WC MAG50BTS	1/2" Side Mount w/3/8" Tube, with Sealer	78.00
WC W158	MAG50 Knife with 3/8" & 3/4" Vapor Tube	90.00
WC W158BTS	W158 Knife with Sealer	101.00
HP B33MOLE	B33 Mole Knife	49.00
HP B33MOLE-X	B33 Mole with Vapor Tube	62.00
HP MINIMOLE	Mini-Mole Knife	49.00
HP MINIMOLE-X	Mini-Mole with Vapor Tube	62.00
BE DF-1PM	Shield Knife	65.50
BE DF-1PM34DA	DF-1PM with Vapor Tube	95.00
BE K-4T	K-4T Knife with 3/8" Tube	56.00
BE K-4T34DA	K-4T Knife with 3/8" & 3/4" Vapor Tube	94.00
BE K-4TSDF	Shrew Knife with 3/8" Tube	55.50
BE K-4TSDF34DA	Shrew Knife with 3/8" & 3/4" Vapor Tube	88.00

SPECIAL
5%
Discount
On 50+
One
Item

Spring Shanks

Part No.	Description	SPECIAL
BE CS1236	BlueJet Shank	\$ 145.00
BE KSC1295	2x1 BlueJet Shank	96.00
BE KSC1298	2x1 DMI Shank	97.00

SPECIAL
5%
Discount
On 10+
One
Size

NH3 GAUGES Stainless Stems



Part No.	Range	Type	Dial	Conn.	SPECIAL
AH A620	60 PSI	Dry	2-1/2"	Bottom	\$ 15.00
AH A1520	160 PSI	Dry	2-1/2"	Bottom	14.80
AH A420	400 PSI	Dry	2-1/2"	Bottom	13.00
AH ASG604	60 PSI	Dry	4"	Bottom	27.50
AH ASG4004	400 PSI	Dry	4"	Bottom	26.00


*Less 10% On 20 or More

NH3 Breakaway Couplers for Toolbars



ST FM126-1000

4500-7
1-1/4" Coupler with
1-1/4" FPT Male Tip
and Swivel Clamp
Assembly.



Part No.	Description	SPECIAL
ST FM126-1000	1-1/4" Break-A-Way Coupler, Squib	\$ 944.00
ST FM150-1001	1-1/2" Break-A-Way With "EZ" Bracket, Squib	1758.00
CN AHFC114	1-1/4" High Flow Coupler, Continental	670.00
CN BSWV150G	1-1/2" High Flow Coupler, Continental	1092.00
ST EZ-BRACKET	"EZ" Bracket for FM126 & FM125	216.00
PA 4500-7	* 1-1/4" FPT Pioneer NH3 Coupler Assembly	692.00

* 5 Year Removal Date.





SPECIAL PRICES

FUEL TANKS - PUMPS - HOSES - FILTERS - METERS - NOZZLES

FILL-RITE Super High Flow 115/230-Volt Diesel Pump

FR319VB Diesel Pump
35 GPM (Open Discharge)

Part No.
FR FR319VB 115/230 Volt Diesel Pump
with Digital Meter, 1"x18"
hose & Automatic Nozzle.
27 GPM at the nozzle.



\$ 2177.00



V25 Fuel Transfer Pump

12V Fuel Pump with
1"x18' Hose & Automatic
Diesel Nozzle



25 GPM

Part No.	Nozzle	Power Cord	Suction Pipe	Hose	SPECIAL
GI V25-012AD	Auto Diesel	Installed	1" Telescoping	1"x18'	\$ 1177.00

Farm Pump Hose Assemblies



Not U.L.
Listed



				SPECIAL
GD L64-3/4X10	10'	3/4"	3/4" MPT	\$ 47.25
HK FT12S14	14'	3/4"	3/4" MPT	65.50
HK FT12S20	20'	3/4"	3/4" MPT	88.00
GD L64-1X10	10'	1"	1" MPT	68.00
GD L64-1X12	12'	1"	1" MPT	79.00
HK FT16S14	15'	1"	1" MPT	97.00
HK FT16S20	20'	1"	1" MPT	117.00

Quantity
Discounts
Available

CIM-TEK Fuel Filters



Part No.		Std. Pkg.	Price Each
* CI 200AH	Cast Iron Head	6	\$ 23.30
* CI 200H-3/4	3/4" Cast Iron Head	6	20.80
* CI 200AE	1" Element	6	15.20
* CI 200E	3/4" Element	6	13.50
* CI 200E-30	3/4" Element, 30 Micron	6	13.30
** CI 260HS10II	10M 3/4" Hydrosorb Element	12	19.60
** CI 260HS30II	30M 3/4" Hydrosorb Element	12	20.20
** CI 260AHS10II	10M 1" Hydrosorb Element	12	21.80
** CI 260AHS30II	30M 1" Hydrosorb Element	12	22.20

* Or Less 20% on 36. ** Less 10% on Std. Pkg. or Less 20% on 48.

Automatic Fuel Nozzles

Standard-Duty Fuel Nozzles with automatic shutoff. Rugged design for long-lasting performance during continued use. Color coding and differing spout diameters prevent cross fueling.



Part No.	Inlet	Style	Color	Spout	GPM	SPECIAL
FR SDN075R	3/4"	Unleaded	Red	13/16"	14.5	\$ 84.00
FR SDN075G	3/4"	Diesel	Green	15/16"	14.5	83.50
FR SDN100G	1"	Diesel	Green	1-1/8"	25	126.00
HK 45C	1"	Diesel	Green	15/16"	18	135.00
HK 45CU	1"	Unleaded	Red	13/16"	15	134.00
HK 45CHF	1"	Diesel	Green	1-1/8"	20	123.00

FILL-RITE Heavy-Duty Fuel Pumps

2 Year Warranty

12 Volt


Heavy Duty 12-Volt Fuel Pumps with hose, manual or auto nozzle, suction pipe, and power cable. Models from 15-25 GPM. Less meter.

Part No.	
FR 1210	15 Gpm Pump, 12' Hose & Man. Nozzle
FR FR4210	20 Gpm Pump, 12' Hose & Man. Nozzle
FR NX25-12V	25 Gpm Pump, 18' Hose & Auto Nozzle

SPECIAL
\$ 511.00
578.00
1457.00



Model
NX25-12V



Model
700

115 Volt

Heavy Duty 115-Volt Fuel Pump with 12 ft. of hose & manual nozzle. 20 GPM. Less meter.

Part No.		SPECIAL
FR FR700	Pump, Less Meter	\$ 812.00
FR FR701	Pump with Meter	1019.00



Model
311VB

Heavy Duty 115-Volt Fuel Pump with meter, 18 ft. of hose & automatic nozzle. 35 GPM.

Part No.		SPECIAL
FR 310VB	Pump, Less Meter	\$ 1642.00
FR FR311VB	Pump with Meter	2072.00

Fuel Storage Tanks Tanks Only or Complete Systems

Features:

- Three 2" top openings, 1-1/2" rotary gauge port & 2" drain
- Full-length skids
- Red enamel finish (White available)
- NOT UL listed



Part No.	Capacity	Size	Gauge	Wt.	SPECIAL
HS T520-50	520 Gallon	50" x 61"	14	350 lbs.	\$ 1454.00
HS T1000-64	1000 Gallon	64" x 72"	12	850 lbs.	2464.00

- Other Sizes & UL Listed Double Wall Tanks Available -

DEF Tote Pumping Systems for 275 Gallon DEF Tanks

- Top Mount -



CT6-DEFE
with Micromatic
Coupler



3/4" Stainless
Automatic
Nozzle

DEF Tote Pumping Systems are designed to top mount directly to DEF tanks or drums that have a Micromatic adapter/suction tube in the tank.

Kits Include: 12 volt or 115 volt poly DEF pump (see above for pump details) with stainless Micromatic coupler, 3/4" x 12' DEF hose assembly (with SS fitted ends & 1"x3/4" poly reducer bushing) and 3/4" stainless automatic DEF nozzle.

Individual components available on their own

Part No.	Description	SPECIAL
DU DEFK-12V	12 Volt DEF Pump Kit	\$ 903.00
DU DEFK-115V	115 Volt DEF Pump Kit	894.00



DULTMEIER SALES

OMAHA, NE

(800) 228-9666

• DAVENPORT, IA

(800) 553-6975



Box 45565
Omaha, Nebraska 68145-0565



Or Current Resident

PRSRT STD
U.S. POSTAGE
PAID
OMAHA, NE
PERMIT NO. 314

OMAHA, NEBRASKA

13808 Industrial Road
Omaha, NE 68137

TOLL-FREE 1-800-228-9666
LOCAL 1-402-333-1444
FAX No. 1-402-333-5546
E-MAIL dultmeier@dultmeier.com

DAVENPORT, IOWA

601 West 76th Street
Davenport, IA 52806

TOLL-FREE 1-800-553-6975
LOCAL 1-563-386-0930
FAX No. 1-563-386-5448
E-MAIL dultmeier@dultmeier.com

**2026 Early Order
Specials Inside!**



© Dultmeier Sales 2026




2026 EARLY ORDER SPECIAL PRICES GOOD THRU 3/02/26

Limited Quantities Available On Some Items - Prices Subject to Change Without Notice

E.O. 1/26

Complete High Volume Diesel Transfer Pump Units




FPU1P

These rugged units are designed for high volume diesel transfer so you can fill equipment quickly and save valuable time. 1" Units will provide **32 GPM** and 1-1/2" units will provide **60 GPM**.

Drive Options:

- Gas Engine • Electric Motor • Less Engine



FPU1.5-M1M



Scan our QR code
to watch a video
about these units

Part No.	Description	Flowrate	Hose Size	SPECIAL
DU FPU1P	1" Diesel Transfer Unit	32 GPM	1"	\$ 4027.00
DU FPU1.5P	1-1/2" Diesel Transfer Unit	60 GPM	1-1/2"	5993.00
DU FPU1-M1	1" Diesel Unit, 3 HP Motor	32 GPM	1"	5081.00
DU FPU1.5-M1	1-1/2" Diesel Unit, 3 HP Motor	60 GPM	1-1/2"	7116.00
DU FPU1.5-M1M	1-1/2" Diesel Unit, 3 HP, with Meter	60 GPM	1-1/2"	7965.00

Dultmeier Chemical Mixing System

The **Dultmeier QUICK CHEM-MIX** station gives you the ability to add and meter all of your bulk chemicals without using 12-volt chemical pumps and flow meters for each product. One gear meter measures each product without the need to recalibrate for each one and includes 2" or 3" bottom inductors with bypass.

When the system is installed downstream of a properly sized centrifugal transfer pump, it pulls each product from mini-bulk tanks one at a time using the vacuum created by the inductor assembly.

Part No.	Description
DU CHEM-MIX2-3	3 Product Valves w/ 2" Venturi Manifold
DU CHEM-MIX2-6	6 Product Valves w/ 2" Venturi Manifold
DU CHEM-MIX2-6LV	6 Product Valves less 2" Venturi Manifold
DU CHEM-MIX3-6	6 Product Valves w/ 3" Venturi Manifold

SPECIAL
\$ 3003.00
3328.00
2757.00
3629.00

* All models available without Venturi manifold and can be built with 4 product valves on one side.



CHEM-MIX2-3



Several Models Available – Call for Details