

# SPRING FERTILIZER & PLANTING EQUIPMENT



2026



## LIQUID HANDLING

AGCHEM & FERT EQUIPMENT | SPRAYING | PETROLEUM | NH3  
DE-ICING | TURF & TREE CARE

WHOLESALE PRICES • OVER 400 SUPPLIERS • EXCELLENT SERVICE

800-228-9666 • [www.dultmeier.com](http://www.dultmeier.com)



Scan our QR code to request  
a free catalog!



- ✓ 24/7 Online Ordering
- ✓ Same Day Shipping

- ✓ Huge Inventories
- ✓ Technical Support

**FREE FREIGHT**  
\* On Orders \$2500+



**SALES: 888-357-7217**

OMAHA, NE • DAVENPORT, IA

\* Continental U.S. Only. Tanks, Pipe & Sprayers Excluded. Please Allow 3 Weeks for Large Early Orders to Ship.

- Prices Subject to Change Without Notice -

**DULTMEIER.COM**

# IN STOCK PLANTER FERTILIZER KITS

**HY 3350-44P:**  
3/4" Strainer, 50 Mesh

\* 1/2" Hose from Tank to Strainer (not included)

**TK PHB3412:**  
3/4" Hose Barb x 1/2" MNPT Fitting

**TK PHB1212:**  
1/2" Hose Barb

**12V Diaphragm 5 GPM Pump:**

\* 1/2" Hose from Pump to Flow Monitor (not included)

**BU SMSS4-PE38 (1) & BUAMSS1-PE38 (2)**  
Spray Columns

**BU SMPT-0014:**  
1" Connector Tee

**TK 901-1X1/2:**  
Reducer Bushing

**TK PHB1212:**  
1/2" Hose Barb

**8 Row Planter Fertilizer Kit (DU PLANT8) shown**

**Pump Speed Controller:**  
Wire to Pump. Also run 3/8" Tubing from Controller to Flow Monitor for Pressure Reading (wire harness & tubing included).

**Also See Totally Tubular Products on Adjacent Pages**

**SS QJ98590-3/8-5:**  
John Guest Style Nozzle Bodies with 5 PSI Check

**SS QJ98586-NYR:**  
John Guest Style Caps

(8) 3/8" Tubing from Flow Monitor to Each of the (8) Nozzle Bodies

\* Orifice discs not included, sold separately. Sized per application.

**SS 18999EPR:**  
Gaskets Included

**All Packages also include:**

- 100' of 3/8" Black Tubing for 6 & 8 Row. 200' of 3/8" Black Tubing for 12 Row.
- Wire Harness
- Cable Ties
- Teflon Tape

Part No.	Description	Net Ea.
DU PLANT6	6 Row Planter Fertilizer Kit ...	\$ 1060.00
DU PLANT8	8 Row Planter Fertilizer Kit ...	1137.00
DU PLANT12	12 Row Planter Fertilizer Kit ...	1335.00
DU PLANT16	16 Row Planter Fertilizer Kit ...	1516.00

## Planter Fertilizer Kits For John Blue Ground Drive Pumps

**BU FD0610 Flow Divider & (6) LM MC3814**  
(1/4" MPT x 3/8" Tube Fittings)

(8) 3/8" Tubing Runs

**BUMFD4-PE38**  
Spray Monitor Columns

**Ground Drive Pump**  
(1-1/2" Ports: Pump not Included in Kit)

1-1/2" Hose from Tank to Strainer (8' Included & 90" Hose Barb, Clamps)

3/4" Hose from Pump to Flow Divider (6' Included & Hose Barbs, Clamps)

1-1/2" Hose from Strainer to Pump (6' Included & 90" Hose Barb, Clamps)

**HY 3350-116P:**  
1-1/2" Strainer, 50 Mesh

**TK PHB112:**  
1-1/2" Hose Barb x 1-1/2" MNPT Fitting

**8 Row Planter Fertilizer Kit for Ground Drive Pumps (DU PLANT8G) shown**

**SS QJ98590-3/8-5:**  
Nozzle Bodies With 5 PSI Check

**SS QJ98586-NYR:**  
Caps

(8) 3/8" Tubing from Flow Monitor to Each of the (8) Nozzle Bodies

**All Packages also include:**

- 200' of 3/8" Black Tubing
- Cable Ties (100 Qty.)
- Teflon Tape (1 Roll)

\* NOTE: 1/2" hose & orifice discs not included in kit.

**Note: Do not use orifice discs if included Flow Divider is used.**

**(8) SS 18999EPR**  
(Only needed with orifice discs)

**Also See Totally Tubular Products on Adjacent Pages**

Part No.	Description	Net Ea.
DU PLANT6G	6 Row Planter Fertilizer Kit ...	\$ 1049.00
DU PLANT8G	8 Row Planter Fertilizer Kit ...	1261.00
DU PLANT12G	12 Row Planter Fertilizer Kit ...	1423.00
DU PLANT16G	16 Row Planter Fertilizer Kit ...	2196.00

# IN STOCK LIQUID FLOW MONITORS & PARTS



**WL 3999-2**  
Spray Monitor



**WL 3999-3412**  
Spray Monitor "Starter"



**WL 3376-4**  
"Squeeze Pump" Monitor



**WL 3999-0038**  
Spray Monitor "Adder"

### Pre-Assembled Spray Monitors:

(Can be easily taken apart or added to)

Part No.	Columns	Inlet	Outlet	Net Ea.
WL 3999-1	4	3/4" HB 90	1/4" FPT 90	\$ 88.50
WL 3999-1A	4	3/4" HB 90	1/4" Tube Adapter 90	98.00
WL 3999-2	4	3/4" HB 90	3/8" Tube Adapter 90	104.00
WL 3999-2HB	4	3/4" HB 90	3/8" HB 90	95.00
WL 3999-8	4	3/4" HB 90	1/2" HB 90	96.00

### Single Column "Starters" for Above Monitors :

(Includes Body, 4 Balls, SS Clips & Inlet, End Cap & Outlet. Note: Use with "Isolation" Tee for Squeeze Pump Monitors).

Part No.	Inlet	Outlet	Net Ea.
WL 3999-1414	1/4" FPT 90	1/4" FPT 90	\$ 34.50
WL 3999-3838	3/8" HB 90	3/8" HB 90	29.00
WL 3999-1212	1/2" HB 90	1/2" HB 90	30.00
WL 3999-3414	3/4" HB 90	1/4" FPT 90	26.25
WL 3999-3438	3/4" HB 90	3/8" HB 90	26.75
WL 3999-3412	3/4" HB 90	1/2" HB 90	30.75

### Single Column "Adders" for Above Monitors:

(Includes Body, 4 Balls, SS Clips & No End Cap)

Part No.	Inlet	Outlet	Net Ea.
WL 3999-0014	-	1/4" FPT 90	\$ 25.50
WL 3999-0038	-	3/8" HB 90	26.00
WL 3999-0012	-	1/2" HB 90	28.00

### \*Pre-Assembled "Squeeze" Pump Monitors for Squeeze Pumps:

Part No.	Columns	Inlet	Outlet	Net Ea.
WL 3376-6	2	3/8" HB 90	3/8" HB 90	\$ 41.25
WL 3376-4	4	3/8" HB 90	3/8" HB 90	73.00
WL 3376-7	2	1/2" HB 90	1/2" HB 90	37.25
WL 3376-5	4	1/2" HB 90	1/2" HB 90	82.00

Also use with Ground Drive Pumps.

**LESS  
10% On  
6+ or  
LESS  
12% On  
24+ of  
One  
Size**



**BU SMSS4**  
Set of Four Spray Monitor Assembly

**BU SMSS1**  
Single Flow  
Spray Monitor



**BU SMSS1-PE38**  
Single Flow  
Monitor



**BU SMFD1**  
Single Flow Monitor for Squeeze Pumps



**BU SMFD4**

Set of Four Monitor Assembly  
for Squeeze Pumps

#### Spray Monitors

Part No.	Description	Net Ea.
BU SMSS1	Single Flow Spray Monitor Assembly: Includes single body, 3/8" FPT inlet & outlet .....	\$ 30.25
BU SMSS1-PE38	Single Flow Monitor Assembly: Includes single body, 3/8" FPT inlet x 3/8" x 90° Tube Fitting outlet .....	39.50
BU SMSS4	Set of 4 Flow Monitor Assembly: Includes (4) bodies, 1/2" FPT inlet, 3/8" female outlet .....	86.00
BU SMSS4-PE14	Set of 4 Flow Monitor Assembly: Includes (4) bodies, 1/2" FPT inlet, 1/4" x 90° Tube Fitting outlet .....	110.00
BU SMSS4-PE38	Set of 4 Flow Monitor Assembly: Includes (4) bodies, 1/2" FPT inlet, 3/8" x 90° Tube Fitting outlet .....	115.00

#### Monitors for use with Squeeze & Ground Drive Pumps

Part No.	Description	Net Ea.
BU SMFD1	Single Flow Squeeze Monitor Assembly - Flow Divider Type: 3/8" FPT Inlet/Outlet .....	\$ 26.25
BU SMFD1-PE38	Single Flow Monitor Assembly - Flow Divider Type: 3/8" Tube Fitting Inlet; 3/8" x 90° Tube Fitting Outlet .....	31.00
BU SMFD4	Set of 4 Flow Monitor Assembly - Flow Divider Type: 3/8" FPT Inlet/Outlet .....	92.15
BU SMFD4-PE14	Set of 4 Flow Monitor Assembly - Flow Divider Type: 1/4" Tube Fitting Inlet; 1/4" x 90° Tube Fitting Outlet .....	122.00
BU SMFD4-PE38	Set of 4 Flow Monitor Assembly - Flow Divider Type: 3/8" Tube Fitting Inlet; 3/8" x 90° Tube Fitting Outlet .....	113.00

#### Accessories

Part No.	Description	Net Ea.
BU SMPT-0053	90 Degree 3/8" Tube Adapter .....	\$ 7.75
BU SMPT-0052	90 Degree 5/16" Tube Adapter .....	7.59
BU SMPT-0051	90 Degree 1/4" Tube Adapter .....	7.11
BU SMPT-0008	End Cap .....	1.29
BU SMPT-0009	Ball Storage Unit: Holds up to 40 balls. Lid can be locked .....	9.70
BU SMPT-0014	Tee: For spray type use with typically (8) total bodies, includes 1/4" gauge port, 1" FPT .....	10.02
BU SMPT-0049	Flanged Tee: For spray type use with typically (8) total bodies, includes 1/4" gauge port, 1" FPT .....	10.63
BU SMPT-0021	7/16" Stainless Steel Ball: For use with extra high flow rates .....	2.83
BU SMPT-0007	#212 Viton® O-Ring: Used with top and bottom Adapters .....	2.89
BU SMPT-0034	#112 Viton® O-Ring: Used to seal orifice plates .....	1.25

**SPRAY  
MONITORS  
LESS 8%  
On 6  
or 10%  
On 24  
Of One Size**

# IN STOCK LIQUID FLOW MONITORING SYSTEMS



## Electronic Flow Monitoring System Designed for AgChemical & Liquid Applications



The **Wilger Electronic Flowmeter (EFM)** is a fully serviceable electronic flowmeter & monitoring system specifically designed for agricultural chemical & liquid applications. Like visual ball flow indicators, the EFM system monitors variations in flow rate, but has the added benefit of electronic readouts of actual flow—not just relative flow—for each row.


Part No.	Description
WL 20580-00	EFM Flowmeter with Jets
WL 20603-00	ECU Base Kit including 20' battery harness
WL 20621-00	16CH Node Kit
WL 20612-00	16CH Node Harness Cap
WL 20615-06	Extension Harness (NODE to SNR) 6'
WL 20616-12	Extension Harness (NODE to NODE) 12'
WL 20574-00	Manifold, 4 Outlet, FKM
WL 20603-01	ECU Only

Net Ea.
\$ 33.50
1591.00
939.00
19.80
74.00
89.50
12.00
1205.00



Scan me

For More Information



Example Screen of Electronic Flow Monitoring App  
Free Android download at [www.Wilger.net](http://www.Wilger.net)



Additional Configurations Available,  
Please Call With Specifications

\* Kits include  
All Items  
& Ship  
Unassembled.

## Electronic Flowmeter Starter Kits

### Electronic Flowmeter Starter Kits (Single Product)

Part No.	Description	Net Ea.
DU EFM12-N	EFM Core Kit, 12 Row, New Install .....	\$ 3184.00
DU EFM16-N	EFM Core Kit, 16 Row, New Install .....	3425.00
DU EFM24-N	EFM Core Kit, 24 Row, New Install .....	4919.00
DU EFM12-R	EFM Core Kit, 12 Row, Retrofit .....	2865.00
DU EFM16-R	EFM Core Kit, 16 Row, Retrofit .....	2994.00
DU EFM24-R	EFM Core Kit, 24 Row, Retrofit .....	4219.00

**New Installs** includes ECU, 16 CH Node & Harness, Manifolds, EFM Assemblies, 3/8" 10# Check Valves/Caps & 3/8" Tubing in required Qty. **Retrofits** include same as New Install kits less Manifold fittings, Check Valves/Caps & Tubing.


### Extension Cables (as required)

Part No.	Description	Net Ea.
WL 20616-12	Extension Cable, ECU/Node-Node, 12 Ft.	\$ 89.50
WL 20616-24	Extension Cable, ECU/Node-Node, 24 Ft.	147.00
WL 20615-06	Extension Cable, Node-Sensor, 6 Ft.....	147.00
WL 20615-12	Extension Cable, Node-Sensor, 12 Ft. ....	124.00
WL 20615-24	Extension Cable, Node-Sensor, 24 Ft. ....	190.00
WL 20605-00	ECU Y-Splitter Cable with Terminator .....	212.00

**Note:** Extension Cables & Metering Orifices sized per application—not included in EFM Kits at left. Call for assistance with your specifications.

**Android Tablet Not Included in Any Kits!**

## Illustration of An Assembled 16-Row, Single Product EFM System



— Additional Configurations Available, Please Call With Specifications —

# IN STOCK SPRAYER & PLANTER PUMPS



**HYPRO®**  
Cast Iron  
**Pumps**



9306S

Hydraulic Drive Spray Pumps – Viton® or Silicon Carbide Seals

Part No.	Material	Size/Style	Net Ea.
HY 9303C-HM1	Cast Iron	1-1/2" x 1-1/4" FPT	\$1171.00
HY 9303C-HM4	Cast Iron	1-1/2" x 1-1/4" FPT	1129.00
HY 9303C-HM5	Cast Iron	1-1/2" x 1-1/4" NPT	1164.00
HY 9306CHM1C	Cast Iron	2" x 1-1/2" FPT	1370.00
HY 9306CHM5C	Cast Iron	2" x 1-1/2" FPT	1297.00
* HY 9306CHM3CB	Cast Iron	2" x 1-1/2" FPT	1474.00
* HY 9306CHM5CB	Cast Iron	2" x 1-1/2" FPT	1425.00
* HY 9306SHM1C	Stainless	2" x 1-1/2" FPT	2448.00
* HY 9306SHM5C	Stainless	2" x 1-1/2" FPT	2328.00

\* Severe Duty Sil-Carbide Seal - HY 9307 Series 3X2 Available -

## ACE Hydraulic Drive Pumps



Cast Iron

— Other Models Available —

Part No.	Net Ea.
AC FMC-HYD-204	\$ 994.00
AC FMC150HYD206	1019.00
AC FMC200HYD304	1208.00
AC FMC150FHVD206	1061.00

## Hydraulic Driven Cast Iron Pumps

— Pro 5 Series —

Feature Silicon Carbide or Oasis Wet Seals



Part No.	Description	Net Ea.
AC FMCSC125-206	Sil-Carb Seal Pump, 1-1/4" x 1" FPT, 110 GPM.	\$ 1074.00
AC FMCSC125-206PWW	Same as above with PWM	1871.00
AC FMCWS125-204	Wet Seal Pump, 1-1/4" x 1" FPT, 92 GPM	1508.00
AC FMCWS125-206	Wet Seal Pump, 1-1/4" x 1" FPT, 110 GPM	1508.00
AC FMCWS125-206PWW	Same as above with PWM	2304.00
AC FMCWS155F-206	Wet Seal Pump, 220 x 200 Flange, 145 GPM	1599.00
AC FMCWS155F-206PWW	Same as above with PWM	2370.00




## Hydraulic Driven Cast Iron Pumps



Call for Other Options

Part No.	Description	Wt.	Net Ea.
AC 150F-PWW	Cast Iron Pump with 11 GPM Hydraulic Motor with PWM Valve. Inlet is Flanged 220FP & 1-1/2" FPT, Outlet is Flanged 200 Std. Port & 1-1/4" FPT. 155 GPM - 130 PSI. Severe Duty Silicon Carbide Seal..	38 lbs.	\$ 2073.00



## MP FLOMAX & JOHN BLUE PUMPS

### Hydraulic Motor Drive Centrifugal Pumps

Self-Priming  
Cast Iron Construction  
Viton® Ceramic Seals  
Stainless Fasteners

FLOMAX 15

HYDRAULIC PUMP/MOTOR UNITS COMPLETE

Part No.	Ports	GPM	Max. Oil flow	Net Ea.
MX 28553	FLOMAX 15 3"	315	15 GPM	\$ 2638.00
BU SP3345-PH	JOHN BLUE * 3"	308	25 GPM	3198.00

\* Double Seal Pump, Run Dry Capability.



## John Blue NGP

### Ground Drive & Hydraulic Piston Pumps

Features:

- Rate Proportional to Speed.
- Unmatched Accuracy for Starter Fertilizer Placement, Regardless of Speed Changes!
- Use with Flow Dividers.
- Adjustable Rate Pumps Also Available.



Hydraulic Motor Shown is Sold Separately

Part No.	Max. GPM @ 450 RPM	Max. PSI	Port Size	Net Ea.
BU NGP4055F	10.2	120	1" FPT / 2" SP Flange	\$ 1795.00
BU NGP4055HYF*	10.2	120	1" FPT / 2" SP Flanged	1089.00
BU NGP6055	21.0	120	1-1/2" FPT	1519.00
BU NGP6055HYF*	21.0	120	1-1/2" FPT/(2) 220 Flg. Flanged	1059.00
BU NGP7055	34.2	120	1-1/2" FPT	1859.00
BU NGP7055HY*	34.2	120	1-1/2" FPT	1059.00
BU NGP7055HYF*	34.2	120	1" FPT / 2" SP Flange	1179.00
BU NGP8055	42.0	120	1" FPT	2698.00
BU NGP9055	68.4	120	1-1/2" FPT	2985.00
BU 116205-91**	Hydraulic Motor & PWM Valve for "HY" Pumps			1098.00

\* Less hydraulic motor

\*\* This version bypasses excess oil

## 12 Volt Fertilizer Diaphragm Pumps (5.3 GPM)

### HD 5500 Series

For Use with a Wide Variety of Applications

- 5.3 GPM Max; 3.8 GPM @ 40 PSI
- "Demand Style" Pressure Switch; cut in 45 PSI; cut out 60 PSI
- "By-Pass" Style Also Available
- 12-Volt DC or 110/115V AC
- 1/2" FPT Or 3/4" Quick Attach Ports
- 5 Chamber Diaphragms
- Polypropylene Housing, Viton® Valves, Santoprene Diaphragm (Select Geolast Diaphragms for Diesel, Transmission Fluid, Light Oils & Anti-Freeze - Not for Flammable Liquids)
- Amp Draw at 0 PSI = 5.5Amp Draw at 60 PSI = 18.0 (water)



REMCO

Part No.	Max GPM	Control	Max Pressure	Ports	Voltage	Net Ea.
AQ 550HD†	5.3	Demand	60 PSI	1/2" FPT	12V	168.00
AQ 551	5.3	Bypass	60 PSI	1/2" FPT	12V	179.00
AQ 550-HB	5.3	Demand	40 PSI	1/2" FPT	12V	140.000

† Features heavy-duty industrial motor for increased pump endurance.

# IN STOCK TRANSFER PUMPS

## MP, SCOT, HYPRO & BANJO Transfer Pumps

- Cast Iron • Self-Priming



**MP  
FLOMAX 8**  
(DU MP25GH)

**Scot**

Part No.	Description	Net Ea.
DU MP25GH	2" 5 HP Honda, Flomax 8 Pump .....	\$ 1045.00
DU FKG74AV55H	2" 5 HP Honda, Scot Pump .....	1242.00
TK 200PI6PRO	2" 6.5 HP Briggs, Banjo Pump.....	789.00
TK 200PIH6	2" 6.5 HP Honda, Banjo Pump .....	991.00
DU MP313GH	3" 13 HP Honda, Flomax 15 Pump.....	2029.00
**DU MP313GHE	3" 13 HP Honda Elect., Flomax 15 Pump..	2368.00
**HY 1533C-13ESP	3" Cl Hypro Pump, 13 HP PowerPro Engine.....	1761.00

\*\* With Electric Start.

## 2" & 3" Self-Priming Poly Transfer Pumps

### HYPRO, PACER & BANJO ENGINE DRIVEN PUMPS:

Portable • LightWeight • Self-Priming • Corrosion-Resistant



HYPRO  
HY 1542P-5SP

**PACER**

BANJO  
TK 200PH6



## HYPRO® Motor Driven Units Also Available

Part No.	PUMP STYLE	Ports	Max. GPM	Net Ea.
HY 1542P-65SP	6.5 HP Hypro PowerPro	2" FPT	200	\$ 441.00
TK 200PH6	6.5 HP Honda	2" FPT	215	829.00
TK M220PH6	2" 6.5 HP Poly Manifold Pump, Honda			891.00
TK 300PH-6	6.5 HP Banjo/Honda	3" FPT	290	915.00
PR SE2UL-E5.5	5.5 HP Pacer/Briggs	2" FPT	150	398.00
* HY 1543P-130ESP	13 HP Hypro PowerPro	3" FPT	440	1454.00
TK M300PH13W**	13 HP Banjo/Honda	3" FPT	350	2207.00

\* Electric Start. \*\* 12V Start, Double Wet Seal.

## Double Wet Seal Poly Pump Pak



### 2" Features:

- 200 GPM Maximum Flow
- 5.5 HP Honda GX200

### 3" Features:

- 375 GPM Maximum Flow
- 13 HP Honda GX200



DU BU25GHSP-P

Part No.	Net Ea.
DU BU25GHSP-P 2" Self Priming with 5.5 HP Honda GX200 Eng..	\$ 1014.00

## Double Wet Seal Cast Iron Pump Pak



313GHE-HF  
Cast Iron

### 3" Features:

- 375 GPM Maximum Flow
- 13 HP Honda GX200
- Flanged

Part No.	Net Ea.
DU BU313GHE-HF 3" Self Priming with 13 HP Honda, Elec. Start Eng.....	\$ 2792.00
DU BU313GHE-HF-F 3" Self Priming with 13 HP Honda, Elec. Start Eng.....	2825.00

## Self-Priming Poly 350 Centrifugal Pumps Gas Engine Models

- 13 HP Honda Engine, 12V Start (GX390)
- Tandem Wet Seal (EPDM)
- 3" Flanged Ports




M350PH13W

Part No.	Description	Flow @ 20 PSI	Max Flow	Net Ea.
TK M350PH13W	3" Poly Pump w/ 13 HP, Honda Engine, 12V Start .....	405 GPM	515	\$ 1961.00

\* Max Flow with 4" Suction & Fittings

HYD and Electric Options Also Available

## Pump Repair Parts Available for



"Pump Pak"  
Version

Flomax 10 & 15  
Only

# IN STOCK

## SPRAYER / PLANTER VALVES & RATE CONTROLLERS

### TeeJet Teejet 12V Electric Ball Valves



- .6 or 0.75 Second On-Off
- 1" FPT or Flange Ports, 3/4" Flow
- 32 or 100 GPM @ 5 PSI
- Wetted Parts: Nylon, Teflon, Polypropylene, and Viton®

**344BEC-24C**  
2-Way Valve

Part No.	Ports	Valve Style	No. Ports	Flow Rate @ 5PSI	Response Time	Net Ea.
SS 344BEC-24C	1"	1 Valve, 2-Way	2	32 GPM	.75 Second	\$ 254.00
SS 356BEC-C	1" Flange	1 Valve, 2-Way	2	100 GPM	.6 Second	337.00
SS 344BEC-34C	1"	1 Valve, 3-Way	3	32 GPM	.6 Second	304.00
SS 453BEC24C	1" & Flange	3 Valve Assembly	3	32 GPM	.75 Second	782.00
SS 50515-22CP05	Motor Sub Assembly, 22 GPM					212.00
SS 50515-25CP05	Motor Sub Assembly, 25 GPM					212.00

— Other Valves Available —

### 12 Volt Manifold Boom Valves



Part No.	Ports	Valve Style	No. Ports	Flow Rate @ 5PSI	Response Time	Net Ea.
SS 453BEC24C	1" & Flange	3 Valve Assembly	3	32 GPM	.75 Second	782.00
SS 443BEC	1" FPT	3 Valve Assembly	3	26 GPM	.6 Second	884.00

### MEVX Flanged 12 Volt Off/On & Regulating Ball Valves



**MEVX Flanged 12 Volt Off/On and Regulating Ball Valves.** The 101, 201 and 221 Off/On Valves are bolted drop in version and can be used as replacements where size is critical in existing applications. The regulating valves are the new welded version and will not be an exact replacement. Flanged ends.

Part No.	Description	Flange Size	Time Sec.	PSI	Ball ID	Wt.	Net Ea.
TK MEVX100	Welded Off/On Valve	1"	3/4	300	1"	5 lbs.	\$ 418.00
TK MEVX101	* Off/On Valve	1"	3/4	300	1"	5 lbs.	405.00
TK MEVX200	Welded SP Off/On Valve	2"	1-1/2	300	1-1/2"	5 lbs.	590.00
TK MEVX201	* SP Off/On Valve	2"	1-1/2	300	1-1/2"	5 lbs.	586.00
TK MEVX220	Welded FP Off/On Valve	2" FP	1-1/2	250	2"	5 lbs.	639.00
TK MEVX221	* FP Off/On Valve	2" FP	1-1/2	250	2"	5 lbs.	625.00
TK MEVX300	Welded Off/On Valve	3"	4	150	3"	9 lbs.	1120.00
TK MEVXR100	Regulating Valve	1"	4	300	3"	5 lbs.	441.00
TK MEVXR200	SP Reg. Valve	2"	4	300	1-1/2"	5 lbs.	637.00
TK MEVXR220	FP Reg. Valve	2" FP	4	250	2"	5 lbs.	651.00

\* Bolted Drop In Version.

### SprayMate II™ & SprayMate Plus™ Automatic Rate Controllers

#### Features:

- All-In-One Design with Built-In Controls for Up to (3) Separate Boom Sections
- On-The-Go Rate Adjustment for a Multitude of Rates
- On/Off Power Switch & Master Switch

#### SprayMatePlus™ Controllers Only:

- Flow- or Pressure-based Control
- Expanded PWM Control Compatibility
- Unique Multifunction Outputs to Control On/Off Valves for Master, Relief, Flow Trigger, or Flush Functions



Part No.	Description	Net Ea.
MT 01341	SprayMate II™ Controller with Harness	\$ 838.00
MT 01171	SprayMate II™ Controller with 3/4" Poly Flowmeter and 1" Regulating Valve (2-40 GPM)	1658.00
MT 01196	SprayMate II™ Kit with 12 Volt Pump Control: Includes SprayMate II™ Controller, 3/4" Poly Flowmeter (0.5 - 12 GPM), 20' Cable Harness & 12V Pump Driver (40 amp)	2043.00
MT 01349	SprayMate Plus™ Controller with Harness	1319.00



### Polypropylene Threaded Pipe & Flange Fittings

Less 10% on 10 (Std. Pack)



Thousands In Stock!!

Elbow

Clamp

Gasket

Coupling

### Thousands of Spray Nozzles in Stock

Spray tips for all applications:  
Burndown, Pre-emerge, Fertilizer & More.



# IN STOCK STRAINERS



## "Y" Line Strainers Threaded



3"

- Polypropylene
- EPDM Gaskets
- 75 PSI on 1/2" - 1-1/4"
- 150 PSI on 1-1/2" - 2"
- 50 PSI on 3"
- "T" Models Also Available



3/4"  
THRU  
2"

Part No.	Ports	Screen	Net Ea.
TK LS075-40	3/4" FPT	40-Mesh	\$ 33.00
TK LS075-80	3/4" FPT	80-Mesh	38.25
TK LS100-40	1" FPT	40-Mesh	32.50
TK LS125-40	1-1/4" FPT	40-Mesh	37.50
TK LS150-20	1-1/2" FPT	20-Mesh	77.50
TK LS200-20	2" FPT	20-Mesh	73.00
TK LSM300BC	3" FPT	* None	369.00
TK LSQ150-50	1-1/2" FPT	50-Mesh	78.50
TK LSQ200-20	2" FPT	20-Mesh	122.00

\* Stainless Steel screens available in the following sizes: 4, 8, 12, 20, and 50. 3" for suction side use only.



3350-44N  
Nylon



122 & 124A  
Polypropylene  
1/2", 3/4" & 1"

## Line Strainers TeeJet HYPRO®

Part No.	Ports	Bowl	Screen	Net Ea.
HY 3350-44N	3/4" FPT	White	50-Mesh	\$ 22.20
HY 3350-44P	3/4" FPT	Clear	50-Mesh	28.25
HY 3350-45N	3/4" FPT	White	80-Mesh	22.20
HY 3350-45P	3/4" FPT	Clear	80-Mesh	27.25
HY 3350-61N	1" FPT	White	50-Mesh	39.00
HY 3350-61P	1" FPT	Clear	40-Mesh	45.50
HY 3350-75N	1-1/4" FPT	White	40-Mesh	40.25
HY 3350-75P	1-1/4" FPT	Clear	40-Mesh	48.25
HY 3350-116N	1-1/2" FPT	White	50-Mesh	54.00
HY 3350-116P	1-1/2" FPT	Clear	50-Mesh	60.00

Part No.	Size	Mesh	Net Ea.
SS 122-1/2PP	1/2" Strainer, Poly Head & Bowl	50	\$ 15.80
SS 122-3/4PP	3/4" Strainer, Poly Head & Bowl	50	15.40

## Flanged "T" Strainers EPDM Gaskets • 150 PSI • Stainless Screens

Part No.	Description	Net Ea.
TK MLST100-50	50 Mesh 1" Strainer.....	\$ 43.75
TK MLST150-50	50 Mesh 2" Strainer.....	74.00
TK LST130	30 Mesh Replacement Screen for 1"	23.54
TK LST150	50 Mesh Replacement Screen for 1"	22.61
TK LST180	80 Mesh Replacement Screen for 1"	21.38
TK LST1530	30 Mesh Replacement Screen for 2"	35.89
TK LST1550	50 Mesh Replacement Screen for 2"	35.36
TK LST1580	80 Mesh Replacement Screen for 2"	38.18

16 & 100 Mesh also available.



## 2" Flanged "Y" Strainers

- 2" Standard Port • EPDM Gaskets
- 150 PSI W.P. • Stainless Screens



Part No.	Description	Net Ea.
TK MLS200-50	50 Mesh 2" Strainer Std. Port	\$ 89.00
TK LS220	20 Mesh Replacement Screen for 2"	51.30
TK LS250	50 Mesh Replacement Screen for 2"	51.00
TK LS280	80 Mesh Replacement Screen for 2"	48.60

2" Screens Also Available in 6, 12, 30, 100 & 120 Mesh.



## Flanged "Y" Strainers 2" & 3" Full Port



- EPDM Gaskets • 75 PSI W.P. • 304 Stainless Screens

Part No.	Description	Net Ea.
TK MLS222-50	* 2" Full Port Flanged "Y" Strainer with 50 Mesh Screen .....	\$ 121.00
TK MLS300-20	** 3" Full Port Flanged "Y" Strainer with 20 Mesh Screen .....	435.00
TK LST210SS	10 Mesh Stainless Screen, 2", FP ...	72.00
TK LST216SS	16 Mesh Stainless Screen, 2", FP ...	72.00
TK LST230SS	30 Mesh Stainless Screen, 2", FP ...	65.00
TK LST250SS	50 Mesh Stainless Screen, 2", FP ...	65.00
TK LST280SS	80 Mesh Stainless Screen, 2", FP ...	72.00
TK LS304	4-Mesh Stainless Screen, 3".....	157.00
TK LS308	8-Mesh Stainless Screen, 3".....	157.00
TK LS312	12-Mesh Stainless Screen, 3".....	157.00
TK LS320	20-Mesh Stainless Screen, 3".....	133.00
TK LS350	50-Mesh Stainless Screen, 3".....	138.00
TK LS380	80-Mesh Stainless Screen, 3".....	142.00

\* 2" FP Screens Also Available in 4, 6, 8, 12, 20, & 100 Mesh.

## Strainer Replacement Parts In Stock



**HYPRO®**  
**TeeJet**



### Replacement Screens



- Different Mesh Available -

### Replacement O-Rings/Gaskets



### Replacement Bowls



# IN STOCK BANJO POLY VALVES



## Flange x Flange Ball Valves



Part No.	Size	Net Ea.
TK MV100CF	1" Full Port .....	\$ 35.25
TK MV200CF	2" Std. Port.....	51.50
TK MV220CF	2" Full Port .....	69.50
TK MV300CF	3" Full Port .....	164.00
TK MV300	3" Std. Port.....	114.00
TK MVS220CF	2" Full Port "Stubby"	64.00
TK MVS300CF	3" Std. Port "Stubby"	127.00
TK MVS300CFPP	3" Full Port "Stubby"	160.00



## Flange x Male Adapter Valves "Stubby"



Part No.	Description	Net Ea.
TK VSF200CF	2" Flange x 2" Male Adapter .....	\$ 53.00
TK MVSF220FP	2" FP Flange x 2" Male Adapter ...	64.00
TK MVSF300	3" Flange x 3" Male Adapter .....	127.00
TK MVSF300FP	3" FP Flange x 3" Male Adapter....	162.00



## Flange x MPT Ball Valves "Stubby"

Part No.	Description	Net Ea.
TK VSMT200CF	2" Flange x 2" MPT Male Thread Std. Ball Valve .....	\$ 62.50
TK MVSMT300	3" Flange x 3" MPT Male Thread Std. Ball Valve .....	172.00



## 3-Way Bottom Load Manifold Poly Valves

Directional Flow, Right or Left • 100 PSI  
• Valve Can Be Turned Off to Stop Flow •  
All Flanged Ports



Part No.	Description	Thru Ball	Handle Type	Net Ea.
TK MV100BL	1" Flanges .....	1"	T	\$ 60.50
TK MV200BL	2" Std. Port Flanges ..	1-1/2"	T	69.50
TK MV220BL	2" Full Port Flanges ..	2"	Straight	98.50
TK MV300BL	3" Full Port Flanges ..	3"	Straight	261.00



## 3-Way Side Load Manifold Poly Valves

Directional Flow, Right or Left •  
100 PSI • All Flanged Ports  
Valve Cannot Be Turned Off to Stop Flow



Part No.	Description	Thru Ball	Handle Type	Net Ea.
TK MV100SL	1" Flanges .....	1"	T	\$ 61.00
TK MV200SL	2" Std. Port Flanges ..	1-1/2"	Straight	77.00
TK MV220SL	2" Full Port Flanges ..	2"	Straight	99.00



## Polypropylene BALL VALVES

Stainless Bolts • Teflon Seats  
• Viton® Stem Seals



Ball Valve



Union Valve  
(EPDM Seal)

Part No.	Size	Ball Qty.	Net Ea.
TK V150	1-1/2" Valve	24	\$ 49.00
TK V200	2" Valve	24	47.50
TK V200FP	2" Valve	8	66.00
TK V204FP	2" Valve	8	63.50
TK V300	3" Valve	8	107.00
TK V300FP	3" Valve	6	158.00
TK VA150	1-1/2" Nozzle	12	58.50
TK VA200	2" Nozzle	12	60.00
TK VA200FP	2" Nozzle	6	86.50
TK UV050FP	1/2" Union	24	16.80
TK UV075FP	3/4" Union	24	17.20
TK UV100FP	1" Union	24	20.80
TK UV125FP	1-1/4" Union	24	42.75
TK UV150FP	1-1/2" Union	24	42.25
TK UV200FP	2" Union	18	44.75

\*Less 5% On  
Pkg. Quantities



Nozzle Valve



## Heavy Duty Tank Valves

- Four Variations of 3" Heavy Duty Polypropylene Tank Valves with Stainless Ball Stem, Handle & Bolts.
- Locking Handle with MPT, Part A Adapter or Flange Connections.
- 100 PSI Teflon Seals.
- Viton® Body Seals.



V701/V801  
Flange x Adapter



V700/V800  
MPT x Adapter

Part No.	BANJO Valve	Net Ea.
TK V700	2" MPT x 2" A Adapter.....	\$ 179.00
TK V800	3" MPT x 3" A Adapter.....	328.00
TK V802	3" MPT x 3" Flange.....	328.00
TK V703	2" Flange x Flange .....	183.00
TK V803	3" Flange x Flange .....	315.00

## Easy-Fill™ Valves



These Polypropylene Valves eliminates the need for multiple fittings. The stubby valve design also reduces length. Extended coupler prevents handle interference. Max 150 PSI operating pressure.



Part No.	Description	Net Ea.
TK VSBHB205FP	2" FP EASY-FILL Valve with Carry Handle	\$ 90.00
TK VSBHB304FP	3" FP EASY-FILL Valve No Carry Handle..	198.00
TK H25053	2"/3" Easy Carry Handle *	21.66

\* Easy Carry Handle works with many other Banjo Valves on Adjacent Pages.

# IN STOCK POLYPROPYLENE CAM LEVER COUPLINGS



## Polypropylene Cam Lever Couplings

**"Best Choice for Acid Base Fertilizers"**

**Features:** EPDM Gaskets. • 304 Stainless Levers, Pins, and Rings. EPDM Gaskets Std. • Operating Pressure: 3/8" thru 2": 100 PSI @ 0° F; 125 PSI @ 70° F. 2-1/2", 3" & 4" Cap-50 PSI Couplings 75 PSI Max. • FDA approved for potable water.

**Note:** P303C & All 4" couplings have 3 arms for positive seal! All Standard Configurations 1", 1-1/2", 2" & 3" Poly Lever Couplings are available in BSP (British Pipe Threads) - Just Add Suffix "B".



### FPT Adapters with Tabs



Part No.	Size	Net Ea.
TK 75A-1/2SA	1/2" †	\$ 3.36

**A**

### Adapters x FPT



Part No.	Size	Description	Net Ea.
TK P050A	1/2"	3/4" Adapter x 1/2" FPT	\$ 5.60
TK P075A	3/4"	Female Adapter	4.40
TK P100A	1"	Female Adapter	4.60
TK P125A	1-1/4"	1" Adapter x 1-1/4" FPT	5.04
TK P150A	1-1/2"	Female Adapter	5.00
TK P150125A	1-1/2"	1-1/2" Adapter x 1-1/4" FPT	6.85
TK P200A	2"	Female Adapter	5.90
TK P300A	3"	Female Adapter	14.50
TK P400A	4"	Female Adapter	27.75

**A**

### Couplers x MPT



Part No.	Size	Description	Net Ea.
TK P050B	1/2" †	3/4" Coupler x 1/2" MPT**	\$ 12.10
TK P075B	3/4" †	Male Cplr w/Groove	10.00
TK P100B	1"	Male Coupler	10.60
TK P125B	1-1/4"	1" Coupler x 1-1/4" MPT	12.30
TK P150B	1-1/2"	Male Coupler	13.70
TK P150125B	1-1/2"	1-1/2" Coupler x 1-1/4" MPT	17.80
TK P200B	2"	Male Coupler	16.20
TK P201B	2" x2-1/2"	Male Coupler Extended Threads	16.80
TK P300B	3"	Male Coupler	27.75
TK P303B	3" x3"	Male Cplr w/3 Cams Extend Threads	36.75
TK P400B	4"	Male Coupler	71.50

**B**

### Couplers x HB



Part No.	Size	Description	Net Ea.
TK P050C	1/2"	3/4" Coupler x 1/2" HB	\$ 9.80
TK P075C	3/4"	Shank Coupler	10.10
TK P100C	1"	Shank Coupler	10.60
TK P125C	1-1/4"	1" Coupler x 1-1/4" HB	11.40
TK P150C	1-1/2"	Shank Coupler	12.00
TK P150125C	1-1/2"	1-1/2" Coupler x 1-1/4" HB	17.40
TK P200C	2"	Shank Coupler	16.20
TK P200150C	2"	2" Coupler x 1-1/2" HB	19.40
TK P300C	3"	Shank Coupler	27.00
TK P303C	3"	Shk Cplr/3 Cplr Arm	34.75
TK P400C	4"	Shank Coupler	54.00

**C**

### Couplers x FPT



Part No.	Size	Description	Net Ea.
TK P050D	1/2"	3/4" Coupler x 1/2" FPT**	\$ 11.10
TK P075D	3/4"	Female Coupler	10.00
TK P100D	1"	Female Coupler	11.30
TK P125D	1-1/4"	1" Coupler x 1-1/4" FPT	12.30
TK P150D	1-1/2"	Female Coupler	13.20
TK P150125D	1-1/2"	1-1/2" Coupler x 1-1/4" FPT	17.40
TK P200D	2"	Female Coupler	16.20
TK M220D	2" ***	2" FP Flange x 2" Fm Coupler	21.60
TK P300D	3"	Female Coupler	27.75
TK M303D	3" ***	3" Flange x 3" Fm Coupler	41.00
TK P400D	4"	Female Coupler	59.00

**D**

### Adapters x HB



Part No.	Size	Description	Net Ea.
TK P050E	1/2"	3/4" Adapter x 1/2" HB	\$ 5.00
TK P075E	3/4"	Shank Adapter	5.00
TK P100E	1"	Shank Adapter	5.50
TK P125E	1-1/4"	1" Adapter x 1-1/4" HB	5.80
TK P150E	1-1/2"	Shank Adapter	5.70
TK P150125E	1-1/2"	1-1/2" Adapter x 1-1/4" FPT	7.10
TK P200E	2"	Shank Adapter	6.90
TK P300E	3"	Shank Adapter	18.80
TK P400E	4"	Shank Adapter	28.50

**E**

### Adapters x MPT



Part No.	Size	Description	Net Ea.
TK P050F	1/2"	3/4" Adapter x 1/2" MPT	\$ 5.20
TK P075F	3/4"	Male Adapter	5.00
TK P100F	1"	Male Adapter	5.20
TK P125F	1-1/4"	1" Adapter x 1-1/4" MPT	5.80
TK P150F	1-1/2"	Male Adapter	5.50
TK P150125F	1-1/2"	1-1/2" Adapter x 1-1/4" MPT	6.90
TK P200F	2"	Male Adapter	6.90
TK P300F	3"	Male Adapter	18.00
TK P400F	4"	Male Adapter	28.00

**F**

### Caps

Part No.	Size	Description	Net Ea.
TK P075CAP	3/4"	Dust Cap	\$ 10.40
TK P100CAP	1"	Dust Cap	10.00
TK P150CAP	1-1/2"	Dust Cap	13.70
TK P200CAP	2"	Dust Cap	16.20
TK P300CAP	3"	Dust Cap	27.75
TK P400CAP	4"	Dust Cap	41.25



**CAP**

### Poly Plugs

Part No.	Size	Description	Net Ea.
TK P075PL	3/4"	Poly Plug	\$ 5.00
TK P100PL	1" & 1-1/4"	Poly Plug	4.80
TK P150PL	1-1/2"	Poly Plug	6.60
TK P200PL	2"	Poly Plug	6.80
TK P300PL	3"	Poly Plug	14.70
TK P400PL	4"	Poly Plug	21.40



**PL**

### Elbow Adapters x FPT

Part No.	Size	Description	Net Ea.
TK P150A-90	1-1/2"	Elbow Adapter X FPT	\$ 10.50
TK P200A-90	2"	Elbow Adapter X FPT	11.70



**A90**

### Elbow Couplers x HB

Part No.	Size	Description	Net Ea.
TK P150C-90	1-1/2"	Elbow Coupler X HB	\$ 21.80
TK P200C-90	2"	Elbow Coupler X HB	20.20



**C90**

### Elbow Couplers x FPT

Part No.	Size	Description	Net Ea.
TK P150D-90	1-1/2"	Elbow Coupler X FPT	\$ 21.40
TK P200D-90	2"	Elbow Coupler X FPT	21.20



**D90**

### Elbow Adapters x MPT

Part No.	Size	Description	Net Ea.
TK P150F-90	1-1/2"	Elbow Adapter X MPT	\$ 11.10
TK P200F-90	2"	Elbow Adapter X MPT	10.60



**F90**

### 45° Male Adapter

Part No.	Size	Description	Net Ea.
TK P200F-45	2"	45° Male Adapter x 2" Male Thread	\$ 20.20



**F45**

### Elbow Coupler x MPT

Part No.	Size	Description	Net Ea.
TK P200B-90	2"	90° Female Coupler x 2" Male Thread	\$ 24.40



**B90**

\*\* With Guide Lock. † 75A Adapters with tab fit P050B & P075B Male Couplers with groove. \*\*\* Manifold Flange Style.

**Note:** On 1/2" size the coupler & adapter ends are 3/4". Threads & Hose Barbs are 1/2". On 1-1/4" size the coupler & adapter ends are 1". Threads & hose barbs are 1-1/4"

# IN STOCK SUCTION - DISCHARGE - HOSE



## EPDM Suction Hose Abrasion Resistant Cover



Part No.	I.D.	Std. Pkg.	Working Press. PSI	Net Ea. Per Foot
KA 390SD-1-1/4	1-1/4"	100'	100	\$ 4.40
KA 390SD-1-1/2	1-1/2"	100'	100	5.30
KA 390SD-2	2"	100'	100	6.80
KA 390SD-3	3"	100'	100	11.80
* TF TSD400	4"	100'	100	25.00

\* 25% Discount for Std. Package

\* Kuriyama

- Heavy Duty Flexible -



## EPDM Rubber Suction / Discharge Hose



Kuriyama

Heavy Duty Water Suction/Discharge Hose for agricultural, construction, and industrial applications. Black EPDM cover and tube designed to handle a variety of liquids including fertilizers and others. Wire helix reinforcement. **Maximum Working Pressure is 150PSI. Temperature Rating: -40°F to 212°F.** Not designed for applications involving acid-based chemicals or alcohols. **Cut Lengths Sold in 5' Increments Only.**

Part No.	I.D.	O.D.	Std. Pkg.	** Working Pressure	Bend Radius (in @ 68°F)	Vacuum Rating (inHG)	Per Foot Net Ea.
TF T202-1	1"	1.38"	100'	150 PSI	4"	30"	\$ 5.60
TF T202-1-1/4	1-1/4"	1.65"	100'	150 PSI	5"	30"	6.30
TF T202-1-1/2	1-1/2"	1.89"	100'	150 PSI	6"	30"	6.50
TF T202-2	2"	2.40"	100'	150 PSI	8"	30"	6.90
TF T202-3	3"	3.46"	100'	150 PSI	10"	30"	11.00
TF T202-4	4"	4.49"	100'	150 PSI	12"	27"	15.80
TF T202-6	6"	6.54"	100'	150 PSI	30"	24"	30.25
TF T202-8*	8"	8.70"	20'	150PSI	40"	21"	34.50


\* Can be bought in 20' or 25' lengths from factory. No discounts available.

\*\* Additional Sizes Available - Call for Details

25% Discount for Standard Package

## Tigerflex TigerFlex® WST™

The TigerFlex® WST™ line from Kuriyama is a robust suction/discharge hose line. It is a double-ply clear-PVC hose with polyester fabric reinforcement and a rigid orange helix. General applications include suction/discharge, irrigation lines, pumps, rental/construction dewatering, wastewater transfer, heavy-duty water transfer, and fertilizer transfer. High discharge pressure ratings paired with visual flow recognition makes the WST™ line from TigerFlex® a wonderful selection for a wide range of suction/discharge applications. Sizes from 1-1/2" to 12". The WST™ hose product line is an alternative option to the Kanaflex KLSR hose product line.



25% Discount on Standard Pkg Purchase

Part No.	Working Pressure (PSI @ 68F)	I.D.	O.D.	Vacuum Rating Hg (inches @ 68° F)	Bend Radius (in)	Std. Pkg	Per Foot Net Ea.
TF WST-1-1/2"	110	1-1/2"	1.95"	29"	2.5"	100Ft	\$ 4.55
TF WST-2	100	2"	2.60"	29"	4"	100Ft	6.80
TF WST-3	100	3"	3.62"	29"	6"	100Ft	8.30
TF WST-4	75	4"	4.72"	29"	8"	100Ft	12.30
TF WST-6	70	6"	7.17"	28"	13"	100Ft	24.80
TF WST-8†	60	8"	9.21"	26"	18"	20Ft	32.25

\* Sold in 100FT RL Only and No Discount

† Available in 20' or 25' Lengths



## Air Seeder Hose

Flexible Polyurethane Lined PVC Hose for air seeders, abrasive material vacuum systems and industrial vac equipment. Smooth bore, PVC corrugated OD. Lightweight and flexible in cold temperatures to -13° F. Clear with orange or black helix. The urethane lined tube provides abrasion-resistance, visual check of material flow and prevents material build up. Banding coils and CW spiral clamps are available for end connections.



Part No.	Color	I.D.	O.D.	Wt. Lbs.	Std. Pkg.	Net Ea. Per Roll
KA 100UCLR-2	Red	2"	2.36"	0.50	100	\$ 4.30
KA 100UCLR-212	Red	2-1/2"	2.87"	0.71	100	5.80
KA 100UCLR-3	Red	3"	3.50"	1.00	100	8.90
KA 100UCLBK-212	Black	2-1/2"	2.87"	0.71	100	5.80

No Cut Lengths - Full Reels Only

## tigerflex® Suction & Discharge Hose

Flexible EPDM Rubber Hose with green or yellow polyethylene helix combines chemical resistance with durability. Excellent cold weather flexibility. Weather resistant exterior. Lightweight and easy-to-handle. Abrasion resistant design slides easily on rough surfaces. Rated from -40 to 160° F. Full vacuum rating to 4" size at 68° F. Sold in rolls, cut to length and fitted assemblies. Red & Blue also available.



Series TG / 300G  
Green



Series TY / 300Y  
Yellow

- Septic Handling
- Liquid Waste, Slurries
- Liquid & Dry Chemical
- Agriculture Liquid & Dry Fertilizers
- Grains & Seeds
- Water Transfer
- Mining
- Construction, Rental Equipment, Sewer Cleaning, Plant Maintenance

NOTE: CUT LENGTHS SOLD IN 5' INCREMENTS ONLY

Part No.	I.D.	O.D.	Color	PSI @ 68° F.	Wt./Lbs. Per Foot	Net Ea. * Per Foot
TF TG100	1"	1.40"	Green	65	.28	\$ 2.80
TF TG125	1-1/4"	1.63"	Green	60	.33	3.20
TF TG150	1-1/2"	1.93"	Green	50	.44	3.50
TF TG200	2"	2.51"	Green	50	.67	5.10
TF TG250	2-1/2"	3.07"	Green	45	.95	8.50
TF TG300	3"	3.60"	Green	45	1.14	9.90
TF TG400	4"	4.70"	Green	40	1.84	16.20
TF TG600	6"	6.85"	Green	30	3.70	34.25
TF TY100	1"	1.40"	Yellow	65	.28	2.90
TF TY125	1-1/4"	1.63"	Yellow	60	.33	3.55
TF TY150	1-1/2"	1.93"	Yellow	50	.44	3.80
TF TY200	2"	2.51"	Yellow	50	.67	5.40
TF TY300	3"	3.60"	Yellow	45	1.14	10.40
TF TY400	4"	4.70"	Yellow	40	1.84	13.00
TF TB200	2"	2.51"	Blue	50	.67	5.70
TF TB300	3"	3.60"	Blue	45	1.14	10.80

\*25% Discount if Ordered in 100' Rolls

## Large Hose Reels

For 2" & 3" Hose • Manual & 12V with Remote Controls



### FEATURES:

- Heavy-Duty Steel Construction with Powder Coat Finish
- Stainless Steel Swivel with FPT Inlet/Outlet
- 12 Volt Motor with Built-On Switch & One Key FOB Remote Control
- Manual Clutch Lockout for Easy Pull-Out

Part No.	Hose Size I.D.	Rewind	Ship Wt.	Net Ea.
FS HR200SS	2" & 2"	Manual	150 lbs	\$ 1535.00
FS HRE200SS	2" & 2"	12 Volt	150 lbs	2244.00
FS HRE300SS	3" & 3"	12 Volt	255 lbs.	3269.00
FS CHR1121	Additional Key Fob Remote Control....			51.50
DU 1AB2	2" Air Blowout Elbow Kit*			26.25
DU 1AB3	3" Air Blowout Elbow Kit*			85.00

\* Each Kit includes (1) Poly Port Flange Elbow with 1/4" Gauge Port, (1) Flange by FPT Adapter, (1) Flange Clamp, (1) EPDM Gasket - for connection to hose reel inlet.

# IN STOCK SPRAYER, FERTILIZER, CHEMICAL HOSE & TUBING

## Black EPDM Sprayer Hose

**2-Spiral (1 Braid) - 150 PSI & (2 Braid) - 200 PSI**

Sold Per Foot (Can Be Cut)		W.P.	* Std.	Net Ea.
Part No.	Size	PSI	Pkg.	Per Ft.
GA 3204EB-3/8	3/8"	200	400'	\$ 1.30

**Net Ea.  
25%  
Discount  
On  
Complete  
Roll**



Sold In UPSABLE Reels Only		W.P.	* Std.	Net Ea.
Part No.	Size	PSI	Pkg.	Per Ft.
GA 3204EB-1/2	1/2"	200	250'	\$ 1.35
GA 3204EB-3/4X200	3/4"	200	200'	2.80
GA 3204EB-1	1"	200	125'	2.30

**Net Ea.  
Per Ft.  
\$ 1.35  
2.80  
2.30**

\* Standard Packages Here Can Ship UPS



## EPDM "Adapta-Flex" Agricultural SPRAY HOSE


**2-Braid • 200 - 250 PSI**



Sold Per Foot (Can Be Cut)		Working Pressure	Approx. Std.	Net Ea.
Part No.	SIZE	PSI	Pkg.	Per Ft.
GA 1B-3/8X2	3/8"	Red 250	400'	\$ 2.00
GA 1B-5/8X2	5/8"	Red 250	250'	3.95
GA 1B-1-1/4X2	1-1/4"	Black 250	200'	6.20
GA 1B-1-1/2X2	1-1/2"	Black 200	200'	8.90
GA 6B-2	2"	Red 200	100'	10.10

Sold In UPSABLE Reels Only		Working Pressure	Approx. Std.	Net Ea.
Part No.	SIZE	PSI	Pkg.	Per Ft.
GA 1B-1/2X2	1/2"	Red 250	250'	\$ 1.85
GA 1B-3/4X2	3/4"	Red 250	200'	2.75
GA 1B-1X2	1"	Red 200	125'	4.25

## Clear Vinyl Tubing



**Clear Vinyl Tubing** is flexible, lightweight and transparent. Provides full flow viewing. Construction is Polyvinyl Chloride (PVC). Ideal for handling a wide variety of liquids. Excellent resistance to many types of acids, detergents and alkalis. Formulated to comply with FDA and RoHS requirements. Rated from +25° to 150° F. **Sold in rolls only, no cut lengths.**

Part No.	I.D.	O.D.	Wall	Max. PSI @ 70°F	Roll Size	Net Ea. Per Roll
TF 1A	1/8"	1/4"	1/16"	65	100'	\$ 11.70
TF 1	1/4"	3/8"	1/16"	50	100'	16.40
TF 1X500	1/4"	3/8"	1/16"	50	500'	77.00
TF 2	3/8"	1/2"	1/16"	40	100'	23.80
TF 2X500	3/8"	1/2"	1/16"	40	500'	138.00
TF 2A	3/8"	9/16"	3/32"	50	100'	38.50
TF 4A	1/2"	5/8"	1/16"	25	100'	29.50
TF 4	1/2"	3/4"	1/8"	45	100'	58.00
TF 6	5/8"	13/16"	3/32"	30	100'	53.50
TF 5	5/8"	7/8"	1/8"	40	100'	68.50
TF 7	3/4"	1"	1/8"	35	100'	74.00
TF 9	1"	1-1/4"	1/8"	25	100'	93.50
TF 11	1-1/4"	1-1/2"	1/8"	20	50'	70.50
TF 13	1-1/2"	1-3/4"	1/8"	16	50'	89.50
TF 13A	1-1/2"	2"	1/4"	35	50'	158.00
TF 15	2"	2-1/2"	1/4"	30	50'	205.00

## John Guest Poly Tubing

Variety of Colors Available

Polyethylene Tubing from John Guest. The same quality you have come to know and expect in their Tube Fittings. (See Tube Fittings on Our Website.)



## Black Poly Tubing



Part No.	Type	O.D.	I.D.	Max. PSI @ 70° F.	Color	Net Ea.
FC UP44-100B	Poly	1/4"	.170"	150 PSI	Black	\$ 11.50
FC UP44-1000B	* Poly	1/4"	.170"	150 PSI	Black	104.00
FC UP66-100B	Poly	3/8"	.250"	150 PSI	Black	23.00

\* 1000' Coil

**Fittings work with the  
above poly tubing**

## Super Speedfit® Tube Fittings

John Guest

Black Polypropylene  
Also Available!



Quantity Discount Available

## Braided EVA Tubing

EVAB x 1-Braid

**Reinforced EVA Tubing** is designed to transport a variety of chemicals and liquids. Translucent for easy view of flows. Higher working pressure than unbraided tubing.



\* 25% Discount for Standard Package.

Part No.	I.D.	O.D.	Max Psi @ 70° F.	* Std. Pkg.	Net Ea. Per Foot
TF EVAB14	1/4"	.460"	250 PSI	300'	\$ 0.70
TF EVAB38	3/8"	.594"	250 PSI	300'	0.75
TF EVAB50	1/2"	.720"	250 PSI	300'	1.05
TF EVAB75	3/4"	1.00"	150 PSI	200'	1.55
TF EVAB100	1"	1.312"	150 PSI	200'	2.75

# IN STOCK INDUCTOR SYSTEMS & TANKS

## MIX-N-FIL Tank Chemical Inductors

**Polyethylene Mix-N-Fil Chemical Inductor Tank** has a 16" Lids, 2" FPT Bottom Outlet. 15, 30 and 55 gallon tanks have molded in gallonage marks in 1/2 gallon increments while the 85 gallon is marked in 5 gallon increments.

Chemicals are added to the liquid as it flows through the suction line.

**Note:** No 16" lids available for Model #110T. (12" Lid)

**Fitting Package**  
(sold separately)  
Use Only on Suction Side of Pump



Ace Roto-Mold



Stands Sold Separately

Part No.	MIX-N-FILL Tanks & Stands	Dia. X Ht.	Wt.	Net Ea.
RT 15T	15 Gallon Inductor Tank.....	19" x 24"	12 lbs.	\$ 138.00
RT 15ST	Stand for 15 Gal. Inductor Tank ....	19" x 29"	15 lbs.	115.00
RT 30T	30 Gallon Inductor Tank.....	24" x 27"	17 lbs.	175.00
RT 60T	55 Gallon Inductor Tank.....	24" x 43"	24 lbs.	220.00
RT 30ST	Stand for 30 or 55 Gal. Inductor Tank...	24" x 33"	18 lbs.	117.00
RT 85T	* 85 Gallon Inductor Tank.....	30" x 43"	35 lbs.	321.00
RT 110T	110 Gallon Inductor Tank.....	30" x 51"	44 lbs.	336.00
RT 85ST	* Stand for 85 & 110 Gal. Inductor Tank....	30" x 36"	40 lbs.	211.00

\* 85 Gal. tank & stand styles changed in 2004. Prior year models will not fit new styles

## Vertical & Cone Bottom Storage Tanks

Ace Roto-Mold

ESTI SNYDER INDUSTRIES, INC.

NORWESCO

10 to 20,000  
Gallon  
Options



Call for availability

Standard & Heavy Duty  
Designs Available  
Variety of Colors

## Polyethylene Inductor Systems 15, 30, 85 & 110 Gallon

**15, 30 & 85 Gallon Inductor Tanks** feature Banjo polyethylene fange fittings. Includes a water flush and jug rinse hose with 16" fill lid (12" lid on 110 gallon), 2" or 3" manifold system. Unit is plumbed with bypass loop for induction control.

**Note:** All units shipped assembled as shown.

Part No.	Description	Wt.	Net Ea.
DU 1A15	15 Gallon Inductor with 2" Manifold System	35 lbs.	\$ 1096.00
DU 1A15A	15 Gallon Inductor with 3" Manifold System	35 lbs.	1383.00
DU 1A30	30 Gallon Inductor with 2" Manifold System	65 lbs.	1139.00
DU 1A30A	30 Gallon Inductor with 3" Manifold System	70 lbs.	1410.00
DU 1A60	60 Gallon Inductor, with 2" Manifold System	60 lbs.	1158.00
DU 1A85	85 Gallon Inductor with 2" Manifold System	100 lbs.	1301.00
DU 1A85A	85 Gallon Inductor with 3" Manifold System	105 lbs.	1582.00
DU 1A110A	110 Gallon Inductor with 3" Manifold System	121 lbs.	1624.00



## Chemical Jug Rinse System



**Chem-Blade** is a retrofit jug-splitting stainless knife system which opens chemical containers with speed and efficiency. Instead of operators using hand knives to remove caps and foil seals off containers, they simply bring the bottom of the jug down onto the blades splitting and emptying a 2.5 gallon jug in mere seconds. With water supplying the built in high pressure rotary rinse head, the containers are thoroughly rinsed leaving no chemical in the container, saving money as well as time. Testing showed an operator can spray 25 to 45 more acres per day with the time savings created by **Chem-Blade**. So, recouping the purchase investment is possible in just weeks depending on jug usage.

CHEM-BLADE ORIGINAL

Part No.	Description	Net Ea.
CB 0016	Chemical Blade System .....	\$ 833.00
DU CB1	Internal Water Plumbing Kit for Chem-Blade * .....	22.30

\* Terminates with 3/4" Poly Tank Fitting

## Ace Roto-Mold Poly Chem-Blade Inductor Systems

Part No.	Chem Blade Systems	Wt.	Net Ea.
DU 1A30-CB	30 Gallon Inductor with 2" Manifold, Includes "Chem Blade" Jug Rinse System.....	65 lbs.	\$ 1949.00
DU 1A30A-CB	30 Gallon Inductor with 3" Manifold System Includes "Chem Blade" Jug Rinse System .....	70 lbs.	2146.00
DU 1A60-CB	60 Gallon Inductor with 2" Manifold, Includes "Chem Blade" Jug Rinse System.....	65 lbs.	1975.00
DU 1A60A-CB	60 Gallon Inductor with 3" Manifold System Includes "Chem Blade" Jug Rinse System .....	70 lbs.	2229.00
DU 1A85-CB	85 Gallon Inductor with 2" Manifold, Includes "Chem Blade" Jug Rinse System.....	65 lbs.	2114.00
DU 1A85A-CB	85 Gallon Inductor with 3" Manifold System Includes "Chem Blade" Jug Rinse System .....	70 lbs.	2398.00

## Horizontal Elliptical Tanks

Ace Roto-Mold

FS3250-88-BLK Shown On Optional Skid

**Features:** Free-standing elliptical tanks rated to 14 Lb./Gal. UV protected polyethylene construction with poly baffle and gallonage markers molded-in on one side and both ends. Black powder-coated steel support hoops and optional skids. Tanks have a 3" HD outlet fitting with siphon opposite an 18" lid.



### TANKS - Less Hoops

Part No.	Gallon	Fillwell	Width	Height	Length	Outlet	Wt.	Net Ea.
RT FS3250-88	3250	16"	88"	79"	146"	3"	1208 lbs.	\$ 5650.00
RT FS3250-88-BLK	3250**	16"	88"	79"	146"	3"	1208 lbs.	5650.00

\*\* Black Tank

### Steel Hoops for Above Tanks (Required):

Part No.	Description	Net Ea.
RT FS3250-HP	1 Set of (4) 1-1/4" Steel Hoops with "feet" for FS3250-88 ..	\$ 1297.00

### Steel Skid for Above Tanks (Optional):

Part No.	Description	Wt.	Net Ea.
RT FS23-32SK	Skid for FS2350 - 4250 Gallon Tanks, 90" x 146"	1078 lbs.	\$ 2807.00

Call for Pricing & Freight

## Mix-A-Tote™ IBC Tote Mixer

The **Mix-A-Tote™ Agitation System** is designed to aid growers, ag retailers, and chemical wholesalers in performing safe, convenient mixing processes in IBC storage containers. This IBC tote mixer remixes settled or separated liquids and suspended solids and can also be used to blend custom mixtures in a tote before transfer to other systems. No brackets or auxiliary attach points are needed – the mixer installs directly through the tote's threaded lid opening. A multi-impeller design creates "up-pumping" agitation, eliminating vortexing and creating an "enveloping effect" for rigorous mixing. **Fits all standard IBC totes with a 6" lid.**

### Features:

- 3/4 HP single or three phase electric motor
- Conveniently placed toggle switch with reversible rotation control
- Easy-to-attach, direct-mount IBC lid adapter
- No brackets required – ergonomic handles for easy transfer between totes
- All 300 series stainless steel metal components
- Proven multi-impeller agitator design

Part No.	Description	Net Ea.
CX MAT-1PH	1-Phase Mix-A-Tote	\$ 1564.00
CX MAT-3PH	3-Phase Mix-A-Tote	1640.00
CX MAT-SHAFT	Replacement Shaft	559.00
CX MAT-WB	Wall Mount Storage Bracket	96.10



# IN STOCK MINI-BULK PUMPS & FLOW METERS

## CT6 AgChemical Pump Kits



These high flow diaphragm pumps are designed to transfer agchemicals at up to **13-14 GPM**. Fitted with EPDM or Viton seals for resistance to most agchemicals and other selected products.

**CT6 Kits Include:** CT6 pump with bracket to secure to cage tanks, suction hose with 2" female camlock discharge hose, SEM10 meter and nozzle valve. Pump only.



Part No.	Description	Net Ea.
SI CT6-M-E	CT6 Pump/Meter Kit, 12 Volt .....	\$ 795.00
SI CT6-M-V	CT6 Pump/Meter Kit for Cage Tank, 12 Volt, Viton®	825.00
SI CT6HF-E	CT6 High Flow Pump/Meter Kit, 12V, EPDM.	849.00
SI CT6HF-V	CT6HF High Flow Pump/Meter Kit, 12 Volt, Viton®	899.00
SI CT6-M-115-E	CT6 Pump/Meter Kit, 115 Volt .....	869.00
SI CT6-PO-E	CT6 PUMP ONLY, 12 Volt.....	469.00
SI CT6-PO115-E	CT6 PUMP ONLY, 115 Volt.....	505.00
SI CT6-LM-E	CT6 Cage Tank Pump Kit, LESS Meter 12 Volt..	705.00
SI CT6-M-115-V	CT6 Pump/Meter Kit for Cage Tank, 115 Volt, Viton®	939.00
SI CT6HF-LM-V	CT6HF Cage Tank Pump Kit, LESS Meter 12V, Viton®	749.00



## CT6 AgChemical Caddy Kits

**Caddy Versions** include the same features as at right and are enclosed in a convenient carrying frame, with SEM-10 meter, 1" x 12' discharge hose and ball valve nozzle.



CT6-CAD-115

SI	CT6-CAD-E	CT6 Caddy System, 12 Volt .....	Net Ea.
SI	CT6-CAD-V	CT6 Caddy System, 12 Volt, Viton®.....	919.00
SI	CT6HF-CAD-E	CT6HF "High Flow" Caddy System, 12 Volt..	1079.00
SI	CT6-CAD-115-E	CT6 Caddy System, 115 Volt .....	1129.00

## SOTERA Tote & Go Pump Kits

SYSTEMS

Use For:

Agchemicals • Fertilizers • Seed Treatment Liquids • Propionic Acid (Hay Treatment) • Anti-Freeze • Motor Oil • Waste Oil (with Inlet Screen) • Hydraulic Fluid • Transmission Fluid • Soaps & Cleaning Fluids • Deicing Liquids

These versions of the Sotera 400B series diaphragm pump offer maximum flexibility. The motor support bracket allows the unit to set level on the ground or atop a mini-bulk tank. 2" Camlock inlet and 1" FPT outlet. Available in 12V or 115V pumps & pump kits (kits include 1 x 36" suction hose and 1" x 12' EPDM discharge hose with nozzle valve and fittings; Suction tube also included).



Pump Only Shown

Part No.	Description	Amp Draw	Net Ea.
FR 415X731	12 Volt pump only	12.0	\$ 734.00
FR 415X731PG	12 Volt pump kit	12.0	866.00
FR 460X731	115 Volt pump only	12.0	717.00
FR 460X731PG	115 Volt pump kit	12.0	880.00
FR F1855	1" Telescoping Suction Tube .....		35.25

## Electronic Flow Meters

Sotera • Scienco • GPI • Fill-Rite



Model SEM10



Model 825



SHURFLO®



Model FM1100



Model OM025P001-826R7G



Model OM025P001-822

Model TT10PN



FILL-RITE



Model FM300H



Model 3000E

Part No.	Size	Flowrate	Max. Pressure	Net Ea.
**FR 825	1" FPT	2-20 GPM	120 PSI	\$ 305.00
FR TT10PN	1" FPT	2-35 GPM	50 PSI	258.00
*FR 850	1" FPT	2-20 GPM	120 PSI	396.00
SI SEM10	1" MPT	2-30 GPM	60 PSI	265.00
†SI SEM10FTE	1" MPT	3-30 GPM	100 PSI	255.00
**SI SEM10FTV	1" MPT	3-30 GPM	100 PSI	268.00
GI FM300H	1"	2-20 GPM	50 PSI	491.00
SU FM1100	1" FPT	2-20 GPM	100 PSI	370.00
†SU FM1100I	1" FPT	2-20 GPM	100 PSI	354.00
DP 3000E	1"	2-22 GPM	40 PSI	346.00
**DP 3000V	1"	2-22 GPM	40 PSI	357.00
GI OM025P001-826R7G	1" FPT	3-40 GPM	175 PSI	1088.00
‡GI OM025P001-822	1" FPT	3-40 GPM	175 PSI	715.00
GI RT406D0FM	RT40 Remote Display Only			429.00

\*Includes Air Eliminator. † Hose End Style. \*\*V= Viton® Seals ‡ Meter Only - No Display

## Dura Meter Viton® & EPDM



Part No.	Description	Net Ea.
DP HFM2V	2" Dura-Meter, Viton®.....	\$ 1047.00
DP HFM3V	3" Dura-Meter, Viton®.....	1255.00
DP HFM2E	2" Dura-Meter, EPDM.....	1064.00
DP HFM3E	3" Dura-Meter, EPDM.....	1298.00



Part No.	Net Ea.
GD HS9379	\$ 55.50

## Hose Assemblies EPDM for Herbicides

These **EPDM Hose Assemblies** are first quality replacement for HERBICIDE HOSES. For Sotera, Scienco & GPI Chemical Pump Units. **No. HS9379** is 1" x 12' with 1" MNPT crimped ends.

# IN STOCK MINI-BULK PUMPS & METER SYSTEMS

## Dura-Pump™ Easy Caddy Systems



**FEATURES:** Can be mounted in (6) different configurations on a variety of tank/tote and drum types • 1" x 5' Suction hose & 1" x 12' Discharge hose with ball valve nozzle • Polypropylene fittings & 2" camlock for cage tank bottom port suction • Optional meter is DP 3000E or DP 3000V • Features 2 Year Warranty.



Part No.	Description	Net Ea.
DP E6018E-12	12 Volt Pump Only, EPDM.....	\$ 855.00
DP E6018E-110	115 Volt Pump Only, EPDM.....	915.00
DP E6018V-12	12 Volt Pump Only, Viton®.....	895.00
DP E6018V-110	115 Volt Pump Only, Viton®.....	969.00

Ask about upgrading DP3000 to Auto Batch



## Dura-Pump™ -Repair Kits Available-

Part No.	Description	Net Ea.
DP 6018E-12	12 Volt Pump Only, EPDM.....	\$ 739.00
DP 6018E-110	115 Volt Pump Only, EPDM.....	795.00
DP 6018V-12	12 Volt Pump Only, Viton®.....	765.00
DP 6018V-110	115 Volt Pump Only, Viton®.....	859.00
DP T4001	1" Telescoping Suction Tube.....	38.75



## DURA-ABV™ & BANJO EVX® Auto Batch Meter with Valve



### How It Works

- 1 Select the volume desired
- 2 Press START
- 3 Banjo EVX® Valve will open, fluid is measured and valve automatically closes upon completion

- Pump Not Included -



- Flow Rate: 2 to 22 GPM & Maximum Pressure: 40 PSI
- Meter Accuracy is ± 0.5%
- Backlit LCD Display
- Powered By (4) "AAA" Batteries
- Wetted Materials: Polypropylene, 304 Stainless Steel, Ryton, EPDM, Viton® or Silicone Seals
- Moisture Sealed
- Amount Metered & Batch Count
- Units Measured is Gallons, Liters or Ounces
- Calibration: Quick List or Manual
- Dimensions: 5-1/4" W x 5-1/4" H x 4-1/4" D
- Operating Temperature is -10° F. to +130° F.
- Weight is 1.5 lbs.

Part No.	Description	Net Ea.
DP DURA-ABV-B	Dura ABV Auto BatchPreset Meter for 12V Control Valve....	\$ 915.00
TK MEVX100B	1" Flanged 12V Banjo Valve with 18" Cable & 3 Pin Weather Pack Connector.....	425.00
DU ABV-MEVX-1	1" Plumbing Kit, Flanged.....	9.20



## Fast Batch DI Auto-Batch System - Direct Injection

The **Fast Batch DI** (Automated Direct Injection) works by direct injecting herbicides automatically into the sprayer carrier while filling the sprayer tank.

### Automated DI (Direct Injection)

- Filling your sprayer has never been easier or faster
- Check valves & 12V valves eliminate potential of herbicide backflow
- Accurately dispenses repeatable batches within 0.5% in ounces, gallons or liters
- Eliminates cross contamination
- Eliminates herbicide exposure and operator error
- Eliminates rinsing and wasting of chemical
- No data recording; not legal for direct resale



Direct inject herbicides into the carrier stream.

### How It Works

- 1 Select the volume desired
- 2 Press START
- 3 The **ABS Pumps** will begin to dispense fluid then automatically shut off when complete

#### Example fill

37.5 gallons of SureStart®  
37.5 gallons of Atrazine  
25.0 gallons of Glyphosate  
12.5 gallons of 2,4-D

All direct injected at once in less than 5 1/2 minutes with 2" plumbing

#### ORDERING INFORMATION

PRODUCT #	DESCRIPTION
DPAB-DI2V-12	2" FastBatch DI System 12V Viton® 4 pump
DPAB-DI2E-12	2" FastBatch DI System 12V EPDM 4 pump
DPAB-DI3V-12	3" FastBatch DI System 12V Viton® 4 pump
DPAB-DI3E-12	3" FastBatch DI System 12V EPDM 4 pump

\*Dura recommends the NOCO, GenPro 10X1 charger to run these 12V battery systems with 110V installation/operation.

Tanks & Large Transfer pump Sold Separately

Part No.	Description
DP AB-DI2E-12	AutoBatch Direct Inject System, 2IN, 4 Prods, 12V, EPDM
DP AB-DI2V-12	AutoBatch Direct Inject System, 2IN, 4 Prods, 12V, Viton®
DP AB-DI3E-12	AutoBatch Direct Inject System, 3IN, 4 Prods, 12V, EPDM
DP AB-DI3V-12	AutoBatch Direct Inject System, 3IN, 4 Prods, 12V, Viton®

**Call for Pricing!**

## Dura™ Auto Batch Systems

Finally An Economical Transfer System Offering An Automated Dispensing Option!

- **HOW IT WORKS:** Simply select the volume desired, Press Start, and the pump will begin to dispense fluid and automatically shuts off when target is reached.



Part No.	Description	Net Ea.
DP ABS-6318E-12	Auto Batch, 12 Volt, EPDM Seals.....	\$ 1589.00
DP ABS-6318V-12	Auto Batch, 12 Volt, Viton® Seals.....	1698.00
DP ABS-6318E-110	Auto Batch, 115 Volt, EPDM Seals.....	1698.00
DP ABS-6318V-110	Auto Batch, 115 Volt, Viton® Seals.....	1769.00
DP ABS-EX10	10' Extension Cable to Mt. Meter/Controller Remotely from 12V Pump.....	106.00

# AG CHEMICAL MIXING SYSTEMS IN STOCK

The **Dultmeier Quick Chem-Mix System** offers a reliable and efficient solution for handling and mixing chemicals from mini-bulk containers without the need for multiple 12-Volt pumps or individual flow meters.


Available with or without a venturi assembly for use on either the suction or discharge side of your transfer pump.

Scan the QR code to learn more.

Learn More




- **Single Meter for Multiple Chemicals:** Eliminate the need for recalibration with a single gear meter.
- **Powerful Suction:** Utilizes a centrifugal transfer pump to create a vacuum, either from a venturi or pump suction, for pulling chemicals from mini-bulk tanks.
- **Versatile Rinse:** Built-in rinsing ensures the entire manifold and hoses are flushed.
- **Durable Construction:** Features Banjo polypropylene flanged fittings.
- **Weatherproof Display:** A NEMA-rated enclosure protects the digital display.



## Quick Chem-Mix with Venturi Inductor Assembly

This setup is used on the discharge side of a centrifugal transfer pump. 2 inch units require a 2 inch pump, and 3 inch units require a 3 inch pump to work properly.




Part No.	Description
DU CHEM-MIX2-4	3 Product Valves with 2" Venturi Manifold
DU CHEM-MIX2-6	6 Product Valves with 2" Venturi Manifold
DU CHEM-MIX3-4	6 Product Valves with 2" Venturi Manifold
DU CHEM-MIX3-6	6 Product Valves w/ 3" Venturi Manifold

Net Ea.
\$ 3255.00
3509.00
3597.00
3830.00

## Quick Chem-Mix Less Venturi

These units are designed to be used with an already existing cone-bottom tank with an inductor, or they can be used on the suction side of a centrifugal pump.



Part No.	Description
DU CHEM-MIX2-4LV	3 Product Valves Less 2" Venturi Manifold
DU CHEM-MIX2-6LV	6 Product Valves Less 2" Venturi Manifold
DU CHEM-MIX3-4LV	6 Product Valves Less 2" Venturi Manifold
DU CHEM-MIX3-6LV	6 Product Valves Less 3" Venturi Manifold

Net Ea.
\$ 2730.00
2923.00
2789.00
3014.00

# FUEL UNITS IN STOCK

## HIGH-FLOW DIESEL TRANSFER UNITS

### High-Flow Engine Drive Diesel Transfer Units

These rugged units are designed for high volume diesel transfer so you can fill equipment quickly and save valuable time.

Powered with gas-engine driven centrifugal pumps. These are ideal for fuel trailers. Available in 1" units with **32 GPM** flow rate and 1-1/2" units with a **60 GPM** flow rate. What sets these apart is that this is the expected discharge at the nozzle, even when pumping fuel to fill combines and heavy equipment.

**Free Freight**



1-Inch Units – 30 GPM

**Features:**

- Cimtek 60 GPM fuel filter with 30 micron Hydrosorb elements
- 35' of 1-1/2" fuel transfer hose
- High flow automatic nozzle
- Steel base plates (powder-coat finish)
- Hannay spring rewind hose reel
- Hose end swivel

**Units in Stock:**

Part No.	Description	Net Ea.
DU FPU1P	1" x 35 ft. Hose, 32 GPM Flowrate	\$ 4163.00
DU FPU1.5P	1-1/2" x 35 ft. Hose, 60 GPM Flowrate	6174.00

All units are assembled in Omaha, NE, and the freight cost is covered to anywhere in the US (excluding Alaska & Hawaii). Designed for diesel fuel and biodiesel up to B20m.

\* Engines are recoil/pull start but units can be built with 12-Volt electric start engines upon request.

**Free Freight**



1-1/2-Inch Units – 60 GPM

### High-Flow Electric Motor-Driven Diesel Transfer Units

The same units above can be built with electric motors instead of gas engines. All the same features but 3 HP single or three phase motos for stationary fueling applications.

**Built to Order:**

Part No.	Description	Net Ea.
DU FPU1-M1	1" x 35 ft. Hose, 32 GPM Flowrate	\$ 5307.00
DU FPU1.5-M1	1-1/2" x 35 ft. Hose, 60 GPM Flowrate	7174.00

**Free Freight**



### High-Volume Fuel Components



1000 1"      3000 1-1/2"      4000 2"

No.	Elements	Ports	Flow	Filtration	Size
1000	1	1"	30 GPM	2,10, 30 Microns	14H x 5
3000	2	1-1/2"	60 GPM	2,10, 30 Microns	14H x 10
4000	3	2"	90 GPM	2,10, 30 Microns	15H x 10

**Centurion Filter Housing Less Element**

Part No.	Inlet & Outlet	GPM	Net Ea.
CI 1000	Centurion I Housing.....	30 1"	\$ 180.00
CI 3000	Centurion III Housing.....	60 1-1/2"	421.00
CI 4000	Centurion IV Housing.....	90 2"	602.00

**Elements for Centurion Housing**

Part No.	Std. Pkg.	Net Ea.
CI E02	2 Micron Element.....	6 \$ 27.00
CI E10	10 Micron Element.....	6 21.40
CI EHS10II	10 Micron Hydrosorb Element.....	6 33.50
CI E30	30 Micron Element.....	6 20.60
CI EHS30II	30 Micron Hydrosorb Element.....	6 36.00

10% Discount on Standard Pkgs. of Elements - Not Assorted



**Fitted Hose**

Part No.	Description	I.D.	Length	Wt.	Net Ea.
GA 3221WM-1x25	Fuel Hose Assembly	1"	25'	18 lbs.	\$ 340.00
GA 3221WM-1x30	Fuel Hose Assembly	1"	30'	22 lbs.	397.00
GA 3221WM-1x35	Fuel Hose Assembly	1"	35'	25 lbs.	433.00
GA 3221WM-1x50	Fuel Hose Assembly	1"	50'	33 lbs.	595.00
GA 3221WM-1-1/2x20	Fuel Hose Assembly	1-1/2"	20'	23 lbs.	480.00
GA 3221WM-1-1/2x25	Fuel Hose Assembly	1-1/2"	25'	28 lbs.	564.00
GA 3221WM-1-1/2x35	Fuel Hose Assembly	1-1/2"	35'	33 lbs.	691.00
HK 1690	Nozzle, 1-1/2", 100 GPM Flow Rate				586.00

# IN STOCK FUEL/DEF EQUIPMENT

## Fuel Storage Tanks

### Tanks Only or Complete Systems

#### Features:

- Three 2" top openings, 1-1/2" rotary gauge port & 2" drain
- Full-length skids
- Red enamel finish (White available)
- NOT UL listed



Part No.	Capacity	Size	Gauge	Wt.	Net Ea.
HS T520-50	520 Gallon	50" x 61"	14	350 lbs.	\$ 1498.00
HS T1000-64	1000 Gallon	64" x 72"	12	850 lbs.	2540.00

**Other Sizes & UL Listed Double Wall Tanks Available**

## CIM-TEK Fuel Filters

Cimtek Fuel Filters remove water and foreign material from fuel before it enters the tank. All-metal construction with spin-on FPT connections designed to handle gasolines and diesel fuels across a wide range of flow rates. Ideal for general purpose farm, construction, and mobile fueling applications, as well as high-volume fueling applications like truck stops, service stations, and commercial fueling systems. Hydrosorb elements have water filtration to completely remove water and impurities from fuel. Filter heads sold separately.



Part No.	Filter Connection	Max GPM	Std. Pkg.	Net Ea.
CI 200E-30	30 Micron Element	18	6	\$ 13.60
CI 260AHS10II	10M Hydrosorb Element	18	12	22.30
CI 260AHS30II	30M Hydrosorb Element	18	12	22.70
CI 300-30	30 Micron Element	25	12	10.20
CI 400-30	30 Micron Element	25	12	12.70
CI 800-30	30 Micron Element	40	6	29.00
CI 800HS-10II	10M Hydrosorb Element	40	6	38.25

**10% Discount on Standard Pkgs. of Elements - Not Assorted**

## FILL-RITE Heavy-Duty Fuel Pumps

**2 Year Warranty**

### 12 Volt

Heavy Duty 12-Volt Fuel Pumps with hose, manual or auto nozzle, suction pipe, and power cable. Models from 15-25 GPM. Less meter.

Part No.	Description	Net Ea.
FR 1210	15 Gpm Pump, 12' Hose & Man. Nozzle	\$ 526.00
FR FR4210	20 Gpm Pump, 12' Hose & Man. Nozzle	638.00
FR NX25-12V	25 Gpm Pump, 18' Hose & Auto Nozzle	1502.00



Model NX25-12V



Model 700



Model 311VB

Heavy Duty 115-Volt Fuel Pump with 12 ft. of hose & manual nozzle. 20 GPM. Less meter.

Part No.	Description	Net Ea.
FR FR700	Pump, Less Meter	\$ 853.00
FR FR701	Pump with Meter	1082.00

Heavy Duty 115-Volt Fuel Pump with meter, 18 ft. of hose & automatic nozzle. 35 GPM.

Part No.	Description	Net Ea.
FR 310VB	Pump, Less Meter	\$ 1692.00
FR FR311VB	Pump with Meter	2136.00

## FILL-RITE Automatic Fuel Nozzles

**UL/cUL Listed**

Standard-Duty Fuel Nozzles with automatic shutoff. Rugged design for long-lasting performance during continued use. Color coding and differing spout diameters prevent cross fueling.



Part No.	Inlet	Style	Color	Spout	GPM	Net Ea.
FR SDN075R	3/4"	Unleaded	Red	13/16"	14.5	\$ 86.50
FR SDN075G	3/4"	Diesel	Green	15/16"	14.5	86.00
FR SDN100G	1"	Diesel	Green	1-1/8"	25	129.00

## Piusi Portable DEF Tank Package

#### Standard Features:

- 58 Gallon Capacity
- SB325 DEF Automatic Nozzle
- 12V DC DEF Pump
- 13 Ft Discharge Hose
- 6.5 Ft Pump Power Cables with Clamps
- Lockable Lid
- Pallet Jack Base for Easy Loading or Unloading
- 9 GPM Pump
- 20 Min Duty Cycle
- Inlet is 2" BSP

PPT58



Part No.	Description	Net Ea.
PU PPT58	Portable DEF Tank Pkg, 58 Gal, 12V, 9GPM	Call

## DEF Pump Only

Part No.	Description	Net Ea.
PJ 33102	DEF Self Priming Pump, 12 VDC, 8 GPM	\$ 548.00



## Husky Husky EagleFlex®

### Fuel Hose Assemblies

**Ask About Quantity Discounts!**



Part No.	Length	I.D.	Couplings	Net Ea.
GD L64-3/4X10	10'	3/4"	3/4" MPT	\$ 48.50
HK FT12S14	14'	3/4"	3/4" MPT	67.50
HK FT12S20	20'	3/4"	3/4" MPT	90.50
GD L64-1X10	10'	1"	1" MPT	70.00
GD L64-1X12	12'	1"	1" MPT	81.00
HK FT16S14	14'	1"	1" MPT	100.00
HK FT16S20	20'	1"	1" MPT	120.00

## High Volume Diesel Transfer Pump Units



- Includes MP Petrolmaxx 2" x 2" Self-Priming Pump (Cast Iron with Viton® Seal)
- 5.7 HP CRX Engine, Manual or Electric Start
- 165 GPM @ 20 PSI (60 GPM thru 35' of 1-1/2" hose, 1-1/2" Double Filter & 1-1/2" Automatic Nozzle)

Part No.	Description	Net Ea.
DU MP25PCRX	2" CI Petrolmaxx Pump, 5.7 HP CRX Engine, Manual Start	\$ 1132.00
DU MP25PCRXE	Same as Above with Electric Start	1289.00

## Hi-Speed Diesel Nozzles

**NON-UL**

- Rugged with full grip nozzle guard and trigger cover to take trucker's rough-handling.
- Has flow-stop with vital parts composed of stainless steel.



Part No.	Nozzles	Style	Guard Color	Inlet	Spout	GPM	Net Ea.
HK 33C	Farm	Diesel	Green	3/4" FPT	15/16"	18	\$ 111.00
HK 45C	Farm	Diesel	Green	1" FPT	15/16"	18	139.00
HK 45CU	Farm	Unleaded	Red	1" FPT	13/16"	15	138.00
HK 45CHF	Farm	Diesel	Green	1" FPT	1-1/8"	20	126.00

# IN STOCK NH3 EQUIPMENT

## Side Mount NH3 Knives



- Standard with 3/8" NH3 tubes; 3/8" x 3/4" vapor tubes models also available
- Excellent sealing & wearing characteristics
- Knives in stock from Hi-Pro Mfg. & Wako

Part No.	Description	Net Ea.
WC MAG40	7/16" Side Mount with 3/8" Tube	\$ 60.00
WC MAG40BTS	7/16" Side Mount with 3/8" Tube, with Sealer	74.00
WC MAG50	1/2" Side Mount with 3/8" Tube	63.00
WC MAG50BTS	1/2" Side Mount w/3/8" Tube, with Sealer	80.00
WC W158	MAG50 Knife with 3/8" & 3/4" Vapor Tube	92.50
WC W158BTS	W158 Knife with Sealer	104.00
HP B33MOLE	B33 Mole Knife	52.00
HP B33MOLE-X	B33 Mole with Vapor Tube	63.50
HP MINIMOLE	Mini-Mole Knife	52.00
HP MINIMOLE-X	Mini-Mole with Vapor Tube	64.25

**Net Ea.  
5%  
Discount  
On 50+  
One  
Item**

## Spring Shanks



Part No.	Description	Net Ea.
BE CS1236	BlueJet Shank	\$ 149.00
BE KSC1295	2x1 BlueJet Shank	98.50
BE KSC1298	2x1 DMI Shank	100.00

**Net Ea.  
5%  
Discount  
On 10+  
One  
Size**

## Hose Union Adapters

**Zinc-Plated Steel  
- Not A Live Swivel -**



Female Adapter

Part No.	Size	Style	Net Ea.
HH 987	1"	FPT x FPT	\$ 14.00
HH 977	1"	MPT x FPT	11.60
HH 993	1-1/4"	FPT x FPT	38.75
HH 979	1-1/4"	MPT x FPT	23.80



Male Adapter

**Forged Steel Fittings  
Schedule 80 In Stock  
1/4" - 4" Available**

**Call Us for Your Needs**



## SAFETY DECALS

**WEAR YOUR  
GOOGLES**

**INHALATION HAZARD**



**CAUTION  
AMMONIA**

**+ FIRST AID +  
WATER**

**More Decals  
Available !**

## We Stock Parker NH3 Hose

**Goodall is Available!**



**7262  
Nylon Braid  
(6-Year Removal Date)  
Stock**

**7261  
Stainless Braid  
(8-Year Removal Date)  
Available - Call for Details**

**— Custom Sizes Available —**

Part No.	I.D.	O.D.	Ends	Length	Bend Radius	Net Ea. Price
ST AN05015	1/2"	.095"	1/2" MPT	15'	5"	\$ 189.00
ST AN075015	3/4"	1.25"	3/4" MPT	15'	8"	239.00
ST AN10003	1"	1.51"	1" MPT	3'	10"	84.00
ST AN10005	1"	1.51"	1" MPT	5'	10"	113.00
ST AN10010	1"	1.51"	1" MPT	10'	10"	184.00
ST AN10012	1"	1.51"	1" MPT	12'	10"	209.00
ST AN10015	1"	1.51"	1" MPT	15'	10"	253.00
ST AN10020	1"	1.51"	1" MPT	20'	10"	320.00
ST AN12503	1-1/4"	1.78"	1-1/4" MPT	3'	12"	151.00
ST AN12505	1-1/4"	1.78"	1-1/4" MPT	5'	12"	194.00
ST AN12510	1-1/4"	1.78"	1-1/4" MPT	10'	12"	300.00
ST AN12512	1-1/4"	1.78"	1-1/4" MPT	12'	12"	344.00
ST AN12515	1-1/4"	1.78"	1-1/4" MPT	15'	12"	407.00
ST AN12520	1-1/4"	1.78"	1-1/4" MPT	20'	12"	517.00

## NH3 GAUGES Stainless Stems



Part No.	Range	Type	Dial	Conn.	Net Ea.
AH A620	60 PSI	Dry	2-1/2"	Bottom	\$ 15.00
AH A1520	160 PSI	Dry	2-1/2"	Bottom	14.80
AH A420	400 PSI	Dry	2-1/2"	Bottom	12.90
AH ASG604	60 PSI	Dry	4"	Bottom	27.50
AH ASG4004	400 PSI	Dry	4"	Bottom	26.00

**\*Less 10% On 20 or More**

## Tank Valves and Bleeders



Part No.	Description	Net Ea.
CN B1206F	Liquid Withdrawal Valve, 1-1/4" MPT x 1-1/4" FPT, 42 GPM	\$ 201.00
CN A1406F	Liquid Withdrawal Valve, 1-1/4" MPT x 1-1/4" FPT, 42 GPM	306.00
CN B1201	Top Connect Manual Fill, Vapor or Withdrawal Valve, 42 GPM	193.00
ST A521P	Liquid Withdrawal Valve, 1-1/4" MPT x 1" FPT, Plugged Side Port	215.00
ST A484N-45	Liquid Withdrawal Valve, 1-1/4" MPT x 1-1/4" FPT, 45 GPM	392.00
CN A411	"T" Handle Bleeder Valve, 1/4", less Dip Tube	16.80
CN A411-HB	"T" Handle Bleeder Valve with side HB, 1/4", less Dip Tube	45.25

## Squibb-Taylor NH3 Breakaway Couplers for Toolbars



EZ Bracket



Part No.	Description	Net Ea.
ST FM126-1000	1-1/4" Break-A-Way Coupler, less bracket	\$ 973.00
ST EZ-BRACKET	"EZ" Bracket for FM126	222.00
ST FM150-1001	1-1/2" Break-A-Way With "EZ" Bracket	11812.00
PA 4500-6	1" Coupler with 1" FPT Male Tip & Clamp Assembly	630.00
PA 4500-7	1-1/4" Coupler with 1-1/4" FPT Male Tip & Clamp	770.00
CN AHFC114	1-1/4" High Flow Coupler	690.00
CN BSWV150G	1-1/2" High Flow Coupler	1125.00



Box 45565  
Omaha, Nebraska 68145-0565



Or Current Resident

PRSRT STD  
U.S. POSTAGE  
PAID  
OMAHA, NE  
PERMIT NO. 314

<b>OMAHA, NEBRASKA</b> 13808 Industrial Road Omaha, NE 68137	TOLL-FREE	1-800-228-9666
	LOCAL	1-402-333-1444
	FAX No.	1-402-333-5546
	E-MAIL	dultmeier@dultmeier.com

<b>DAVENPORT, IOWA</b> 601 West 76th Street Davenport, IA 52806	TOLL-FREE	1-800-553-6975
	LOCAL	1-563-386-0930
	FAX No.	1-563-386-5448
	E-MAIL	dultmeier@dultmeier.com



© Dultmeier Sales 2026



# 2026 SPRING FERTILIZER & PLANTING EQUIPMENT

Limited Quantities Available On Some Items - Prices Subject to Change Without Notice

1/26

## Complete High Volume Diesel Transfer Pump Units



FPU1P

These rugged units are designed for high volume diesel transfer so you can fill equipment quickly and save valuable time. 1" Units will provide **32 GPM** and 1-1/2" units will provide **60 GPM**.

**Drive Options:**

- Gas Engine • Electric Motor • Less Engine



FPU1.5-M1M



Scan our QR code to watch a video about these units

**See inside for available options**

## Dultmeier Chemical Mixing System

The **Dultmeier QUICK CHEM-MIX** station gives you the ability to add and meter all of your bulk chemicals without using 12-volt chemical pumps and flow meters for each product. One gear meter measures each product without the need to recalibrate for each one and includes 2" or 3" bottom inductors with bypass.

When the system is installed downstream of a properly sized centrifugal transfer pump, it pulls each product from mini-bulk tanks one at a time using the vacuum created by the inductor assembly.



**See inside for available options**



CHEM-MIX2-6